

Technical Department Bulletin

See Supp #1

NUMBER: 2855

FILE : P-A-E-101

DATE : JUNE 10, 1968

GOODS: SEE BELOW
(U. S. ONLY)

SUBJECT: P&L FARM & RANCH PAINT

Use

A low sheen, blister resistant acrylic latex paint for all farm and ranch buildings and fences. Contains no lead pigment to harm livestock that may lick or chew surfaces painted with it.

Code

Z101

*Discont. M-M 4/70
Adapted as Pal-Cote latex
House Pt. white, Z 1803
with tintability*

Z102

Color

White

Hereford Red

Wt. U.S. Gal.

12 lbs. 2 ozs.

12 lbs. 1 oz.

Consistency

Medium brushing

Medium brushing

Hiding

Fair to good

Good

Application

Brushes easily at package consistency. Apply a full, even coat, after pre-wetting brush in water. If thinning is necessary, add a little water.

For spraying, thin each gallon with one half pint of water.

Immediately after use, clean brushes and other equipment with water, using a little soap.

Be sure each coat is dry before applying the next coat.

Spreading Rate

500 sq. ft./gal. maximum

Drying

Dust free 30 minutes

To recoat 1 hour

Leveling

Fair

Gloss

Flat

Elasticity

Fair

Tinting

May be tinted with Vapex Tinting Colors, except Green.

Pratt & Lambert-Inc.
Technical Department Bulletin

NUMBER: 2855

FILE: P-A-E-101

- 2 -

Remarks

P&L Farm & Ranch Paint White and Hereford Red were adopted as Standard Listed Items in the U. S. at a Managers' Meeting April 10-11, 1968.

Barn & Roof Paint and Barn & Fence Paint will be discontinued as stocks are depleted in each U. S. Sales Division.

P&L Farm & Ranch Paints are similar to Vapex House Paint in composition, but because of cost considerations, will probably have a shorter life span. They contain no lead pigment or mercurial fungicides which might be harmful to livestock.

Laboratory tests show that P&L Farm & Ranch Paint compares very favorably with competitive latex barn paints. P&L Farm & Ranch Paint White was field-tested as GZ1130; Hereford Red as GZ353.

P&L Farm & Ranch Paint can be applied by brush, spray, or roller, but spraying or rolling on a chalky surface can result in poor adhesion and peeling. They can be used self-primed on most surfaces but on bleeding wood, such as cedar or redwood, Vapex House Paint Exterior Primer 45 White should be used as the first coat to minimize staining, or P&L House Paint Exterior Primer 305 White, if the wood might be chewed by livestock.

Specifications

NEW WOOD, AGGREGATE BLOCK, ASBESTOS CEMENT, BRICK, CONCRETE, and STUCCO - Two coats: Farm & Ranch Paint. On cedar or redwood, use Vapex House Paint Exterior Primer as the first coat or P&L House Paint Exterior Primer if the wood might be chewed by livestock.

If a filled surface is desired on aggregate block, apply a first coat of Primafil, followed by two coats of Farm & Ranch Paint.

NEW METAL - First Coat: P&L No. 25 Zinc Chromate Primer. Second and Third Coats: Farm & Ranch Paint. Omit primer on galvanized metal.

NEW UNPAINTED OR FACTORY PRIMED HARDBOARD OR WOOD FIBERBOARD - First Coat: P&L House Paint Exterior Primer. Second (and third coat, if desired): Farm & Ranch Paint.

OLD WORK - One or two coats Farm & Ranch Paint. Read PREPARATORY WORK on back label.

Keep From Freezing

0007-PTL-000805

W. G. RINGLE