PRODUCT NAME: MOLYBDATE ORANGE NON-BLEEDING

CG 01 CODE YC-16-B PKG ____

LOT L2K58

3198

EST. WT. 3098* LBS.

012/A

PROCESSES YC-16-B (C) APPROVED BY: FWP 09/22/81

COMTYP JOB NAME: 01YC016BPC

MAKING NOTES: _____

INSTRUCTIONS = PRESSING = RECORD

VAT	24				
DATE	11-19				
TIME	10:30A				
RELEASED BY	EC				
PRESS	91	92	93	2	25
NO.OF CAKES	42	32	32	32	32

PRESS WITH AGITATION
WASH TO 500 M MHOS WITH 35-75* WATER
TEST AFTER 2 HOURS
LOAD ON 4 CARS

PRESSLOAD	1ST	2ND	3RD	4TH	5TH
STARTED					
CAKES USED					
WATER ON					
HRS. WASHED					
M MHOS					
HRS. WASHED					
M MHOS					
HRS. WASHED					
M MHOS					
CAKE CONDITION					
NO CARS LOADED					

EXPLAIN LOSSES _____

SAMPLES
DELIVER TO

SAMPLED BY
RELEASED BY

= DRYING =

DRY 16 HOURS AT 220* F

LUMP: - OK - WET - SALTS - CONTAMINATD

ADDITIONAL DRYING HOURS REQUIRED

SAMPLES
DELIVER TO

NO CARS PULLED NO DRUMS
LUMP WGT
SAMPLED BY
RELEASED BY

= GRINDING =

MIKROATOMIZE
SET ROOF GATE AT 2 INCHES AIR FLOW
SET LUMP FEED SCREW AT 1/2 SPEED
MAGNEHELIC READING ON ATOMIZER
PANEL 1.0"

SCREEN RPM
MAX. TEMP. F

EXPLAIN LOSSES

SAMPLE WITHOUT MIXING
SAMPLES 1 ENV
DELIVER TO CTL

DATE MIXED

SAMPLED BY
RELEASED BY