

Instructions for Thinning Euston Lead in Oil

EUSTON ALL-PURPOSE PASTE — Wartime Thinning Formulae

9% OIL - 2% TURPENTINE

PAINTING FOR OUTSIDE NEW WOOD

Prime Coat		Second Coat		Third Coat	
Euston White Lead	100 lbs.	Euston White Lead	100 lbs.	Euston White Lead	100 lbs.
Linseed-Replacement Oil	4 gals.	Linseed-Replacement Oil	1 1/2 gals.	Linseed-Replacement Oil	3 3/4 gals.
Turpentine	2 gals.	Turpentine	1 1/2 gals.	Turpentine	3 pts.
Gallons of Paint	9 gals.	Gallons of Paint	6 1/2 gals.	Gallons of Paint	6 1/2 gals.

No Drier Needed When Using Linseed Replacement Oil

REPAINTING OUTSIDE WOOD (Old Work)

First Coat		Second Coat	
Euston White Lead	100 lbs.	Euston White Lead	100 lbs.
Linseed-Replacement Oil	2 1/2 gals.	Linseed-Replacement Oil	3 3/4 gals.
Turpentine	2 gals.	Turpentine	3 pts.
Gallons of Paint	7 1/2 gals.	Gallons of Paint	6 1/2 gals.

SOFT PASTE — 12% OIL

PAINTING OUTSIDE NEW WOOD

Prime Coat		Second Coat		Third Coat	
Euston White Lead	100 lbs.	Euston White Lead	100 lbs.	Euston White Lead	100 lbs.
Linseed-Replacement Oil	3 1/2 gals.	Linseed-Replacement Oil	1 1/2 gals.	Linseed-Replacement Oil	3 gals.
Turpentine	2 gals.	Turpentine	1 1/2 gals.	Turpentine	1/2 gals.
Gallons of Paint	8 1/2 gals.	Gallons of Paint	6 gals.	Gallons of Paint	6 1/2 gals.

REPAINTING OUTSIDE WOOD

First Coat		Second Coat	
Euston White Lead	100 lbs.	Euston White Lead	100 lbs.
Linseed-Replacement Oil	1 1/2 gals.	Linseed-Replacement Oil	3 gals.
Turpentine	2 gals.	Turpentine	1 1/2 gals.
Gallons of Paint	6 1/2 gals.	Gallons of Paint	6 1/2 gals.

HEAVY PASTE — 9% OIL

PAINTING OUTSIDE NEW WOOD

Prime Coat	
Euston White Lead	100 lbs.
Linseed-Replacement Oil	4 gals.
Turpentine	2 1/2 gals.
Gallons of Paint	9 gals.

Second Coat	
Euston White Lead	100 lbs.
Linseed-Replacement Oil	1 1/2 gals.
Turpentine	2 gals.
Gallons of Paint	6 1/2 gals.

Third Coat	
Euston White Lead	100 lbs.
Linseed-Replacement Oil	3 3/4 gals.
Turpentine	5 pts.
Gallons of Paint	6 1/2 gals.



STRICTLY
PURE
Euston
WHITE LEAD

APPROXIMATE

COVERAGES

Priming Coat—

700 sq. ft. per gal.

Second Coat—

730 sq. ft. per gal.

Finishing Coat—

730 sq. ft. per gal.

HEAVY PASTE — 9% OIL

REPAINTING OUTSIDE WOOD

First Coat

Euston White Lead	100 lbs.
Linseed-Replacement Oil	2 1/2 gals.
Turpentine	2 1/2 gals.
Gallons of Paint	7 1/2 gals.

Second Coat

Euston White Lead	100 lbs.
Linseed-Replacement Oil	2 3/4 gals.
Turpentine	5 pts.
Gallons of Paint	6 1/2 gals.



PAINT YOUR HOME WITH

Euston

No Peeling Will Last For Years

Euston White Lead is an outstanding achievement in the white lead field. It embodies qualities of pigment and manufacture not found in other nationally known white leads. Euston Lead is pure carbonate of lead!

Experience shows that those who have used this product find they get at least 10% more paint per 100 pounds than with other white leads—making painting more economical! It is finer ground, mixes quicker with the oil and does not pull under the brush—making jobs much easier!

Euston Lead tints clearer and the finished job is completely satisfactory. Use this superior white lead when you paint—get on the road to economical painting NOW!

Better



It's Better



EUSTON WHITE LEAD



Famous Since 1862

Euston White Lead is different. It is made by a special process of chemical precipitation that gives it extreme whiteness, purity and freedom from metallic bits and foreign matter. It is ground three times to insure perfect blending of pigment and oils. Euston White Lead covers better and goes further... you get more paint per hundred pounds.

EUSTON Related PRODUCTS

Euston Related Products were developed especially for use with Euston White Lead to further assure good results and lasting satisfaction. Each represents the highest quality obtainable.

EUSTON HOUSE PAINT PRIMER	EUSTON THINNING OIL
EUSTON GLAZING LIQUID	EUSTON WALL PRIMER
EUSTON FLATTING OIL	EUSTON DRYER
EUSTON PURE COLORS IN OIL	

EUSTON LEAD COMPANY
SCRANTON, PA.

BECAUSE...

It's a Whiter White...
It's Ground Finer...
It Tints Clearer....
It Makes More Paint
Per Pound of Lead

Form No. F106 RNM 3411 (PP.)

Printed in U. S. A.