WHITTAKER, CLARK & DANIELS, INC.
(201) 561-6100 · CABLE: CLEINAD

WHITTAKER
ESTABLISHED 1866

PRODUCT DATA

1615 AGI TALC (B.C.)*

Typical Chemical Analysis:		Percent
Silica	SiO_2	58-62
Calcium Oxide	CaO	1.0-1.7
Aluminum Oxide	Al_2O_3	2-3
Magnesium Oxide	MgO	30-31
Moisture	less than	0.5
Loss on Ignition		2-5
Water Solubles		0.5
pH		9-10

PLAINTIFF'S
EXHIBIT NO. P-19
FOR IDENTIFICATION
DATE: 3/29/85 RPTR: DK

Typical Physical Properties:	
Dry Brightness	88-92
Specific Gravity	2.68
Tapped Density, lbs./cu.ft.	56-60
Loose Density, lbs./cu.ft.	23-27
Lbs./solid gallon	22.32
One Lb. Bulks, gallons	0.0448
Oil Absorption	28-32
Thru 200 mesh, %	98

Typical Particle Size Distribution:

Microns	% Less Than	Microns	% Less Than
40	90	5	7
30	76	4	5
20	52	3	4
15	33	2	2
10	21		

*Bacteria Controlled, CTFA, "Microbiological Limit Guidelines for Cosmetic and Toiletries, 1973." Combined count of less than 500 microorganisms per gram and the absence of gram negative bacteria.

L612

PLAINTIFF'S EXHIBIT
WCD-292