

Pratt & Lambert-Inc.
Technical Department Bulletin

NUMBER: 2905

FILE : P-A-E-102

DATE : APRIL 28, 1970

GOODS: Z1803

(U.S. & CAN.)

SUBJECT: PAL-COTE LATEX HOUSE PAINT 1803 WHITE

CANCELLED: NONE

USE

A low sheen, blister-resistant acrylic latex paint for city and rural homes, farm and ranch buildings and fences. Contains no lead pigment to harm livestock that may lick or chew painted surfaces.

COLOR

White, untinted.

WT./GAL.

U. S. 12 lbs. 1 oz.

Can. 14 lbs. 8 oz.

CONSISTENCY

Medium brushing.

HIDING

Fair to Good.

TINTING

May be tinted with P&L Multipurpose Tinting Color except Ultramarine Blue, English Rose Lake and Chrome Yellows.

APPLICATION

Brushes easily at package consistency. Apply a full, even coat, after pre-wetting brush in water. If thinning is necessary, add a little water.

For spraying, thin each gallon with one half pint of water. Do not spray over chalky surfaces.

Immediately after use, clean brushes and other equipment with water, using a little soap.

Be sure each coat is dry before applying the next coat.

0007-PTL-000789

Pratt & Lambert-Inc.
Technical Department Bulletin

- 2 -

NUMBER: 2905

FILE: P-A-E-102

DRYING	Dust free 30 minutes To recoat 1 hour
LEVELING	Fair
GLOSS	Flat
ELASTICITY	Fair
SPREADING RATE	
U. S.	500 sq. ft. per gallon (maximum)
Can.	600 " " " " "

REMARKS

Pal-Cote Latex House Paint 1803 White, Z1803 was adopted as a standard listed item for U. S. and Canada at the Managers' Meeting held April 9-10, 1970. It will be packaged under the new Pal-Cote label. With the adoption of Z1803, the following items will be discontinued:

P&L Farm & Ranch Paint White, Z101 (U.S.)

Pal-Cote House Paint 1800 White, C1800 (U.S. & Can.)

Pal-Cote House Paint 1875 Light Base, C1875 (U.S. & Can.)

Pal-Cote House Paint Primer 1801 White, C1801 (U.S. & Can.)

Pal-Cote Latex House Paint 1803 White, Z1803 is identical to P&L Farm & Ranch Paint White, Z101 except that Z1803 has been modified to accept P&L Multipurpose (or Machine) Colorants. Z101 could not be field-tinted. Z101 was adopted April, 1968.

Z1803 is similar in vehicle type to Vapex House Paint, but because of cost considerations, will have a shorter life span. Like Vapex House Paint, Z1803 is suitable for both wood and masonry surfaces. For this reason, we do not recommend the use of alkali-sensitive pigments.

0007-PTL-000790

Pratt & Lambert-Inc.
Technical Department Bulletin

- 3 -

NUMBER: 2905

FILE: P-A-E-102

Z1803 can be applied by brush, spray, or roller, but spraying or rolling on a chalky surface can result in poor adhesion and inter-coat peeling. Z1803 can be used self-primed on most surfaces, but on cedar or redwood, Vapex House Paint Exterior Primer 45 White should be used as the first coat to minimize staining. If the cedar or redwood might be chewed by livestock, P&L House Paint Exterior Primer 305 White should be used as the first coat, since 45 White contains lead.

SPECIFICATIONS

NEW WOOD, AGGREGATE BLOCK, ASBESTOS CEMENT, BRICK, CONCRETE, and STUCCO - Two coats: Pal-Cote Latex House Paint. On cedar or redwood, use Vapex House Paint Exterior Primer as the first coat or P&L House Paint Exterior Primer, if the wood might be chewed by livestock.

If a filled surface is desired on aggregate block, apply a first coat of Primafil, followed by two coats of Pal-Cote Latex House Paint.

NEW METAL - First Coat: Effecto Enamel No. 25 Zinc Chromate Primer. Second and Third Coats: Pal-Cote Latex House Paint. Omit Primer on galvanized metal.

NEW UNPAINTED OR FACTORY PRIMED HARDBOARD OR WOOD FIBERBOARD - First Coat: P&L House Paint Exterior Primer. Second (and third coat, if desired) Pal-Cote Latex House Paint.

OLD WORK - One or two coats Pal-Cote Latex House Paint. Read PREPARATORY WORK on back label.

Keep From Freezing

W. G. RINGLE

0007-PTL-000791