NOTICE: if the film image is less clear than this notice, it is due to the quality of the document being filmed

00057

104

"Dutch Boy"

LEADSTAR



A
PRODUCT DEVELOPMENT
OF
NATIONAL LEAD COMPANY

NLI 115178

NOTICE: If the film image is less clear than this notice, it is due to the quality of the document being filmed

"Dutch Boy"

LEADSTAR

"DUTCH BOY" LEADSTAR, normal lead stearate, is a fine white moisture powder. It is an extremely pure product containing only trace quantities of water soluble salts. LEADSTAR provides economical lubricating, stabilizing, and water-proofing action in vinyl plastics and other applications.

Table of Properties

Composition	Normal Lead Stearate
Formula	$Pb(C_{18}H_{35}O_2)_2$
Form	Fine White Lustrous Powder
Molecular Weight	772
Specific Gravity	1.03–1.02
Melting Point	107°–109° C.
PbO, Basis %	29.0
Fineness	0.5% max. retained on 325 mesh sieve
Solubility	Insoluble in water and all common organic solvents

Uses

Vinyl and Vinylidene Chloride Polymers and Copolymers—In vinyl compounds, "DUTCH BOY" LEADSTAR lends supplementary heat and light stability together with lubricity. With a maximum melting point of 115° C. it easily disperses at normal processing temperatures in vinyl milling operations. Being relatively inert, LEADSTAR is compatible with all commercially available plasticizers. It will add desirable lubricating properties to properly stabilized systems. In general, "DUTCH BOY" LEADSTAR will prove a valuable supplement to the excellent stabilizing action of the basic lead salts, such as "DUTCH BOY" TRIBASIC, DIBASIC, and DIPHASE.

Phonograph Records—In phonograph records, LEADSTAR, as a lubricant, produces cleaner compression molded products, resulting in improved performance. It is compatible with a wide range of colorants, giving records of uniform shade.

Extrusion Compounds—LEADSTAR provides economical lubricating action in extrusion compounds, such as vinyl electrical wire and cable insulation, where the "DUTCH BOY" product excels, due to its low soluble salts content. The most economical stabilization system for electrical compounds, is the combination of LEADSTAR for lubricity, and "DUTCH BOY" TRIBASE E, the economical heat stabilizer.

Calendered Compounds—"DUTCH BOY" LEADSTAR is especially useful as a releasing agent in vinyl calendering. It will prove economically advantageous in any application, from unsupported film and sheeting to vinyl coated fabrics. In calendering formulations, a combination of LEADSTAR with "DUTCH BOY" DS-30C provides very efficient lubrication, and supplements the stabilizing effect of the proper primary heat stabilizer.

Other Applications—"DUTCH BOY" LEADSTAR is suggested wherever its lubricity and waterproofing action can be used to advantage. A common industrial application of these advantages is in the addition of LEADSTAR to dry powders which are to be extruded or molded.

F-91-52

00147

NLI 115178A

104

NOTICE: If the film image is less clear than this notice, it is due to the quality of the document being filmed

NLI 115178B

00147

1919L