POLYCHLORINATED BIPHENYL AND POLYCHLORINATED TERPHENYL PRODUCTS

MONSANTO INDUSTRIAL CHEMICALS COMPANY

1971 - 1975

Base Products

Aroclor 1016	Polychlorinated biphenyls (41.3% chlorine by weight)	100%
Aroclor 1221	Polychlorinated biphenyls (21% chlorine by weight)	100%
Aroclor 1232	Polychlorinated biphenyls (32% chlorine by weight)	100%
Aroclor 1242	Polychlorinated biphenyls (42% chlorine by weight)	100%
Aroclor 1248	Polychlorinated biphenyls (48% chlorine by weight)	100%
Aroclor 1254	Polychlorinated biphenyls (54% chlorine by weight)	100%
Aroclor 1260	Polychlorinated biphenyls (60% chlorine by weight)	100%
Aroclor 1262	Polychlorinated biphenyls (62% chlorine by weight)	100%
Aroclor 5060	Polychlorinated terphenyls (60% chlorine by weight)	100%
Aroclor 5432	Polychlorinated terphenyls (32% chlorine by weight)	100%
Aroclor 5442	Polychlorinated terphenyls (42% chlorine by weight)	100%
Aroclor 5460	Polychlorinated terphenyls (60% chlorine by weight)	100%

Hydraulics/Lubricants

Pydraul AC-A	Aroclor 5432	53.5%
Pydraul AC-A Winter Grade	Aroclor 5442	14.0%

0480311

TOWOLDMON0058204

Pydraul A-200	
Aroclor 1242	33.3%
Aroclor 1248	66.7%
Pydraul A-200B	
Aroclor 5432	30.0%
Pydraul F-9A	
Aroclor 5432	39.5%
Pydraul 135	
Aroclor 1232	9.5%
Aroclor 1242	36.5%
Pydraul 135A	
Aroclor 5432	27.8%
Pydraul 150	
Aroclor 1242	33.0%
Pydraul 150A	
Aroclor 5432	14.8%
Pydraul 230	
Aroclor 1221	3.0%
Aroclor 1242	54.7%
Pydraul 230A	
Aroclor 5432	29.3%
Pydraul 312	
Aroclor 1242	47.3%
Pydraul 312A	
Aroclor 5432	31.1%
Pydraul 540A	
Aroclor 1242	38.8%
Aroclor 5442	15.7%
Pydraul 540B	
Aroclor 5432	42.0%
Pydraul 625A	
Aroclor 5432	60.0%
Santovac 1	
Aroclor 1248	100.0%
Santovac 2	
Aroclor 1254	100.0%

0480312

Hydraulics/Lubricants (cont'd)

Turbinol 153	
Aroclor 1221	6.4%
Aroclor 1242	81.5%
Heat Transfer Fluids	
Therminol FR-0	
Aroclor 1242	80.0%
Therminol FR-0 Low Temperature	
Aroclor 1242	50.0%
Therminol FR-1	
Aroclor 1242	100.0%
Therminol FR-2	
Aroclor 1248	100.0%
Therminol FR-3	
Aroclor 1254	100.0%
Transformer and Capacitor Fluids	
Capacitor 21	
Aroclor 1221	100.0%
Inerteen PPO	
Aroclor 1260	60.6%
Inerteen 70-30	
Aroclor 1254	70.0%
Inerteen 100-42	
Aroclor 1242	100.0%
Inerteen 54201 A9	
Aroclor 1242	65.0%
Inerteen 54201 CM	
Aroclor 1242	99.9%
Inerteen 54201 KA	
Aroclor 1254	70.0%
Inerteen 54201 KJ	
Aroclor 1221	32.5%
Aroclor 1016	32.5%
MCS 1489	
Aroclor 1016	90.0%

0480313

TOWOLDMON0058206

Transformer and Capacitor Fluids (cont'd)

Pyranol A13B1 (also Pyranol 1476)	
Aroclor 1254 electrical grade	100.0%
Pyranol A 13B 3B	
Aroclor 1260	45.0%
Pyranol A13B 3B-2	
Aroclor 1254	45.0%
Pyranol A13B 3B-3	
Aroclor 1254	60.0%

Plasticizer Applications

Aroclor 6037	
Aroclor 5460	37.0%
Aroclor 1221	63.0%
Aroclor 6040	
Aroclor 5460	40.0%
Aroclor 1221	60.0%
Aroclor 6050	
Aroclor 5460	50.0%
Aroclor 1221	50.0%
Aroclor 6062 (10% Xylene)	
Aroclor 6062	90.0%
Aroclor 6062	
Aroclor 5460	62.0%
Aroclor 1221	38.0%
Aroclor 6070 (10% Xylene)	
Aroclor 6070	90.0%
Aroclor 6070	
Aroclor 5460	70.0%
Aroclor 1221	30.0%
Aroclor 6090	
Aroclor 5460	90.0%
Aroclor 1221	10.0%
Aroclor 4465	
Aroclor 1262	50.0%
Aroclor 5460	50.0%
Montar 5	
Polychlorinated polyphenyl residue	100.0%

0480314

TOWOLDMON0058207