TABLE A-2. SUMMARY OF ROAD TEST PROCEDURES FOR FMVSS 121 (all vehicles except "non-school" buses are exempt from these requirements)

Sequence	Procedure
Burnish brake linings	• Make 500 brake applications at 10 ft/s/s deceleration, 1 mile intervals or 500 F brake temperatures • Readjust brakes if necessary
Road tests - effectiveness	Under GVWR and unloaded, make following stops:
	• From 20 mph with service brakes* • From 60 mph with service brakes • From 20 mph with emergency brakes
	• From 60 mph with emergency brakes

*These stops to be conducted on dry and wet pavement