MO-2-A

PACKAGE TICKET (DRY AND PASTE ONLY)

CODE YT808 LOT 37125

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PO
	21	2235	44	
	STUMP	Lamp wit	2230	

TOTAL NET WT. 2235 PKG. N-CODE

PROD. SPVR.	DATE	WHSE. OPER.
[illegible]	10/31	292

N35266



0.T

107.+
119.+
111.+
109.+
110.+
110.+
108.+
104.+
103.+
106.+
115.+
109.+
109.+
114.+
105.+
102.+
108.+
112.+
109.+
105.+
80.+
2235.T

33/106

CG 46 CODE YT-808-D PKG. ____

SEP·16·80 37125

EST. WGT. 2238 LBS.

21

9 gs

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
YT-808-D (D)	EWK 9/28/77
	BBK 10/17/77
	DCG 10/17/77
TYPED BY	
JJC 10/26/77	

MAKING NOTES

REMARKS

NAME: DALAMAR® YELLOW

BLEEDING

-PRESSING-

INSTRUCTIONS

AT	106				
ATE	9/17/80				
IME	9:15A				
ELEASED BY					
RESS	32	33	35		
O. OF CAKES	60	62	60		

RESS WITHOUT AGITATION

ASH TO 4000 OHMS with 35-75°F water

EST AFTER 4 HOURS

OAD on 9 cars

AMPLES

ELIVER TO

RECORD

PRESSLOAD	1ST	2ND	3RD	4TH	5TH
STARTED	9				
CAKES USED	60				
WATER ON	3 hrs				
HRS. WASHED	6				
OHMS	6000				
HRS. WASHED					
OHMS					
HRS. WASHED					
OHMS					
CAKE CONDITION					
NO. CARS LOADED	10				

EXPLAIN LOSSES

SAMPLED BY RELEASED BY A.K.

-DRYING-

DRY 24 HOURS AT 200°F

LUMP: - OK - WET - SALTS - CONTAMINAT

ADDITIONAL DRYING HOURS REQUIRED

NO. DRUMS 16

AMPLES

ELIVER TO

NO. CARS PULLED LUMP WGT. 2230

SAMPLED BY RELEASED BY A.K.

-GRINDING-

ILL 4 or 10 HSP 1/8"RB SCREEN 3500 RPM

AX. TEMP. 190 °F

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

AMPLE WITHOUT MIXING

AMPLES 1 env + 1 Pint can

ELIVER TO C T L

DATE MIXED 10/2/80

SAMPLED BY 271 RELEASED BY

DUP050108339



DUP050108340