

SW # 3046 - 2nd = Bayonet Fuel

ORIGINAL COPY, USE BY J. G. PARKER

MADE IN U.S.A.

7 LINDSEY CHEMICAL CO., INC.

- 59 -(a)

FLUOR CHROMES

100% FLUOR U.S.A. 700000
per Gal.

10614 Chrome Green Lt.

10615 Chrome Green Med.

10616 Chrome Green Dark

10617 Base Color in Oil 13.75
C. P. Chrome Yel. L 21.78
- 72% - 12507
28% - (798)

10618 Base Color in Oil 13.75
C. P. Chrome Yel. M 22.12
- 75% - 12510
25% - (798)

10619 Base Color in Oil 14.50
C. P. Chrome Yel. O 22.87
- 80% - 12011
20% - (798)

- 59 - (b)					
<u>PULP COLORS</u>					
	<table> <tr> <th>WT.</th><th>COST</th></tr> <tr> <td>per 100 lb.</td><td>U.S. PAT. OFF.</td></tr> </table>	WT.	COST	per 100 lb.	U.S. PAT. OFF.
WT.	COST				
per 100 lb.	U.S. PAT. OFF.				
10624	Base Color in Oil 14.50				
	C. P. Chrome Yellow				
	D O 29.38				
	- 86% - 12012				
	14% - (798)				

10620	Base Color in Oil 18.50				
	C. P. Chrome Green I 20.48				
	- 75% - 11026				
	25% - (798)				
10621	Base Color in Oil 19.25				
	C. P. Chrome Green M 18.59				
	- 70% - Chrome Green				
	30% - (798)				
10622	Base Color in Oil 20.00				
	C. P. Chrome Green D 15.59				
	- 66% - 11024				
	34% - (798)				

10623	Base Color in Oil				
	C. P. Chinese Blue 10.51				
	- 40% - C.P. Chinese Blue				
	60% - (798)				

- 58 -(c)

PULP COLORS Wt.
per gal. Cost

10627 Base Color in Oil 18.50
C.P. Calumet Green L 20.00#
75% - 11163 - Calumet Green L
25% - (798) - Treated Linseed

10628 Base Color in Oil 19.25
C.P. Calumet Green M 16.94#
75% - 11164 - Calumet Green M
25% - (798) - Treated L.O.

10629 Base Color in Oil 19.75
C.P. Calumet Green D 15.10#
65% - 11165 - Calumet Green D
35% - (798) - Treated Linseed

10630 { Refrigerator
Base Color in Oil
C.P. Chrome Orange L
70% - 12233
30% - (48) * (2)
(Used by Chicago in R. 19962)

10631 { Refrigerator
Base Color in Oil
C.P. Chrome Orange D
75% - 12234
25% - (48) * (2)
(Used by Chicago in R. 19962)

12081

Date: 4-28-32

Name: C.P. Chrome Orange 18085

Type: C.P. Chrome Orange

Composition:

Basic Lead Chromate

Reason for Std:

Cook Paint & Varnish Y-11

Customer: " " "

Oil Bleed: None

Description: C.P. Chrome Orange

purchased from Kentucky Colors
and Chemical Co. Their 908-C

Requested by:

M. S. Doty

Std. Sent:

Paint

NAME	
Date	4-5-72
Maker	Air-onto
Material	Special Pigment
Composition	60% Zinc Yellow 40% Iron Oxide
Description	New product
Color	Yellow
Customer	
Oil Based	Yes
Performance	Excellent
Gravity	1.25
Oil Absorption	34.5
Alkali Resistance	Good
Acid Resistance	Good
Use	For wall painting

DRY NUMBERS

- 2 French Process Zinc Oxide
(Best Grade)
- 13 Silica
- 4 French Process Zinc Oxide
(Second Grade)
- 8 China Clay, Domestic
- 9 Sublimed Lead Sulphate
(Spec'n. work only)
- 18 Venetian Red (Second Grade)
- 15 Imported China Clay
(White Filler)
- 18 Carter Process White Lead
- 19 French Ochre
- 20 Asbestine
- 21 Raw Turkey Umber
- 22 Burnt Turkey Umber
- 24 Iron Ore Purple (Spec'n. only)
- 25 Raw Italian Sienna
- 26 Burnt Italian Sienna
- 27 Vandyke Brown
- 32 Bone Black (Competitive Grade)
(Acme No. 2) (For SP. Co. usage)
- 33 Paris White (Chalk Whiting
Imported)
- 41 Powdered Borax (Restrict
existing Fire Ret.)

DRY NUMBERS - Cont'd.

- 42 Keystone Filler
- 45 Gypsum
- 46 Bone Black (Medium Grade)

- 54 Indian Red (Deep Shade)
- 55 Tuscan Red (Light Shade)
- 56 Mineral Black

~~57 A Chrome Yellow (Orange) (Nitrate Type)~~
~~(Nitrate Type) (Nitrate Type)~~

- 58 Chrome Yellow (Nitrate Type)
- Deep Orange
- (For Bulletin Colors Only)

60-L English Vermillion
(Light Shade)

60-D English Vermillion
(Deep Shade)

61 Ultramarine Blue (Best Grade)

62 Mazarine Carmine (For Ex 128
and Base 128 only)

63 Dutch Pink Lake

75 Munich Lake (For Ex 128 only)

~~76 Lithopone (S-W Mfr. - Second Grade)~~

82 Orange Gum Shellac

85 Off-Shade Lithopone (S-W Mfr.)

89 Red Copper Oxide (Cuprous)

DRY NUMBERS - Cont'd.

- 91 Gemine Prince's Mineral Brown
- 95 Oslo Leaded Zinc (Washed)
(For Spec'n. only)
- 98 Ultramarine Blue
(For ordinary use)
- 101 Carbon Black (Second Grade)
- 104 Lamp Black (Medium Grade)
- ~~108-Zinc Oxide (American Process)~~
(New Jersey Zinc Co. & X.M.P.)
108-M Zinc Oxide (American Process)
- 121 Spanish Red Oxide
(Acme Oxide 8)
(For use in Rx 18162)
- 132 Red Iron Oxide (Canada Pt. Co.)
- 134 Venetian Red
- 156 Lamp Black (Best Grade)
- 158 Wood Charcoal, Powdered
- 165 G P Chrome Green, DD
(Nitrate Type)

DRY NUMBERS - Continued

- () 173 C P Chrome Green, Lt.
(Nitrate Type)
- 174 C P Chrome Green, Med.
(Nitrate Type)
- () 175 C P Chrome Green, Deep
(Nitrate Type)
- 180 Ultramarine Violet
- () 181 Acheson Graphite
- () 182 Persian Gulf Oxide (Iron Oxide)
- 200 Cadmium Sulphide, Orange
- 201 Orange Mineral, Domestic
- 202 Paint Grinders' Red Lead
- 213 Blanc Fixe
- 214 Bright Red Oxide (Iron Oxide)
- CP 233-P Graphite Red Medium
- () 265 Corn Starch
- 267 Zinc Dust
267-F Zinc Dust - Triple "A" Grade
- () 292 Aluminum Bronze
- 300 Red Oxide of Mercury
- () 303 Caustic Soda (For En 12623 only)
- () 305 Champlain Red Oxide
(Canada Paint Co.)

- 64 -

DRY NUMBERS - Continued

306 Barytes
307 White Arsenic

~~308 Camellia Wax (Chicago only)~~
310 Pure White Ceresine Wax
(Chicago only)

315 Sublimed Blue Lead
(Spec'm. work only)

CP 317 Graphis Red M
CP 318 Graphis Red R, Dry

CP 321 20% Graphis Lake Calcium
(For Rx 23187 only)

~~322 Black Flax Oil (Chicago only)~~
333 Gold Bronze (Pale Shade)

CP 341 Britons Red M

354 Black Iron Oxide (Magnetic)

CP 359 25% Lake Red C
(For Rx 23187 only)

377 Plaster Paris (For Spec'm.
work only)

392 Yellow Crude Seal Wax

399 Yellow Lake

402 Mahogany Dye Oil Soluble

- 66 -

DEY NUMBERS - Continued

404 Powdered Manganese Dioxide
(For Ex 19061 only)

405 Nigrosene Black
(Spirit Soluble) (Blue Shade)

408 Fat Brown Dye, Oil Soluble

407 Fat Orange Dye, Oil Soluble

408 Fat Yellow Dye, Oil Soluble

409 Blue Dye, Oil Soluble

410 Fat Red Dye, Oil Soluble

411 Third Grade Lead-Zinc Oxide
(Coffeyville)

412-2 Brushing Pigment - Lead-Zinc Oxide
412-3 Oil Soluble Lead-Zinc Oxide 65/35

418 Oil Soluble Nigrosene Black
(Blue Shade)

420 Bone Black (Best Grade)

CF 427 Lacquer Mastic W. (Formerly CF 427)

432 Blue Dye, Spirit Soluble

- 85 -(a)
DRY NUMBERS - Continued

440 Magnesium Carbonate

443 Aluminum Silicate

448 Rock Tripoli, Powdered

450 Victoria Black Bass B

461 Lithopone ("Albalith")
(H.J. Zinc Co. Mfr.)
(See Restricted)

461-C Lithopone (H.J. Zinc Co. Mfr.)
(See Restricted)

461-H Lithopone (S-W Mfr.)

461-L Lithopone (S-W Mfr.)

461-M Lithopone (S-W Mfr.)

461-S Lithopone (S-W Mfr.)

477 Gentian Blue Lake

478 Chrome Oxide Green
(Spec'ns for D. Lupton
& Cleveland Tractor Co.)

DRY NUMBERS - Cont'd.

485 Nigrosene Dye, Blue Black,
Water Soluble

488 Graphite

494 Dancing Floor Wax
(Chicago only - Ex 13074)

509 Calomel

515 Gold Bronze (Red Shade)

516 Flatting Powder

522 Carbon Black, 3rd Grade

523 Dextrine

527 U.S.P. *W*

528 Carbon Black (Best Grade)

532 Carrarra Silica

535 Dry White Lead Carbonate,
Off-Shade

539 S F Powdered Pumice, Air-floated

547 Aluminum Stearate

553 Candellilla Wax (Chicago only)

566 White Mineral Primer
(Mineral Whiting)

DRY NUMBERS - Cont'd.

593 Chrome Ore

612 Flake Graphite

622 Hydrated Lime (Restricted to
Modern Method Freight Car Pts)

636 Asbestos Fibre

920 Gray Lithopone (S-W)

1003 Lamp Black, Best Grade
(For Oil Colors)

1006 French Ochre (Restricted to
Cleveland for Oil Colors)

1093 Super-Cel
(Filtering Agent)

1097 Titanium Oxide Pigment
("Titanox")

1107 No. 2 North Country
Carnauba Wax (Chicago only)

1116 Extra Fine Aluminium

1117 Antimony Oxide ("Timonox")
(For P&S Color Card Only)

1119 Tuscan Red, Extra Deep

ORIGINAL COPY 1947 J. C. PARKER

MADE IN U.S.A.

LEWIS, PHILADELPHIA, PA.
71

-58-

DRY NUMBERS - Cont'd.

1122 Flaxoap (M 1)
1123 Copper Bronze
1124 ~~Fire Red Tenax~~
1128 ~~Pack. Lithargy~~ Lithargy
1129 Geo. Nephaw Co.'s
~~525 Red Oxide~~ (For Spec'n. only)

1132 Ferrite Yellow Lt. (Lemon)
1133 Ferrite Yellow Dk. (Orange)

1140 Straight Old Dutch Process
Lry White Lea' (Us-d in Rx 892T)

1141 Iron Oxide
(For Pa.Ry. Spec'n. 31-B)
(For Spec'n. only)

1143-S Lithopone (S-7 Mfr.)
1143-S Lithopone (S-7 Mfr.)

1147 Ultramarine Blue
Cobalt Shade

1148 Cobalt Blue
Brown Metallic

1150 Paraffine Wax (Best Grade)

1151 Electrolytic Process
White Lead Carbonate

1155 C. K. Williams (Temporary)
Princes Metallic No.1

DRY NUMBERS - Cont'd.

- 1181 #250 Bone-Black
(Armour Co.)
- 1194 Ground Limestone
- 1204 Prince's Mineral Substitutes
- 1208 ^{High}
~~Double~~ Strength Lithopone
- 1211 Raw Umber for Oil Colors only
- 1212 Burnt " " " "
- 1213 Raw Sienna " " " "
- 1214 Burnt " " " "
- 1215 Recersine Brown LI
(For use in Ea 14590 only)
(Chicago only)
- 1216 ~~Swedish Black~~
(For Ea 22414 only)
- 1220 Geo. S. Mepham's ~~Black~~ Oxide
- 1223 #3 Grade Asbestos Fibre
Used in Plastic Wall Paint
- 1231 Mepham's #1260 Oxide
- 1232 Antimony Oxide
(For Oakland only)
- 1233 #1273 Mepham's Oxide
- 1235 Maroon Light Oxide
~~London Blue~~

- 70 -

DRY NUMBERS - Continued

- 1240 Superior Flake Graphite #560
- 1255 Red Oxide (Formerly NW 35)
- 1260 Red Slate Flour
- 1265 Soapstone (For Los Angeles &
Oakland P & V only)
- 1268 Black Iron Oxide (Second Grade)
(For Spec'n. only)
- 1269 #1682 Graphite (For Spec'n. use)
(For Rx 27085 only)
- 1270 Lamp Black (For Rx 25685 only)
(Illinois Central R.R.)
- 1271 Calcium Titanox
(Formerly T-74) (Same as W 875)
- 1277 Off-White Silica
(OC2 Silica) (For use by Newark
in Frt. Car Paint for Pa. R.R.)
- 1289 Ultramarine Blue
(Used by Newark in Rx 24055)
- 1295 Litharge
- 1296 #390 Oxide
(Used by Chicago in
Modern Method Frt. Car Paint)

- 71 -

DRY NUMBERS - Continued

1400 C.P. Bronzeless Blue

1403 C.P. Titanium Oxide

1403-X Titanium Dioxide "(Rayox)"

1417 Alizarine Lilac Lake
(Used in Rx 239)

~~1448 White Star Timenox~~
~~(For use in Rx 239 & 242)~~
~~(Tested. Insular Dept.)~~
1502 Atk Baker
(Chicago - For use in Bridge
Paints for the I.O.R.R.)
(Used in Rx 1503)

1503 Paint Grinder's Red Lead
- Containing not less than
98% True Red Lead.

1505 Iron Oxide - Siliceous Base
(For Spec'n Goods Only)

1509 Snow Floss
Air-Floted Filter-Cel

1510 #841 Bone Black
(Armour & Co.)
(For Use in Q. D. Blacks)

1520 R. C. Blue

1526 Ozlo Leaded Zinc 60/40
- Unwashed

- 71-(a)
DRY NUMBERS - Continued

- 1531 Asbestos Fibre (Special)
(Absolutely free from stones)
(For use by Chgo. P & V Depts.)
(Restricted)
- 1534 #10 Velvet Black
(For Newark - Spec'n usage only)
- 1538 Zinc Sulphide
- 1541 C. E. L. Ochre
(Used in Master Painter Oil Colors)
- 1542 Burnt Sienna (Used in
Master Painter Oil Colors)
- 1543 #45 Raw Umber (Used in
Master Painter Oil Colors)
- 1544 #31 Burnt Umber (Used in
Master Painter Oil Colors)
- 1546 American Zinc Oxide
(For use by Newark. Restricted)
- 1550 French Process Zinc Oxide #550
(For Spec'n usage)
- 1551 Graphite (Spec'n usage)
- 1552 Special High-Flow Super-Cal

- 71 - (b)
DRY NUMBERS - (Continued)

1553 Mopham's #1236 Oxide
(For Chicago - Spec'n usage)

~~1554 H.C. Bone Black (Used in Fluid Oil Glass)~~
~~(Use 108-N)~~

1561 Sodium Fluosilicate
(Restricted to Mill Village
Paints)

1562 1/2 Pumice (For Newark -
Spec'n usage) (Traffic Zone Paint
(Used in Rx 27544)

1570 Orange Mineral AAA
(Restricted. For use by Chgo.)

1571 H.C. Bone Black (Used in Fluid Oil Glass)

1578 Ferratone Red Lt.
(For use by Newark in Rx 22976)

1579 Super-Black

~~1580 H.C. Bone Black (Used in Fluid Oil Glass)~~ (Use 12/01 Dry)

1586 Hansa SR Orange

1587 Dark Standolind Petroleum
(Petroleum Jelly)
(Restricted. For use by Chgo.)

1588 Iron Oxide (Lump)

1599 #60 Green
(Used in Rx 46063
- Ken Bulletin Color
Ocean Green)

71-(c)
DRY NUMBERS - (Continued)

- 1709 Flake Graphite
(Chas. Pettinos #6)
- 1711 Gum Tragacanth (Powdered)
1712 Permanent Green Toner #3571
- 1721 Permanent Green X 1010
- 1726 Carbon Black
- 1739 Shell Standard Yellow Dry
(G. P. Chrome Yellow)
-(For use by Oakland in
Rx 26298)
- 1754 Cadmium Sulphide Light Red
(For use by Newark in
Rx 24858)(Restricted)
- 1755 Hoover Brown #7051
(For use by Newark
in Rx 24982)(Restricted)

71-(d)

DRY NUMBERS - (Continued)

2981

1770 *use C.P. 476*

1769 *use C.P. 476*

1774 Lincoln Maroon #4200
(Used in Rx 48038)

1778 Magal Black (Low Oil Absorption)
(For Newark)

1779 *use R 4.28*

1780 C. P. Chrome Orange P-8848

1781 Non-Staining White Portland Cement

1785 Insignia Red

1787 Portland Cement

1791 #5800 Ultramarine Blue

1794 #1384 Ultramarine Blue

1795 Medium Cadmium Red

1796 King Orange #2809 (Restricted)

1797 Better Black

1798 Peerless Carbon Black
(For Newark - in Rx 23861)

1804 L. N. 100 Resin
(For use in Enameloid Liquid
White (28861P))

1. The first step is to identify the problem or goal. This involves understanding the current situation and what needs to be achieved.

Page 10

1990 年 12 月 25 日

1. The first group of people who are not allowed to enter the country are those who are on the "No Fly List". This list is maintained by the Federal Bureau of Investigation (FBI) and the Department of Homeland Security. It includes individuals who are considered a threat to national security, such as terrorists, spies, and other individuals who are involved in criminal activities.

1. The first part of the document is a list of names and their corresponding dates. The names are: "John Doe", "Jane Smith", "Bob Johnson", "Alice Brown", "Charlie White", "David Green", "Eve Black", "Frank Gray", "Grace Pink", "Henry Blue", "Ivy Yellow", "Jack Purple", "Karen Red", "Leo Orange", "Mia Silver", "Noah Gold", "Olivia Bronze", "Pete Copper", "Quinn Iron", "Rory Tin", "Sam Lead", "Tina Zinc", "Uma Nickel", "Victor Platinum", "Wendy Silver", "Xavier Gold", "Yara Bronze", "Zoe Copper". The dates are: "1990-01-01", "1990-02-01", "1990-03-01", "1990-04-01", "1990-05-01", "1990-06-01", "1990-07-01", "1990-08-01", "1990-09-01", "1990-10-01", "1990-11-01", "1990-12-01", "1991-01-01", "1991-02-01", "1991-03-01", "1991-04-01", "1991-05-01", "1991-06-01", "1991-07-01", "1991-08-01", "1991-09-01", "1991-10-01", "1991-11-01", "1991-12-01", "1992-01-01", "1992-02-01", "1992-03-01", "1992-04-01", "1992-05-01", "1992-06-01", "1992-07-01", "1992-08-01", "1992-09-01", "1992-10-01", "1992-11-01", "1992-12-01".

10 (MAY) 1961

72
DRY NUMBERS - Continued

- 10004 4% Eosine - Orange Mineral
Vermilion
- 10020 1% Eosine - Orange Mineral
Vermilion
- 10063 White Lead - Eosine Vermilion
- 10109 C.P. Para Toner Dp.
- 10121 C.P. Para Toner Lt.
- 10132 Alizarine Red Lake
- 10180 Non-Bleeding Scarlet Lake
- 10182 Maroon Lake
- 10189 C.P. Toluidine Toner
- 10234 40% Orange Lake
- 10257 Maroon Toner
(Acme No. 48)
(Use restricted to existing
formulas 3/1/36)
- 10278 Tuscan Red (Acme #4)
(Restricted to Cleveland
for Oil Colors)

- 73 -
DRY NUMBERS - Continued

10276 Tuscan Red (Acme #210)
(Restricted to Cleveland
for Oil Colors)

10277 Turkey Red Light
(Restricted to Cleveland
for Oil Colors)

10278 Turkey Red Deep
(Restricted to Cleveland
for Oil Colors)

10293 25% Para Toner Lt.
10294 25% Para Toner Dk.

10299 Alizarine Maroon 2 B
(Restricted to O.D. Truck
& Bus Enamels)

10350 Permanent Orange Toner

10351 Maroon Lake (Restricted to
Enameloids & Master Painters
Oil Colors)

10351 Fire Red Toner

10361 Permanent Red Toner

10670 CP Chrome Green

- 73 -(a)

DRY NUMBERS - Continued

11023 C. P. Chinese Blue
11024 C. P. Chrome Green Medium
(Acetate Type)
11025 C. P. Chrome Green Lt.
(Acetate Type)

11077 C. P. Chrome Green Lt.
(Acetate Type)

11080 Salvage Green

11087 C. P. Chrome Green, Olive
(Nitrate Type)

11094 Paris Green

11096 C. P. Prussian Blue

11100 Sulphur-Free Green
(For use in R₁ 24086)

11108 C. P. Chrome Green, Lt.
(Nitrate Type)

11110 C. P. Chrome Green, Dk.
(Nitrate Type)

11112 Factory Lake Green Deep
(Restricted to R₁, R₂,
21886, 21888, 71881 and
18099)

- 74 -

DRY NUMBERS - Continued

11131 C. P. Chrome Green L
- Lucas #41

11132 C. P. Chrome Green M
- Lucas #42

11133 C. P. Chrome Green D
- Lucas #43

11142 C. P. Potash Blue

11208 C. P. Chrome Green, Lt.
(Nitrate Type)

11212 C. P. Nitrate Green Blue
- Shade L

11215 C. P. Nitrate Green Blue 10

ORIGINAL COPY SENT TO U.S. MARINE

MADE IN U.S.A.

LABORATORY, WASH. D.C.

- 74 - (a)

DRY NUMBERS - Continued

- 12007 C. P. Chrome Yellow, LL
- 12010 C. P. Chrome Yellow, Med.
- 12011 C. P. Chrome Yellow, L.O.
- Non-livering
- 12012 C. P. Chrome Yellow, D.O.
- Non-livering
- 12051 Scarlet Lead Chromate
- 12054 Zinc Yellow (Zinc Chromate)
- 12061 Chrome Yellow, D.O.
(For use in Rx 120 D.O., only)
- 12062 Chrome Yellow L.O.
- Livering Permitted -
(Used at Chicago only)
- 12063 Chrome Yellow D.O.
- Livering Permitted -
(Used at Chicago only)
- 12074 C.P. Chrome Yellow Extra Lt.
- 12082 C. P. Chrome Orange Deep
(Used in Fluid Oil Colors)
- 12089 C. P. Chrome Orange - 57-6
- ~~12093 Zinc Yellow Deep~~
~~Canister (See 12054 for)~~
- 12101 Permanent Yellow G
(Replacing 1500 P-1)

ORIGINAL COPY SENT BY U.S. POSTAGE

MADE IN U.S.A.

LEGAL, PHOTODUPLICATION, PA.


71

ORIGINAL COPY 100 P. J.D. PARKER

MADE IN U.S.A.

LEFAX PH DELPHIA, PA
71

DRY NUMBERS - Continued



PENK. REG. U.S. PAT. OFF.

12204 C. P. Nitrate Yellow
(Primrose)

12233 C. P. Chrome Orange, Lt.
(Nitrate Type)
-(Used in Armour Colors only)

12234 C. P. Chrome Orange, Dk.
(Nitrate Type)
-(Used in Armour Colors only)

12307 Chrome Yellow, L.L.

12310 Chrome Yellow, M.

12510 Paint Grinders' Red Lead
(Specification Usage)

Dry No.	Name
461 L	Low Oil Absorb. Lith.
461 C	Alkalith
461 H	High Oil Absorb. Lith.
1208	Double Strength
1	Red Seal Zinc
108	H.L. Zinc
12	Oxide 85/35
1040	Old Dutch White Lead
103	Pure Titanium
101	Calcium Titanox
1	Titanox
10	Zinc Sulphide
10	Titanox
10	ZnO
10	50.50 PbSO ₄ : ZnO
10	PbSO ₄
10	Lead Titanate