

VALERO
REFINING COMPANY

INTEROFFICE MEMORANDUM

PLAINTIFF'S EXHIBIT

VRC-16

DATE: July 17, 1989
TO: Norman Renfro
FROM: Nandu Dalvi *ND* DEPT/EXT: HRA Project/351
SUBJECT: Asbestos Removal, Demolish Buildings #48 & 53 Project, AFE 15422


In connection with the TACB notification you had requested, in June 1, 1989 memo to Jim Cherry, certain information related to asbestos removal on the subject project. This information as received from the demolition contractor, Bay, is attached for your use.

The contractor plans to commence the asbestos removal work the week of August 28, 1989 and complete it in five weeks.

If you need any further information, please let me know.

ND:dr
Attachments

cc: E. Loosemore w/attach
R. Hays
J. Hohnholt
G. Kain
Files 8.1
AFE File



VALERO/MOAKE



P.O. Box 9908 • 1414 Corn Products Rd. • Corpus Christi, Texas 78469-9908 • (512) 289-6600

July 17, 1989

Mr. Nandu Delvi
Valero Refining Company
P. O. Box 9370
Corpus Christi, Texas 78469

RE: Asbestos Removal, Buildings 48 & 53
at Valero Refining Company

Dear Nandu:

As you requested, Bay, Inc. has received the following information from the Gilman Insulation Company, Inc. concerning the asbestos removal for the subject buildings:

Wet methods of removal will be utilized. Negative pressure enclosures and glove bag techniques of abatement will be used. Waste ACM will be wrapped or bagged in 2 layers of 6 mil poly and placed in a demarcated area until completion of the project. Labels on waste containers will be of OSHA/EPA requirements.

Browning Ferris Industries will be used for waste transport and disposal (BFI Disposal Site/Sinton, TX).

If I can be of further assistance, or if you should need additional information please do not hesitate to call on me.

Sincerely,

BAY, INC.

A handwritten signature in black ink, appearing to read "G. E. Cook".

G. E. Cook, P. E.
President

gb

VALERO/MOAKE

DATE: June 1, 1989
TO: Jim Cherry
FROM: Norman Renfro DEPT/EXT: Environmental/328
SUBJECT: Building 48 and 53 Demolition

The following EPA requirements apply to demolishing buildings that contain asbestos.

A. TACB must be notified at least 20 days in advance of demolition and the following must be provided:

- (1) Name and address of owner or operator.
- (2) Description of the facility being demolished or renovated, including the size, age, and prior use of the facility.
- (3) Estimate of the approximate amount of friable asbestos material present in the facility in terms of linear feet of pipe, and surface area on other facility components.
- (4) Location of the facility being demolished or renovated.
- (5) Scheduled starting and completion dates of demolition or renovation.
- (6) Nature of planned demolition or renovation and method(s) to be used.
- (7) Procedures to be used to comply with the EPA requirements.
- (8) Name and location of the waste disposal site where the friable asbestos waste material will be deposited.

B. The asbestos must be disposed of properly; this means:

- (1) The material must be wetted to prevent visible emissions while handling, packaging and disposing of asbestos material.
- (2) After wetting, seal all asbestos containing waste material in leak-tight containers while wet; and
- (3) Label the containers as follows:

Contains Asbestos
Avoid Opening or Breaking Container
Breathing Asbestos is Hazardous to Your Health

I will prepare this report for submittal, however, I will need the above mentioned information.

NOTE: These are only the EPA/TACB Requirements. OSHA requirements are also applicable. Check with Ed Loosemore for the OSHA rules.

NR/pm

xc: T. D. Higginbotham
George Kain
John Hohnholt
Ed Loosemore
J.B. Toland

A handwritten signature in cursive script, appearing to read "Homer", with a long horizontal flourish extending to the right.