

IN RE: ABRAMS November 1992



WUBB-0034843

From R&D CENTER - 401-3X9
WIN 236-1361
Date July 17, 1986
Subject (W) LABEL #46017 -- ASBESTOS

C. W. Bickerstaff

The following actions have been taken and questions have been raised due to the new asbestos standard revision.

I have contacted (W) Trafford Printing and they will be revising our internal label to comply with the new standard (see attachment). Scraping charges will be approximately \$75.00 and I used budget #9400-50286-360.

We will not be charged for the new design which will take about 2 weeks. The last change/original was in 1976. We do not have to make any changes on our documents when referencing the label, i.e. 46017A. When anybody orders this label in the future they will automatically receive the new revision.

The questions raised, is should we label our (W) product at Bedford? Under the standard, Quin T must demonstrate that airborne fiber levels do not exceed 0.1 fibers/cc (action level) when this stuff is cut, machined, etc. (all occur in foreseeable use), if they don't label their product. In turn (W) Bedford must also demonstrate the same via air sampling. Do we really know what our customers foreseeable use is? I checked the files and found only one air sample for asbestos on March 2, 1984 from Bedford. Results were less than 0.003 fibers/cc. I really don't think one sample represents a typical manufacturing process. Maybe we should take more air samples and find out what (W) customers actually do with the product.

R. J. Wengrzyn

/jme



WIN TRAC AIRARMS

November 1992



OLD
↓

CAUTION!

CONTAINS ASBESTOS FIBERS

Avoid creating dust. Breathing asbestos dust may cause serious bodily harm.

WESTINGHOUSE FORM 48017

DANGER!
~~CAUTION!~~

CONTAINS ASBESTOS FIBERS

Avoid creating dust. ~~Breathing asbestos dust may cause serious bodily harm.~~

CANCER AND LUNG
DISEASE HAZARD

WESTINGHOUSE FORM 48017 A

↑
New



MURR-0034844