

551.4



Shell Oil Company • Shell Chemical Company
Interoffice Memorandum

PLAINTIFF'S EXHIBIT

SH-2362

MARCH 9, 1988

FROM: K. T. BOND - COORDINATOR - CONTROL SYSTEMS - CHEMICAL
DEER PARK MANUFACTURING COMPLEX

TO: K. C. BROWN UOB P. F. DAVIS LPA
V. M. CARBAJAL OLEF J. M. GREEN RDO
R. B. CORBITT EOM

SUBJECT: INSTRUCTORS TO TEACH THE MANDATORY HEALTH AND SAFETY TRAINING FOR
CONTROL SYSTEMS

Beginning in 1988, we are required to received yearly training on Portable Fire Extinguishers, Hearing Conservation, Respiratory Protection and Asbestos. In order to facilitate this training, each STL was asked to nominate one candidate from his BA that would be trained by the Safety Department. These candidates would then provide the annual training to our department.

Each of you has been selected to be the instructors for this training by the STL in your area. I have arranged for you to receive this training from our Safety Department next Monday, March 14, at 1:00 PM in the S/MOA Conference Room.

Please plan on attending since this will be the only time this instruction will be provided.

K. T. Bond

KTB/bjs

cc: A. V. S. England UOB
M. Fischer S/ADM
R. G. Heiberg LPA
H. L. Lee S/ADM
H. R. Nieuwold OLEF
W. M. Wendes UOB
RDO Satellite

LAM 002516

KTB2/DPM-3017/8806803

DPMC-08664

MANDATORY HEALTH AND SAFETY TRAINING FOR CONTROL SYSTEMS - 1988

NAME	LOCATION	POSITION	SUPERVISOR	PORTABLE FIRE	HEARING	RESPIRATORY	ASBESTOS
				* EXTINGUISHERS *	* S-124 *	* S-108 *	* SMOKE *
				S-132 & FILM	HANDS-ON	FIT TEST	HOUSE
CHEMICAL ENGR.	BOND						NOT REQ'D
CHEMICAL ENGR.	BOND						NOT REQ'D
CHEMICAL INSP.	BOND						
CHEMICAL INSP.	BOND						
CHEMICAL ENGR.	BOND						NOT REQ'D
CHEMICAL INSP.	BOND						
CHEMICAL INSP.	BOND						
CHEMICAL INSP.	BOND						
CHEMICAL ENGR.	BOND						NOT REQ'D
CHEMICAL INSP.	BOND						
CHEMICAL INSP.	BOND						
CHEMICAL INSP.	BOND						
CENTRAL INSP.	CRATE						
CENTRAL INSP.	CRATE						
CENTRAL INSP.	CRATE						
E. OPER.	ENGLAND						
E. OPER.	ENGR.	ENGLAND					NOT REQ'D
E. OPER.	ENGR.	ENGLAND					NOT REQ'D
E. OPER.	ENGR.	ENGLAND					NOT REQ'D
E. OPER.	INSP.	ENGLAND					
E. OPER.	INSP.	ENGLAND					
CENTRAL ENGR.	GUINON						NOT REQ'D
CHEMICAL INSP.	GUINON						
SYSTEMS INSP.	HAMILTON						
LOGOUT INSP.	HAMILTON						
E. OPER.	INSP.	HAMILTON					
CHEMICAL INSP.	HAMILTON						
SYSTEMS INSP.	HAMILTON						
SYSTEMS ENGR.	HAMILTON						NOT REQ'D
CHEMICAL ENGR.	HAMILTON						NOT REQ'D
SYSTEMS INSP.	HAMILTON						
W. OPER.	INSP.	HAMILTON					
CHEMICAL INSP.	HAMILTON						
SYSTEMS INSP.	HAMILTON						
E. OPER.	INSP.	HAMILTON					
W. OPER.	INSP.	HAMILTON					
E. OPER.	ENGR.	HAMILTON					NOT REQ'D
SYSTEMS ENGR.	HAMILTON						NOT REQ'D
W. OPER.	ENGR.	HAMILTON					NOT REQ'D
W. OPER.	INSP.	HAMILTON					
PLPA ENGR.	HEIBERG						NOT REQ'D
PLPA ENGR.	HEIBERG						NOT REQ'D
CENTRAL INSP.	HEIBERG						
PLPA ENGR.	HEIBERG						NOT REQ'D
PLPA INSP.	HEIBERG						
CENTRAL INSP.	JACOB						
CHEMICAL INSP.	JACOB						
CENTRAL INSP.	JACOB						
CENTRAL INSP.	JACOB						
W. OPER.	ENGR.	NIEUWOLD					NOT REQ'D
W. OPER.	INSP.	NIEUWOLD					
W. OPER.	INSP.	NIEUWOLD					

DPMC-08665

LAM 002517

MANDATORY HEALTH AND SAFETY TRAINING FOR CONTROL SYSTEMS - 1988

NAME	LOCATION	POSITION	SUPERVISOR	PORTABLE FIRE	HEARING	RESPIRATORY	ASBESTOS
				EXTINGUISHERS			
				S-132 & FILM	HANDS-ON	S-124	S-108
						IFIT TEST	HOUSE
							S-125 & FILM
W. OPER.	INSP.	INIEUWOLD	*	*	*	*	*
W. OPER.	ENGR.	INIEUWOLD	*	*	*	NOT REQ'D	*
W. OPER.	ENGR.	INIEUWOLD	*	*	*	NOT REQ'D	*
W. OPER.	ENGR.	INIEUWOLD	*	*	*	NOT REQ'D	*
W. OPER.	ENGR.	INIEUWOLD	*	*	*	NOT REQ'D	*
W. OPER.	INSP.	INIEUWOLD	*	*	*	*	*
LOGEDOUT	INSP.	WENDES	*	*	*	*	*
LOGEDOUT	INSP.	WENDES	*	*	*	*	*
LOGEDOUT	ENGR.	WENDES	*	*	*	NOT REQ'D	*
LOGEDOUT	ENGR.	WENDES	*	*	*	NOT REQ'D	*
LOGEDOUT	ENGR.	WENDES	*	*	*	NOT REQ'D	*

DPMC-08666

LAM 002518

MANDATORY HEALTH AND SAFETY TRAINING - ANNUAL REFRESHER TRAINING

ENGINEERING AND MAINTENANCE - DPMC

RECOMMENDATION FOR GROUPS TO RECEIVE TRAINING

TRAINING	TECH PROF/ ENGR SUPT	INSPECTORS/ INSP-FRMN	MAINTENANCE		CLERICAL
			CRFTS	SUPV/ FRMN	
PORTABLE FIRE EXT (S-132)	YES	YES	YES	YES	YES
HEARING CONSERVATION					
AUDIOMETRIC TESTING*	NO	YES	YES	YES	NO
ANNUAL TRAINING (S-124)	YES	YES	YES	YES	NO
RESPIRATORY PROTECTION					
REVIEW ORDER • (S-108)	YES	YES	YES	YES	NO
FIT TEST ←	YES	YES	YES	YES	NO
SMOKEHOUSE*	NO	YES	YES	YES	NO
ASBESTOS • (S-125)	YES	YES	YES	YES	NO

* THIS TRAINING WOULD BE REQUIRED IF THE EMPLOYEE HAS A YEAR END ASSIGNMENT IN THE FIELD.

DPMC-08667

LAM 002519

06-Feb-89

MAJOR RESINS TRAINING RECORD

NAME	SMOKEHOUSE TRAINING (2 YEARS)	RESPIRATOR TRAINING (YEARLY)	RESPIRATOR FIT (2 YEARS)	HEARING CONSERVATION (YEARLY)	FORTHBLE FIRE EXTINGUISHER	ASBESTOS TRAINING	HAZCOM REFRESHER	FORKLIFT TRAINING
	3-17-88	4-27-88	11-16-88	12-12-88	06-01-88	06-01-88	06-01-88	12-12-88
	3-01-88	5-13-88	4-17-86	12-06-88	06-20-88	06-20-88	06-20-88	12-06-88
	2-23-88	5-27-88	11-16-88	12-12-88	06-01-88	06-01-88	06-01-88	12-12-88
	2-25-88	4-27-88	11-16-88	12-13-88	05-29-88	05-29-88	05-29-88	12-13-88
	2-25-88	4-27-88	11-15-88	12-10-88	05-29-88	05-29-88	05-29-88	12-10-88
	2-09-88	5-13-88	11-16-88	12-06-88	06-01-88	05-30-88	06-01-88	12-06-88
	3-01-88	5-19-88	4-17-86	12-06-88	06-13-88	05-30-88	06-13-88	12-06-88
	3-01-88	5-19-88	4-17-86	12-06-88	06-13-88	05-30-88	06-13-88	12-06-88
	2-23-88	4-27-88	11-16-88	12-05-88	07-02-88	07-02-88	07-03-88	12-05-88
	2-09-88	4-27-88	11-30-88	12-11-88	05-28-88	05-28-88	05-28-88	12-11-88
	2-12-86	5-16-88	01-19-89	12-13-88	06-01-88	06-01-88	06-01-88	12-13-88
	2-16-88	4-27-88	11-18-88	12-10-88	05-28-88	05-28-88	05-28-88	12-10-88
	3-17-88	4-27-88	11-16-88	12-10-88	06-20-88	06-20-88	06-20-88	12-10-88
	2-25-88	5-13-88	11-15-88	12-11-88	05-30-88	05-30-88	05-30-88	12-11-88
	2-09-88	5-08-88	11-15-88	12-05-88	05-28-88	05-28-88	05-28-88	12-05-88
	2-23-88	4-27-88	11-16-88	12-06-88	06-13-88	06-13-88	06-13-88	12-06-88
	2-09-88	5-13-88	11-16-88	12-06-88	05-30-88	05-30-88	05-30-88	12-06-88
	2-23-88	4-27-88	12-22-88	12-10-88	05-30-88	05-30-88	05-30-88	12-10-88
	2-09-88	5-08-88	11-15-88	12-05-88	05-28-88	05-28-88	05-28-88	12-05-88
	2-03-87	4-27-88	11-16-88	12-06-88	06-18-88	06-18-88	06-18-88	12-06-88
	2-23-88	4-27-88	11-16-88	12-11-88	05-30-88	05-30-88	05-30-88	12-11-88
		04-06-88	05-31-88	12-05-88	07-14-88	07-14-88	07-14-88	12-05-88
	2-16-88	4-27-88	12-22-88	12-10-88	05-28-88	05-30-88	05-28-88	12-10-88
	2-23-88	4-27-88	4-14-86	12-10-88	06-21-88	06-21-88	06-21-88	12-10-88
	2-23-88	4-27-88	11-30-88	12-11-88	05-30-88	05-30-88	05-30-88	12-11-88
	2-16-88	4-27-88	11-15-88	12-10-88	05-28-88	05-28-88	05-28-88	12-10-88
	2-23-88	5-08-88	11-16-88	12-06-88	05-30-88	05-30-88	05-30-88	12-06-88
	2-23-88	4-27-88	11-15-88	12-10-88	05-28-88	05-28-88	05-28-88	12-10-88

MEMBER'S FETUS:

DPMC-08677

LAM 002529

MAJOR RESINS TRAINING RECORD

NAME	SMOKEHOUSE TRAINING (2 YEARS)	RESPIRATOR TRAINING (YEARLY)	RESPIRATOR FIT (2 YEARS)	HEARING CONSERVATION (YEARLY)	PORTABLE FIRE EXTINGUISHER	ASBESTOS TRAINING	HAZCOM REFRESHER	FORKLIFT TRAINING
-	2-16-88	2-16-88	11-15-88	12-06-88	12-19-88	12-06-88	12-16-88	12-06-88
-	2-16-88	2-16-88	11-15-88	12-06-88	12-19-88	12-06-88	12-16-88	12-06-88
-	2-16-88	2-16-88	11-15-88	12-07-88	12-19-88	12-07-88	12-19-88	12-07-88
-	2-16-88	2-16-88	11-15-88	12-06-88	12-19-88	12-06-88	12-16-88	12-06-88
-	2-16-88	2-16-88	11-16-88	12-06-88	12-19-88	12-06-88	12-16-88	12-06-88
-	2-16-88	2-16-88	4-14-86	12-13-88	12-19-88	12-13-88	12-16-88	12-13-88

*EMBRYO FETUS:

DPMC-08678

LAM 002530

NAME

[illegible]