

**To:** Jackson, Ryan[jackson.ryan@epa.gov]  
**From:** Bloomberg BNA  
**Sent:** Thur 8/10/2017 12:05:25 PM  
**Subject:** Aug. 10 -- EHS State Regulatory Alert



## **EHS State Regulatory Alert**

August 10, 2017 - Number 153

You can create a report customized by topic, jurisdiction, and date range by using the [Regulatory Summaries Report Tool](#). The report can be generated in Excel, Word, or PDF.

### Florida

#### *WATER*

#### St. Johns River WMD/Consumptive Water Use Permits Florida WATER

Final rule of the St. Johns River Water Management District amends regulations under FAC 40C-2.101 regarding consumptive water use publications incorporated by reference. The rule specifies that the Applicant's Handbook, Consumptive Uses of Water now references the Northern District Groundwater Flow Model Version 5.0. The rule is effective Aug. 22, 2017. Contact: Thomas Mayton; SJRWMD; 386-329-4108; tmayton@sjrwmd.com

—Florida Administrative Weekly (08/08/2017)

#### Regulatory Update

### Kentucky

#### **HAZARDOUS WASTE MANAGEMENT**

#### Hazardous Waste Permit Review, Determination Timetables, Fees Kentucky HAZARDOUS WASTE MANAGEMENT

Proposed rule of the Department for Environmental Protection, Division of Waste Management, amends regulations under 401 KAR 39:120 to establish timetables for the review and determination of hazardous waste permit applications and the fee schedule for hazardous waste management. The rule, which is part of a consolidation of hazardous waste regulations, adds filing, modification, and annual registration fees for certain applicants and permit holders. The rule also provides that the agency will refund certain fees if it fails to provide a written determination of receipt of a generator's request to treat hazardous waste on-site within 60 days. A hearing is scheduled for Aug. 24, 2017, in Frankfort. Comments are due Aug. 31, 2017. Contact: Louanna Aldridge; DEP; 502-782-6538; Louanna.Aldridge@ky.gov

—Administrative Register of Kentucky (08/01/2017)

Regulatory Update

**RADIATION**

**TENORM Radiation Protection Standards in Oil and Gas Development**  
**Kentucky RADIATION**

Proposed rule of the Cabinet for Health and Family Services, Department of Public Health, adopts regulations under 902 KAR 100:180 to establish radiation protection standards for the possession, use, transport, transfer, and disposal of technologically enhanced naturally occurring radioactive material (TENORM) concerning oil and gas development. The rule specifies applicability to activities related to TENORM with an activity concentration greater than 5 picocuries per gram of combined radium-226 and radium-228. The rule also establishes requirements for sample collection and analysis, transporting TENORM waste for management or disposal, recordkeeping, and the disposal of waste. In addition, the rule addresses requirements for material or real property containing TENORM, worker training and safety, violations, exemptions, and definitions. A hearing is scheduled for Aug. 21, 2017, in Frankfort. Comments are due Aug. 31, 2017. Contact: Tricia Orme; CHFS, Office of Legal Services; 502-564-7905; [tricia.orme@ky.gov](mailto:tricia.orme@ky.gov)

—Administrative Register of Kentucky (08/01/2017)

Regulatory Update

[Privacy Policy](#) | [Terms of Service](#) | [Manage Your Email](#) | [Contact Us](#)

1801 South Bell Street, Arlington, VA 22202  
Copyright © 2017 [The Bureau of National Affairs, Inc.](#) .  
EHS State Regulatory Alert