

As Westlake's evaluation of the requirements under the HON rule progresses and we continue to develop our compliance plans, Westlake may have additional detail or more concrete information related to the technical challenges, time required and costs for coming into compliance with the HON rule. Some of that more detailed information may include confidential business information which Westlake would be willing to provide under the appropriate protections for such competitive and trade secret information.

Please contact me, Ryan Stevens, at restevens@westlake.com should EPA or the President require more detailed information about specific impacts to Westlake's Geismar Facility.


Thank you for the timely consideration of this request.

Thanks,

Ryan Stevens, PE, CSP | HSE Manager
restevens@westlake.com | Office: 225.673.0656 | Cell: 225.313.9501



PO Box 228, 36045 Hwy 30, Geismar, Louisiana 70734 | www.westlake.com



The information transmitted, including any attachments, is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is prohibited, and all liability arising therefrom is disclaimed. If you received this in error, please contact the sender and delete the material from any computer.

Message

From: AirAction [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=FA78B98923384078995E04A73D258D83-AIRACTION]
Sent: 4/2/2025 12:17:46 PM
To: William Matthews [william.matthews@cleco.com]
Subject: CORRECTION: Updated email address for CBI related to the Presidential Exemption

In the previous email, an incorrect email address was provided for the submission of electronic Confidential Business Information (CBI). The email address should be:

OAQPS_CBI@epa.gov

Thank you.

From: AirAction
Sent: Monday, March 31, 2025 2:45 PM
To: William Matthews <william.matthews@cleco.com>
Subject: RE: Presidential Exemption: ["National Emission Standards for Hazardous Air Pollutants: Coal- and Oil-Fired Electric Utility Steam Generating Units Review of the Residual Risk and Technology Review"]: [Cleco's Brame Energy Center - Unit 2]

Thank you for emailing the AirAction mailbox to request a Presidential Exemption under section 112(i)(4) of the Clean Air Act and for engaging with EPA in advancing President Trump's Executive Orders and Powering the Great American Comeback. We have received your email and will be in contact soon. If you have Confidential Business Information (CBI) that you'd like to submit, please submit it in electronic version to the CBI@epa.gov inbox or in hardcopy to:

USEPA, OAQPS
CORE CBI Office
4930 Old Page Road
Durham, NC 27703

From: William Matthews <william.matthews@cleco.com>
Sent: Monday, March 31, 2025 2:38 PM
To: AirAction <AirAction@epa.gov>
Subject: Presidential Exemption: ["National Emission Standards for Hazardous Air Pollutants: Coal- and Oil-Fired Electric Utility Steam Generating Units Review of the Residual Risk and Technology Review"]: [Cleco's Brame Energy Center - Unit 2]

Caution: This email originated from outside EPA, please exercise additional caution when deciding whether to open attachments or click on provided links.

Please see the attached request on granting a Presidential Exemption for Cleco's Brame Energy Center - Unit 2.

Thanks,

Bill Matthews
Director Environmental Policy & Planning
Cleco Support Services
Office 318 484-7718
Cell 318 623-6436