

E. D. BULLARD COMPANY

LOS ANGELES, CALIFORNIA

CHICAGO, ILLINOIS

MAIN OFFICES AND FACTORY
275 EIGHTH STREET
SAN FRANCISCO, CALIFORNIA

SALT LAKE CITY, UTAH

HOUSTON, TEXAS

REPLY TO SAN FRANCISCO OFFICE

June 30, 1933

Dr. R. A. Kehoe, Medical Director
University of Cincinnati,
College of Medicine
Cincinnati, Ohio

Dear Doctor:

On Oct. 14, 1932 you were kind enough to write me stating that the Bullard Gas Mask which we forwarded to you approximately at that time had been received and that you found it entirely satisfactory and would be pleased to approve its use in the mixing of Ethyl Gasoline

As you no doubt know, Ethyl gasoline is becoming more and more used and we are receiving a report from the field stating that the rules and regulations governing the handling of Ethyl fluid prescribe the use of the Burrell type Gas Mask and do not mention the Bullard Gas Mask.


This naturally is hard to overcome as the various companies using Ethyl take the rules and regulations of the Ethyl Corporation as final.

Would it be possible for you to let us know how we can overcome this and whether the Ethyl Corporation will not forward further information to their users that the Bullard Gas Masks are now on their acceptable list.

We would greatly appreciate anything you could do for us in this line.

Yours very truly,

E. D. BULLARD COMPANY,


E. W. BULLARD
PRESIDENT

EWB:G

 Hard Boiled Hats—the standard head protection

KE 0022412