CG 16 CODE RT-243-D PKG ___ PROCESSES ( )RT-243-D (A) APPROVED BY BBK 11/5/81

11/9/82 (DATE) L2J76 (LOT NUMBER)

EST. WT. 1747 ~~1000~~* LBS. STANDARD HRS. _____ TYPED BY: JMH TIME 11P M

LOT D650, 1919 LBS, 3 totes

PREPARATION NOTES: Pump from tote thru vibratory screen into SY & start

EQUIP MENT		NAME: "MONASTRAL" MAGENTA 2 PAGES	USE LBS	N-CODE	ACCT LBS
PREP 1	1	PREPARE N-7-D SOL'N FOR USE IN SET-UPS 1 THRU 4 BY DILUTING 12# "AS IS" N-7-D IN DRUM WITH 120# WATER. NOTE: ADD N-7-D SOL'N IN SMALL AMOUNTS WHEN ADJUSTING N-7148-A SLURRY PH	12	7-D	6
ALM 2	2	PLUG ALM #_____ OUTLET & RUN IN 400# WATER			
	3	START AGITATOR. DUMP IN +/- 500# 100% N-7148-A & RINSE IN WITH MINIMUM WATER DRUMS ~~Tote~~ % 20.1	2386	7148-A	1919 ~~1919~~
				7148-A	XXXX
	4	ADJ TO 50" (500G) & STIR 5 MIN TO A SMOOTH SLURRY			
	5	RECORD: PH 3.2 (4.5-5.0)			
	6	IF NECESSARY, ADJUST TO PH 4.5-5.0 BY ADDING SMALL AMOUNTS N-7-D PREPARED IN S1 NOTE: IF PH ABOVE 5.0, DO NOT ADJ DOWNWARD RECORD PH 5.0			
SV 3	7	PUMP ALM WITHOUT AGITATION THRU 20 MESH VIBRATING SCREEN INTO V-382 REPEAT S2 THRU 6 FOR 3 ADDITIONAL SET-UPS			
		SET UP #2 DRUMS Tote % 20.1	2386	7148-A	500
				7148-A	XXXXX
		RECORD PH 3.2 "AS IS" 4.9 ADJUSTED			
		SET UP #3 DRUMS Tote % 20.1	2386	7148-A	500
				7148-A	XXXXX
		RECORD PH 3.2 "AS IS" 5.0 ADJUSTED			
		SET UP #4 DRUMS Tote % 20.1	2387	7148-A	500
				7148-A	XXXXX
		RECORD PH 3.2 "AS IS" 4.9 ADJUSTED			

NOV 10 1982

EQUIPMENT		PAGE 2 OF 2 CG 16 CODE RT-243-D (A)	USE LBS	N-CODE	ACCT LBS
SV 3 CONT.	9	WASH IN ALM & PUMP IN			
	10	DRAIN LINES INTO DRUM & POUR IN			
	11	STIR 10 MIN & RECORD: PH 4.6 (4.5-5.0)			
	12	IF NECESSARY ADJ TO PH 4.5-5.0 & RECORD PH_____.			
		NOTE: (1) IF PH BELOW 4.5, ADJ WITH N-7-D PREPARED IN S1. ADD IN SMALL AMOUNTS.			
		(2) IF PH ABOVE 7.0 ADD N-27-D IN SMALL AMOUNTS TO PH 4.5-7.0 ASSUME 78%	_____	27-D	_____
	13	ADJ TO 50° (5000G) & STOP AGITATOR			
	14	RECORD SPOT TEST: (+) +, (-)_____			
		IF (-) NOTIFY SUPERVISOR			

START	FIN	OPTR
3:30 PM	9:30 PM	SB

DUP050060352