FILE NAME: Talc (TALC)

DATE: 1978 June 15

DOC#: TALC486

DOCUMENT DESCRIPTION: Lab Test Report

LABORATORY TEST REQUEST
USBM MINS 4730/19 (REV. 5-76)

Jun 15 Submit Original and Three Copies To Laboratory.

LABORATORY REPORT NO. A 28978

TO:
- [X] CHEMISTRY LAB, CODE 1341
- [ ] METALLURGICAL LAB, CODE 1342?
- [ ] MATERIAL TEST LAB, CODE 1342?
- [ ] RADIOCHEMISTRY LAB, CODE 1344
- OTHER

FROM: 570.11
SHIP/EQUIPMENT: GHS
PR CODE NO.: 2570/25204
ORIG REQUEST NO.: 81650838
SPECIFICATION/PLAN:
FLT OP.:
I.D. NO.:
TYPE/ALLOY:
DATE: 6-15-78
COPY(S) TO: 570.11
CONTRACT NO.: IEM81608839
DOCUMENT NO.: 81608849
GRADE:
CLASS:

DESCRIPTION OF MATERIAL: TALC, TECHNICAL GRADE, POWDER FORM "MONTANA GRADE PLATE" MMP25-38 IN 50 LBS SACKS

TESTING REQUIRED

CHEMICAL			METALLURGICAL & PHYSICAL			
[X] CONFORMANCE TO		OTHER	TENSION	[ ] MACRO		OTHER
[X] IDENTIFICATION AS			HARDNESS	SEAMLESS		

TESTING INSTRUCTIONS (TWIN, T-SHEET, DLM, PFIS, OTHER)

TEST FOR ASBESTOS

NO OF TEST SAMPLES: 3
NO. OF PIECES REPRESENTED: 58 BAG
DISPOSITION OF SAMPLE(S): [X] EXPENDABLE [ ] RETURN TO SENDER
SUPERVISOR'S SIGNATURE: [signature]
CODE: 570.11
PHONE: 4628

LABORATORY USE ONLY

No asbestos detected in OA 7 AT 749 or 2C7 AT 749.

AUG 23 1978

STOCK NO 6810 LL T99 9893

U.I LB

Call Mr Barlow, shop also 07 at 4760 if any further questions, Bldg 535

Mr. H. Lewis Code 502

ANALYST/INVESTIGATOR

AUTHENTICATED BY: M. LEW
Section Head

CRMC-HT-TALC-000275

C 18404