
Occupational Health Working Group
Murray Hill, New Jersey
April 6, 1981





In Attendance:

G. P. Bisgeir, M.D. - N.J. Bell, Medical
A. G. Bickelmann, M.D. - C&P Telephone Cos., Medical
J. M. Degen (Secretary) - AT&T, Human Resouces
J. P. Dunn, M.D. - AT&T, Medical
M. J. Hanley, M.D. - BTL, Medical and Environmental Health
J. R. Lauritzen - Western Electric, Environmental Engineering
J. R. Reese (Co-Chairman) - AT&T, Human Resources
R. W. Stone, M.D. (Co-Chairman) - AT&T, Medical
G. M. Wilkening - BTL, Environmental Health and Safety

Absent:

N. J. DeCapua

REDACTED

Guests:

J. E. Barden, AT&T
M. M. Condie, AT&T
D. H. Johnson, AT&T
W. J. Schreibeis, BTL
G. W. Barnard, AT&T Long Lines
D. Johnson, M.D., AT&T Long Lines
R. W. Speir, M.D., New York Tel
S. S. Charschan, Western Electric Company
F. X. Worden, Western Electric Company

REDACTED

Asbestos Exposure: Medical Surveillance Guidelines

On February 18, 1981 the Occupational Safety and Health Administration re-issued the Program Directive on Medical Surveillance under the Asbestos Standard. All of the former provisions establishing 0.1 fibers per cubic centimeter of air as a medical surveillance action level were retained, however, a new section was added to provide a method of determining significant past exposures. This new directive, CPL2-21A, was reprinted in the BNA Occupational Safety and Health Reporter on March 12, 1981, on page 1325. A copy of this new directive will be distributed to the recipients of the OHWG Minutes in the near future.