



PLAINTIFF'S EXHIBIT

GP-2016

INTERDEPARTMENTAL COMMUNICATION

TO: Mr. K. W. Brown

FROM: W. N. Gettel

SUBJECT: ASBESTOS CAUTION LABELS

cc: Mr. T. W. Richards - Tigard
Mr. S. R. Clark - Acme
Mr. L. E. Winter - Acme
Mr. R. D. Meyer - Portland
Mr. M. F. Fink - Tigard

DATE: May 25, 1973

LOCATION: Acme

LOCATION: Tigard

*Sterling will order
stamp*

Our other joint cement plants have recently begun a program of placing an asbestos caution label on their joint cement bags. In view of this, and the hang-up that developed in Memphis in our transition to asbestos free All Purpose, Mr. Lehnert has directed me to request your plant to also begin labeling the bags.

Each bag should be stamped on the front with the warning that I have enclosed. Since this is only a temporary measure, a rubber stamp the size of the enclosed warning will be sufficient.

We feel that the problem which occurred in Memphis is minor. However, it has slowed our progress. We are presently making minor improvements on the formula. When we have finalized the formula revision, we would like to have you extend the shipment of the asbestos free All Purpose into additional markets.

W. N. G.
W. N. G.


WNG:elz

RECEIVED

MAY 28 1973

GEORGIA-PACIFIC CORPORATION
MEMPHIS, TENNESSEE

SGP 0006664



CAUTION

**CONTAINS ASBESTOS FIBRES
AVOID CREATING DUST
BREATHING ASBESTOS DUST MAY CAUSE
SERIOUS BODILY HARM.**

