

Small Steel Valves

Gate, Globe, Angle, and Check
Bar Stock and Monel Trimmed
Chlorine (6-Inch and Smaller)
And All Lip-Seal Bonnet Valves

CATALOG NO. 60
PRICE
SCHEDULE
66-SSV-1
June 6, 1966

Supersedes Price Schedule
65-SSV-2 dated September 1, 1965

CONTENTS

CARBON STEEL VALVES WITH CONVENTIONAL BONNET OR CAP		page
Gate, 150-Pound.....	1	1
" , 300-Pound.....	1	1
" , 600-Pound.....	1	1
" , 800-Pound.....	1	1
" , Monel Trimmed.....	1	1
Globe, 600-Pound.....	2	2
" , 800-Pound.....	2	2
" , 1500-Pound.....	2	2
" , 3000-Pound WOG (Bar Stock).....	2	2
" , 6000-Pound Hydraulic.....	2	2
" , For Chlorine Service.....	2	2
" , Monel Trimmed.....	2	2
Angle, 600-Pound.....	2	2
" , 800-Pound.....	2	2
" , 3000-Pound WOG (Bar Stock).....	2	2
" , For Chlorine Service.....	2	2
Ball Check, 800-Pound.....	3	3
Lift Check, 600-Pound.....	3	3
" , 800-Pound.....	3	3
" , 6000-Pound Hydraulic.....	3	3
Swing Check, 800-Pound.....	3	3

CARBON AND ALLOY STEEL VALVES WITH LIP-SEAL BONNET (OR CAP)

Globe, 1500 and 2500-Pound.....	4
" , 2520 psi at 1050 F.....	4
Angle, 1500 and 2500-Pound.....	4
" , 2520 psi at 1050 F.....	4
Lift Check, 1500 and 2500-Pound.....	4

MISCELLANEOUS

Charges for Special End Flange Facings..... 2,3,4

Vinson
Supply
COMPANY

TULSA DALLAS ODESSA
FARMINGTON HOUSTON
AMARILLO OKLAHOMA CITY
HARVEY LOS ANGELES

NUMERICAL INDEX TO PRODUCTS IN THIS SCHEDULE

Catalog No.	Page
222 H, X.....	2
222-1/2 H.....	2
223 H.....	2
223-1/2 H.....	2
225 H.....	2
227 H.....	3
1644-MM, TF.....	2
1645-TF.....	2
1654-MM, TF.....	2
3510 XU.....	1
3514 XU.....	1
3604 A, L, XU.....	1
3605 L, XU.....	1
3607 L, XU.....	1
3611 XU.....	1
3615 A, XU.....	1
3620 XW.....	2
3621 XW.....	2
3624 XW.....	2
3634 XU.....	1
3640 XW.....	2
3641 XW.....	2
3644 A, U, XW.....	2
3645 XW.....	2
3648 XW.....	2
3652 U, XW.....	2
3653 XW.....	2
3656 A, XW.....	2
3657 XW.....	2
3670 X.....	3
3674 X.....	3
3682 X.....	3
3686 X.....	3
3692 XS.....	3
3694 X.....	3
3844 U.....	2
3852 U.....	2
3866 U.....	4
3867 U.....	4
3868 U.....	4
3869 U.....	4
3886 XU.....	4
3888 XU.....	4
3966-U7.....	4
3967-U7.....	4
3968-U7.....	4
3969-U7.....	4
3986-XU7.....	4
3988-XU7.....	4
4066-U7.....	4
4067-U7.....	4
4068-U7.....	4
4069-U7.....	4

Crane reserves the right to institute changes in materials,
design and specifications without notice, in keeping with
our policy of continuing product improvement.

Lot 3870

CRANE

VALVES • PUMPS • FITTINGS • WATER TREATMENT • METERS • PLUMBING • HEATING • AIR CONDITIONING
4100 South Kedzie Avenue, Chicago, Illinois 60632

CRANE CARBON AND ALLOY STEEL WEDGE GATE VALVES — SMALL SIZE

Prices, Each — 1

No. 60 Catalog Page	Valve Class	Valve Catalog No.	Description	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
(new) (new)	150# 300#	*3510 XU *3514 XU	150 AND 300-POUND CAST STEEL GATE BOLTED BONNET, OUTSIDE SCREW & YOKE Flanged, Reduced Port—(150# ASA Flanges) Flanged, Reduced Port—(300# ASA Flanges)	...	...	\$ 38.60 40.00	\$ 48.20 50.00	\$ 60.00 63.60	...	\$ 79.60 87.00	\$ 99.00 105.00
116	800#	3634 XU	800-POUND FORGED STEEL GATE BOLTED BONNET, INSIDE SCREW Screwed, Reduced Port	\$ 16.60	\$ 16.60	17.00	19.00	24.00	...	44.00	52.00
117	800# " " "	3604 XU 3604 L 3605 XU 3605 L	800-POUND FORGED STEEL GATE BOLTED BONNET, OUTSIDE SCREW & YOKE Screwed, Reduced Port Screwed, Reduced Port, 18-8 SMO Trim Socket-Welding, Reduced Port Socket-Welding, Reduced Port, 18-8 SMO Trim	18.60 33.00 18.60 P.O.A.	18.60 33.00 18.60 P.O.A.	20.00 39.00 20.00 P.O.A.	22.00 45.00 22.00 P.O.A.	27.00 53.60 27.00 P.O.A.	\$ 46.00 86.60 46.00 P.O.A.	46.00 86.60 46.00 P.O.A.	54.60 116.00 54.60 P.O.A.
(new) 118, 119	800# " " 600#	3607 L 3607 XU 3611 XU *3615 XU	800-POUND CAST STEEL GATE BOLTED BONNET, OUTSIDE SCREW & YOKE Screwed, Full Port, 18-8 SMO Trim Screwed, Full Port Socket-Welding, Full Port Flanged, Full Port—(600# ASA Flanges)	...	...	45.60 22.60 22.60 58.00	59.00 32.60 32.60 72.00	79.00 38.60 38.60 89.60	...	116.00 65.60 65.60 112.00	...
120	— —	3604 A *3615 A	STEEL MONEL TRIMMED GATE Screwed, Forged Steel, Reduced Port Flanged, Cast Steel, Full Port—(600# ASA Flanges)	...	...	39.00 P.O.A.	45.00 P.O.A.	53.60 P.O.A.	...	86.60 P.O.A.	116.00 P.O.A.
— —	— —	— —	*FACINGS FOR FLANGED VALVES End flanges regularly have 1/4-inch large male facing (1/4" on 150 and 300# Valves) with a serrated finish; a smooth finish is optional at no extra charge. For large or small female, tongue, or groove facing, small male facing, or ring joint facing with smooth finish.....or for 1/4" large male facing.....ADD	...	...	17.80	18.80	20.00	27.00	27.60	30.20

800-Pound Valves: Valves designated "800-Pound" are listed as "600-Pound" Valves in the No. 60 Catalog and in earlier price schedules. New, higher ratings now apply; information on request.

Trims indicated by catalog number "letter" suffixes are XU for Exelloy to Stellite
.....U for Stellite.....L for 18-8 SMO.....and A for Monel.

CRANE CARBON STEEL GLOBE AND ANGLE VALVES — SMALL SIZE

Prices, Each — 2

No. 60 Catalog Page	Valve Class	Valve Catalog No.	Description	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
136	3000# WOG	222 H 222 X 222 1/2 H 223 H 223 1/2 H	HIGH PRESSURE BAR STOCK† Globe, Steel, Female Ends Globe, Steel, Male and Female Ends Angle, Steel, Female Ends Angle, Steel, Male and Female Ends	\$ 7.20 ... 9.20 9.20 ...	\$ 7.20 14.80 9.20 9.20 15.20	\$ 7.40 19.40 10.60 15.80	\$ 9.20 23.00 14.80 12.60 19.40	\$18.00 22.20 ...	\$24.00 29.60 ...	...	...	...	...	...	...	...
137	800# " "	3620 XW 3621 XW 3624 XW	800-POUND FORGED STEEL, INSIDE SCREW Globe, Screwed, Union Bonnet Angle, Screwed, Union Bonnet Globe, Screwed, Bolted Bonnet		20.60	20.60	21.60	25.00	ALL SIZES \$64.60 30.60	DISCONTINUED \$64.60	DISCONTINUED \$64.60	...	...	...	...	...
138, 139	800# " "	3640 XW 3641 XW 3648 XW	800-POUND FORGED STEEL, OS & Y, UNION BONNET Globe, Screwed Angle, Screwed Globe, Socket-Welding		20.60 20.60 ...	20.60 20.60 ...	21.60	25.00	ALL SIZES ...	DISCONTINUED ...	DISCONTINUED ...	...	...	...	...	...
138, 139	800# " "	3644 XW 3652 XW *3656 XW	800-POUND FORGED STEEL, OS & Y, BOLTED BONNET Globe, Screwed Globe, Socket-Welding Globe, Flanged—(600# ASA Flanges)				28.60 28.60 59.80	34.00 34.00 72.20	41.20 41.20 84.60	87.80 87.80 139.00	87.80 87.80 139.00	118.00 118.00 180.00	...	...	...	...
(new) "	800# " "	3644 U 3652 U	Globe, Screwed Globe, Socket-Welding				71.20 71.20	83.20 83.20	95.00 95.00	...	160.00 160.00	215.00 215.00	...	...	...	...
138, 139	800# " "	3645 XW 3653 XW *3657 XW	Angle, Screwed Angle, Socket-Welding Angle, Flanged—(600# ASA Flanges)				31.60 31.60 65.80	37.40 37.40 79.40	45.40 45.40 93.00	P.O.A. 107.00 P.O.A.	107.00 107.00 153.00	143.00 143.00 198.00	...	...	...	...
140, 141	— — —	1644-TF 1645-TF *1654-TF	FORGED STEEL, FOR CHLORINE SERVICE OS & Y, BOLTED BONNET Globe, Screwed, Teflon Disc Angle, Screwed, Teflon Disc Globe, Flanged, Teflon Disc				59.40 66.80 96.40	71.00 80.00 116.00	87.60 98.60 138.00	133.00 P.O.A. P.O.A.	133.00 P.O.A. 224.00	176.00 P.O.A. 289.00	...	...	...	\$762.00 \$1188.00
(new) "	— — —	1644-MM — *1654-MM	Globe, Screwed, Hastelloy "C" Disc & Seat Globe, Flanged, Hastelloy "C" Disc & Seat				59.40 96.40	71.00 116.00	87.60 138.00	133.00 ...	133.00 224.00	176.00 289.00	...	...	...	...
141	— — —	3644 A *3656 A	FORGED STEEL, MONEL TRIMMED Globe, Screwed, Bolted Bonnet, Teflon Packing Globe, Flanged, Bolted Bonnet, Teflon Packing				49.00 P.O.A.	56.00 P.O.A.	67.00 P.O.A.	126.00 P.O.A.	126.00 P.O.A.	167.00 P.O.A.	...	...	...	...
142	1500# "	3844 U 3852 U	1500-POUND CAST STEEL (SMALL SIZES) Globe, Screwed, Bolted Bonnet Globe, Socket-Welding, Bolted Bonnet				108.00 108.00	116.00 116.00	124.00 124.00	198.00 198.00	198.00 198.00	286.00 286.00	...	...	...	...
150	6000#	225 H	6000-POUND HYDRAULIC FORGED STEEL Globe, Screwed, Plug Type Disc	...	43.60	43.60	46.40	60.40	76.20	162.00	...	...	...	...	...	...
—	— — —	— — —	*FACINGS FOR FLANGED VALVES Valves regularly have 1/4" large male facing (except No. 1654-TF and 1654-MM in sizes 2 1/2-inch and larger have a 1/8" raised face). End flanges have a serrated or if specified, smooth finish at no extra charge. For large or small female, tongue, or groove facing, small male facing, or ring joint facing with smooth finish....or for 1/4" large male facing....ADD	...	43.60	43.60	46.40	60.40	76.20	162.00	...	...	...	...	...	...
—	— — —	— — —	800-Pound Valves: Valves designated "800-Pound" are listed as "600-Pound" Valves in the No. 60 Catalog and in earlier price schedules. New, higher ratings now apply; information on request.	...	...	...	...	...	...	...	...	...	...	...	...	...
—	— — —	— — —	†For High Pressure 18-8 SMO Bar Stock Globe Valves (No. 222 SS), see Corrosion Valve Price Schedule.	...	...	...	...	...	...	...	...	...	...	...	...	...
—	— — —	— — —	‡Sizes 2-1/2" and larger are cast steel.	...	...	...	...	...	...	...	...	...	...	...	...	...

800-Pound Valves: Valves designated "800-Pound" are listed as "600-Pound" Valves in the No. 60 Catalog and in earlier price schedules. New, higher ratings now apply; information on request.

†For High Pressure 18-8 SMO Bar Stock Globe Valves (No. 222 SS), see Corrosion Valve Price Schedule.

‡Sizes 2-1/2" and larger are cast steel.

CRANE CARBON STEEL CHECK VALVES — SMALL SIZE

Prices, Each — 3

No. 60 Catalog Page	Valve Class	Valve Catalog No.	Description	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
152, 153	800# " "	3670 X 3674 X 3682 X	800-POUND FORGED STEEL LIFT CHECK Horizontal Lift, Screwed, Union Cap Horizontal Lift, Screwed, Bolted Cap Horizontal Lift, Socket-Welding, Bolted Cap	\$22.40	\$22.40	\$22.80 22.80 22.80	\$27.60 27.60 27.60	\$32.80 32.80	\$73.20 73.20	\$73.20 73.20	... \$105.00 105.00
152, 153	600#	*3686 X	Horizontal Lift, Flanged, Bolted Cap (600# ASA Flgs.)	...	...	51.60	62.00	74.20	P.O.A.	117.00	150.00
153	800#	3692 XS	800-POUND CAST STEEL BALL CHECK Ball Check, Screwed, Bolted Cap	...	...	28.40	34.40	40.80	91.00	91.00	118.00
154	800# "	3694 X 3694 X	800-POUND CAST STEEL SWING CHECK Swing, Screwed, Bolted Cap, Y-Pattern Swing, Screwed, Bolted Cap, Straight-Way			129.00 ...	144.00 ...	150.00 ...	... 200.00	... 200.00	... 221.00
156-159	150-1500#	—	150 TO 1500-POUND CAST STEEL SWING CHECK WITH BOLTED CAP For prices, see other Crane Steel Price Schedules.	...	...	...	...	...	...	...	...
160	2500#	—	2500-POUND CAST STEEL SWING CHECK Available in sizes 4 to 10-inch; prices on request.	...	...	...	...	...	...	...	...
160	6000# "	227 H 227 H	6000-POUND HYDRAULIC FORGED STEEL LIFT CHECK Horizontal Lift, Screwed, with Screwed Cap Horizontal Lift, Screwed, with Bolted Cap		38.20 ...	38.20 ...	53.00 ...	62.00 ...	... P.O.A.		
—	—	—	*FACINGS FOR FLANGED VALVES End flanges regularly have 1/4-inch large male facing with a serrated finish; a smooth finish is optional at no extra charge. For large or small female, tongue, or groove facing, small male facing, or ring joint facing.....with smooth finish.....ADD	...	...	17.80	18.80	20.00	27.00	27.60	30.20

800-Pound Valves: Valves designated "800-Pound" are listed as "600-Pound" Valves in the No. 60 Catalog and in earlier price schedules. New, higher ratings now apply; information on request.

CRANE CARBON AND ALLOY CAST STEEL LIP-SEAL BONNET VALVES

Prices, Each — 4

No. 60 Catalog Pages	Valve Class	Valve Catalog No.	Description	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
176-178	1500#	3866 U	1500-POUND CARBON STEEL GLOBE WITH STELLITE TRIM	\$104.00	\$124.00	\$135.00		Discontinued	
		3868 U	Globe, Screwed Globe, Socket-Welding	104.00	124.00	135.00	P.O.A.	\$ 303.00	\$ 317.00
	1500#	3867 U	1500-POUND CARBON STEEL ANGLE WITH STELLITE TRIM			All Sizes	Discontinued		
		3869 U	Angle, Screwed Angle, Socket-Welding			All Sizes	Discontinued		
	2500#	3966-U7	2500-POUND (1570 PSI AT 1050 F) ALLOY STEEL GLOBE WITH STELLITE TRIM	110.00	144.00	181.00		Discontinued	
		3968-U7	Globe, Screwed Globe, Socket-Welding	110.00	144.00	181.00	319.00	319.00	333.00
	2500#	3967-U7	2500-POUND (1570 PSI AT 1050 F) ALLOY STEEL ANGLE WITH STELLITE TRIM	132.00	173.00	217.00		Discontinued	
		3969-U7	Angle, Screwed Angle, Socket-Welding	132.00	173.00	217.00	382.00	382.00	399.00
	(see cat.)	4066-U7	(2520 PSI AT 1050 F) ALLOY STEEL GLOBE WITH STELLITE TRIM	185.00	241.00	All Sizes	Discontinued		
		4068-U7	Globe, Screwed Globe, Socket-Welding			All Sizes	471.00	471.00	520.00
179	(see cat.)	4067-U7	(2520 PSI AT 1050 F) ALLOY STEEL ANGLE WITH STELLITE TRIM	222.00	289.00	All Sizes	Discontinued		
		4069-U7	Angle, Screwed Angle, Socket-Welding			All Sizes	566.00	566.00	623.00
	1500#	3886 XU	1500-POUND CARBON STEEL LIFT CHECK WITH EXCELLOY DISC AND STELLITE SEAT			All Sizes	Discontinued		
		3888 XU	Horizontal Lift, Screwed Horizontal Lift, Socket-Welding			All Sizes	Discontinued		
	2500#	3986-XU7	2500-POUND (1570 PSI AT 1050 F) ALLOY STEEL LIFT CHECK WITH EXCELLOY DISC AND STELLITE SEAT	93.60	123.00	154.00		Discontinued	
		3988-XU7	Horizontal Lift, Screwed Horizontal Lift, Socket-Welding	93.60	123.00	154.00	273.00	273.00	287.00