MD-3-A 32

PACKAGE TICKET

CODE RT880 LOT L2H79

PQ	NET WT/PKG.	NO. PKG.	PACK WT.	LOCATION
		14	2535	24

STUMP

TOTAL NET WT. 2535

LUMP WT. 2524 PKG. N-CODE

PROD. SUPV. DATE 11/4 OPERATOR 292

DUP050061003

0.C

1.77 +
1.79 +
2.04 +
1.74 +
1.81 +
1.72 +
1.77 +
1.79 +
1.82 +
1.89 +
1.88 +
1.77 +
1.75 +
1.81 +

014

25.35 %

DUP050061004

N41263.01

PRODUCT NAME = WATCHUNG RED B

CG 32 CODE RT-880-D PKG ____

LOT L2H79 OCT 29 1982

EST. WT. ~~2522~~* LBS. 2470

96/901 NP (14)

NON-BLEEDING

PROCESSES APPROVED BY
RT-880-D (G) EWK 12-31-81
ALTERNATE
TYPED BY JMH

MAKING NOTES _____

JOB NAME: 32RT880DPG

EC

INSTRUCTIONS = PRESSING = RECORD

VAT	901				PRESSLOAD	1ST	2ND	3RD	4TH	5TH
DATE	10-29				STARTED	12:30 AM				
TIME	8:30 A				CAKES USED	80				
RELEASED BY	CS				WATER ON	4AM				
PRESS	95	96			HRS. WASHED	9				
NO. OF CAKES	80	80			M MHOS	320				
PRESS WITHOUT AGITATION					HRS. WASHED					
WASH TO 333 M MHOS - 35-75 F WATER					M MHOS					
TEST AFTER 6 HOURS					HRS. WASHED					
LOAD ON 11 CARS					M MHOS					
PRESS IMMEDIATLEY CODE					CAKE CONDITION					
INSTURCT MAKING AREA TO ADD 10#					NO CARS LOADED	12				
N-588-A HALF-WAY THRU PRESSING.					EXPLAIN LOSSES					
CLEAN MAGNETIC SEPARATOR AFTER										
PRESSING. CLEANED BY:										
TIME CLEANED:										
SAMPLES JAR					SAMPLED BY					
DELIVER TO					RELEASED BY					

= DRYING =

DRY 20 HOURS AT 220 F
HOLD ON TRACK 30 MIN BEFORE DUMPING
PANS.

LUMP: - OK - WET - SALTS - CONTAMINATD

ADDITIONAL DRYING HOURS REQUIRED

NO DRUMS 15
LUMP WGT 2524

SAMPLES
DELIVER TO

NO CARS PULLED
SAMPLED BY
RELEASED BY

= GRINDING =

MILL 2 LSP 1/8"RP SCREEN 1800 RPM
MAX. TEMP. 140 F
INERT WITH CO2 WHEN GRINDING PER
O.P. #O.F. 0043.

SCREEN RPM
MAX. TEMP. F

EXPLAIN LOSSES

SAMPLE WITHOUT MIXING
SAMPLES 2 ENV & 1 PT CAN
DELIVER TO CTL

DATE MIXED 11-4-82

SAMPLED BY 389
RELEASED BY

DUP050061005

79
51
17

0.00 *

2.06 +
0.14 -
1.99 +
0.14 -
2.03 +
0.14 -
2.05 +
0.14 -
1.96 +
0.14 -
2.04 +
0.14 -
2.05 +
0.14 -
2.01 +
0.14 -
1.98 +
0.14 -
1.95 +
0.14 -
1.97 +
0.14 -
1.96 +
0.14 -
0.62 +
0.14 -
22.85 *

79
51
427

0.00 *

22.85 +
1.89 +
0.14 -
0.78 +
0.14 -
25.24 *

DUP050061006