PACKAGE TICKET (DRY AND PASTE ONLY)

CODE YT820-D LOT 36447

NET WT/PKG	NO. PKG	PACK. WGT	LOCATION	PO
	6	710	30	
	STUMP	Sump	715	

TOTAL NET WT. 710 PKG. N-CODE

PROD. SPVR.	DATE	WHSE. OPER.
KP	9 30 80	23

O.T

124.+
127.+
130.+
115.+
122.+
92.+
710.T

N35202

CG 46 CODE YT-820-D PKG. ____

→ JUL -8-80 36447

EST. WGT. [redacted] LBS.

(6)

TOTAL WGT. 862

PROCESSING INSTRUCTIONS: BATCH UNIT

PROCESSES	APPROVED BY
YT-820-D (D)	EWK 10/4/76
	DCG 10/6/76
TYPED BY	
NE 3/8/77	

MAKING NOTES

REMARKS

NAME: "DALAMAR" YELLOW - R

INSTRUCTIONS

-PRESSING-

VAT					
DATE					
TIME					
RELEASED BY					
PRESS					
NO. OF CAKES	~~32~~ ~~60~~	~~33~~ ~~62~~	~~35~~ ~~60~~		

PRESS without AGITATION

WASH TO ~~4000~~ OHMS with ~~35-75°F~~ water

TEST AFTER ~~4~~ HOURS

LOAD on ~~10~~ cars PANLOAD

SAMPLES

DELIVER TO

BLEEDING

RECORD

PRESSLOAD	1ST	2ND	3RD	4TH	5TH
STARTED					
CAKES USED					
WATER ON					
HRS. WASHED					
OHMS					
HRS. WASHED					
OHMS					
HRS. WASHED					
OHMS					
CAKE CONDITION					
NO. CARS LOADED	2+1				

EXPLAIN LOSSES

SAMPLED BY RELEASED BY [signature]

-DRYING-

Dry ~~20~~ 24 hrs at [redacted] 180°F

TEMP. ~~2~~ HRS.

LUMP: - OK - WET - SALTS - CONTAMINATED

ADDITIONAL DRYING HOURS REQUIRED

SAMPLES

DELIVER TO

NO. CARS PULLED

SAMPLED BY

No Drums: 6

LUMP WGT. 715

RELEASED BY [signature]

-GRINDING-

MILL 10 LSP 1/8" RP SCREEN 1800 RPM

MAX. TEMP. 210 °F

SCREEN RPM

MAX. TEMP. °F

EXPLAIN LOSSES

SAMPLE AFTER / WITHOUT MIXING

SAMPLES 2 Env & 1 Pt. Can

DELIVER TO C T L

DATE MIXED

SAMPLED BY 149 9/26/80 RELEASED BY

DUP050108125



DUP050108126