PLW file: Allen Park Test Lab.

Ford

Inter Office

General Services

March 9, 1979

Roger - Does this ring any bells?

Larry

PLAINTIFF'S EXHIBIT

FD 1819

Mr. W. J. Vega
Hourly Personnel, Labor Relations, and
Services Department

cc J. A. Keller ~~L. M. Kobliuski~~

Subject: Employe Suggestion CE-78-389

In response to your request of December 11, 1978, for status of the subject suggestion to T. Crudo, it appears by review of the file (attached) that:

- Safety Operation's Safety Engineer Tim Zimcosky did investigate the suggestion with management and the suggester, and subsequently found no asbestos contained in the insulation.
- Our course of action was to refer the suggestion to our Corporate Industrial Hygiene and Toxicology Department through your office to assure no hazardous substance other than asbestos was involved.
- This information was returned to you on September 26, 1978, so that you would be aware of the position we are taking. We were looking to the Suggestion Coordinator to perform this referral through normal ~~channels and to be~~ guided by results obtained from the Industrial Hygiene and Toxicology Department.
- It is our understanding that this referral was never made - - for what reasons we do not know. We recommend that it be done as soon as possible in order to rule out all possibilities of our employes being subjected to hazardous substances from this source. We would be guided by the Industrial Hygiene and Toxicology Department's findings and recommendations.

If we can be of further assistance in this matter, please contact Tim Zimcosky on extension 29108.

Talked to Russ Quarles He said it was L. Rossiter he was talking about.

R. M. Quarles
Division Safety Engineer
Security, Fire, and Safety Department

Talked to Larry He said it would be fine.

2007 0337 PQ

PRODUCED BY FORD

SCF-FORD-1690

# Ford Suggestion Program Submission Form

**Identify Your Idea**

| Building | Department | Case number (leave blank) |
|---|---|---|
| ALLEN PARK TEST LAB. | INSTRUMENT MAINT. UNIT K 2415. | CE-78-319 |

| Job involved | Bay number | Part numbers | Current date | If being resubmitted write prior case no here |
|---|---|---|---|---|
| SAFETY SUGGESTION | | | 8-1-78 | |

Other information (car line, die numbers, machine numbers, etc.)

**YOUR**

| | | Your plant or location | Dept no |
|---|---|---|---|
| Name | ROBERT BARNETT | APTL | K-2415 |
| Street and no | 42705 SOMERSET DR. | Name of your Supervisor: DON BORSVOLD | Shift no: 2 |
| City, State, Zip code | CANTON MICH 48187 | Social Security Number: 378-44-1113 | Hourly ☐ Salaried ☒ |
| | | If salaried, indicate status | Nonexempt ☒ Exempt ☐ |

Describe present method or condition

PRESENTLY IN THE ALLEN PARK TEST LAB AND THE EMISSION LABS WE ARE USING LOOSE FILL ASBESTOS TO INSULATE THE CONVERTOR COILS USED ON THE VACUUM HOOD CONSOLES. ASBESTOS IS ALSO USED IN THE HIGH TEMPERATURE OVEN ON THE RICARDO AIR FUEL RATIO METER. BOTH PIECES OF EQUIPMENT REQUIRE PERIODIC REPAIR INVOLVING REMOVAL OF THE LOOSE FILL ASBESTOS.

What specific improvement do you recommend?

ASBESTOS (ESPECIALLY THE LOOSE FILL TYPE) HAS BEEN PROVEN TO BE A CARCINGEN WHEN INGESTED IN EVEN VERY SMALL QUANTITIES. THE HANDLING OF THESE UNITS FILLED WITH ASBESTOS HAS BEEN HANDLED WITHOUT DUE REGARD TO THE VERY DANGEROUS CANCER CAUSING NATURE OF THIS SUBSTANCE. REMOVE THE ASBESTOS AND USE ANOTHER TYPE OF HIGH TEMPERATURE INSULATOR OF LESS HAZARDOUS NATURE.

What advantages can be expected from this change?

PREVENTION OF CANCER IN EMPLOYEES EXPOSED TO SAID EQUIPMENT. A SAFER WORKING ENVIRONMENT. THIS CONTION HAS EXISTED FOR 7 YEARS

Please type or print (use Ball Point) Complete all applicable spaces and sign form below

**See Suggestion Program Highlights on reverse side. Return all 5 plys to Program Coordinator**

☒ SUBMISSION ACKNOWLEDGMENT Thank you for submitting this idea. You are being furnished this copy to acknowledge our receipt of your idea and to provide you with the case number assigned

For Suggestion Program Office Use

AUG 8 PM 4 17

007 0335

The foregoing idea is submitted under the Suggestion Program of my Employer with which I am familiar. In consideration of my participation in whichever Plan of the Program is applicable to me, the compensation paid to me as an employe and the facilities and data made available to me by my Employer, I hereby recognize as the exclusive property of, and assign, transfer and convey to my Employer any and all rights I may have to the whole or any part of this idea, including patent rights if any, and I will execute any and all conveyances, assignments or other papers relating thereto which my Employer may request. I agree that any decision made by my Employer regarding eligibility, adoption, rejection, award or commendation with reference to my idea shall be final and binding, and that my Employer shall have the right to withdraw or change the Program at any time.

Employe's Signature: Robert E Barnett

PRODUCED BY FORD

MEMO FROM
**BILL VEGA**

Dear Joni,
Subject: Suggestion Case # CE 78-364

The subject case was referred to ~~you~~ SHARI on 8/16/78
and your recommendation has not as yet been received.

A prompt reply would be appreciated.

Thank you.

Bill Vega
General Services

Please find out where we stand on this case. Have you had any response from the Toxicology Dept?

Regardless - give me some sort of status report.

Thanks heaps -

8007 0339 PQ

PRODUCED BY FORD

Sharky
~~Bacon~~
Olse
Handle
Paul
3-26-79

xtra
cy

Ford

Inter Office

Personnel and
Organization Staff

March 23, 1979

Mr. F E Path

Subject: Suggestion Program Case Number CE-78-389

The attached case is referred to you for consideration.

It is requested that an investigation be made to determine the merit and general application of suggested change. If the recommendation contained in this referral meets with your approval and falls within your authority, please advise of the action taken to put it into effect. Your prompt investigation and recommendation is necessary to enable the Suggestion Program Committee to make proper disposition of the case.

Kindly submit a reply in duplicate to this office within one month of the date of this communication.

JC Emanuel

James C. Emanuel
Suggestion Program Administrator
Employe Communication Department

Attachment

3007 0340

PRODUCED BY FORD

Inter Office

General Services

March 9, 1979

Mr. W. J. Vega
Hourly Personnel, Labor Relations, and
Services Department

cc J. A. Keller L. M. Roslinski

Subject: Employe Suggestion CE-78-389

In response to your request of December 11, 1978, for status of the subject suggestion to T. Crudo, it appears by review of the file (attached) that:

- Safety Operation's Safety Engineer Tim Zimcosky did investigate the suggestion with management and the suggester, and subsequently found no asbestos contained in the insulation. Tim contacted on 1-10-79
- Our course of action was to refer the suggestion to our Corporate Industrial Hygiene and Toxicology Department through your office to assure no hazardous substance other than asbestos was involved.
- This information was returned to you on September 26, 1978, so that you would be aware of the position we are taking. We were looking to the Suggestion Coordinator to perform this referral through normal channels and to be guided by results obtained from the Industrial Hygiene and Toxicology Department.
- It is our understanding that this referral was never made - - for what reasons we do not know. We recommend that it be done as soon as possible in order to rule out all possibilities of our employes being subjected to hazardous substances from this source. We would be guided by the Industrial Hygiene and Toxicology Department's findings and recommendations.

If we can be of further assistance in this matter, please contact Tim Zimcosky on extension 29108.

R. M. Quarles
Division Safety Engineer
Security, Fire, and Safety Department

3007 0341

PRODUCED BY FORD