

File:c8

Emission Point	Emission Rate (g/s)	Stack Height (m)	Stack Temp (K)	Stack Velocity (m/s)	Stack Diameter (m)
662	0	45.7	350.9	12.3	0.405
647	2.06E-01	18	317	51.8	0.457
699	0	19.2	317	6.46	0.305
652	4.00E-03	21.3	366.5	16.5	0.598
658	2.00E-03	20.7	422	6.8	0.497
231	3.28E-02	21.7	327.6	4.8	0.251
232	3.32E-02	20.3	327.6	0.9	0.635
216	0	18.3	343.2	10.5	0.396
242	1.05E-02	21.3	366.5	18	0.204
274	3.03E-02	33.5	397	13.6	0.21
RO22EEF6	1.73E-04	14.3	299.8	9.1	0.762
RO22EEF8	4.31E-05	14.9	299.8	12.2	0.61
RO22EEF7	4.31E-05	14.9	299.8	3	0.61
RO22EEF9	8.63E-06	14.9	299.8	6.1	0.61

File:C8ActA

Emission Point	Emission Rate (g/s)	Stack Height (m)	Stack Temp (K)	Stack Velocity (m/s)	Stack Diameter (m)
662	0	45.7	350.9	12.3	0.405
647	2.02E-01	18	317	34.5	0.457
699	0	19.2	317	6.46	0.305
652	3.78E-03	21.3	366.5	16.5	0.598
658	2.52E-03	20.7	422	6.8	0.497
231	4.66E-02	28.3	327.6	7.2	0.204
232	4.66E-02	24.7	327.6	8.64	0.204
216	0	18.3	343.2	10.5	0.396
242	2.02E-02	34.9	366.5	32.34	0.152
274	1.41E-01	33.5	397	13.6	0.21
RO22EEF6	0.00E+00	14.3	299.8	9.1	0.762
RO22EEF8	0.00E+00	14.9	299.8	12.2	0.61
RO22EEF7	0.00E+00	14.9	299.8	3	0.61
RO22EEF9	0.00E+00	14.9	299.8	6.1	0.61

File: C8Actual

Emission Point	Emission Rate (g/s)	Stack Height (m)	Stack Temp (K)	Stack Velocity (m/s)	Stack Diameter (m)
662	0	45.7	350.9	12.3	0.405
647	2.06E-01	18	317	51.8	0.457
699	0	19.2	317	6.46	0.305
652	3.78E-03	21.3	366.5	16.5	0.598
658	2.52E-03	20.7	422	6.8	0.497
231	4.66E-02	28.3	327.6	7.2	0.204

232	4.66E-02	24.7	327.6	8.6	0.204
216	0	18.3	343.2	10.5	0.396
242	2.02E-02	34.9	366.5	32.3	0.152
274	1.41E-01	33.5	397	13.6	0.21
RO22EEF6	0.00E+00	14.3	299.8	9.1	0.762
RO22EEF8	0.00E+00	14.9	299.8	12.2	0.61
RO22EEF7	0.00E+00	14.9	299.8	3	0.61
RO22EEF9	0.00E+00	14.9	299.8	6.1	0.61

File: C8Permit

Emission Point	Emission Rate (g/s)	Stack Height (m)	Temp (K)	Velocity (m/s)	Diameter (m)
662	1.21E-03	45.7	350.9	12.3	0.405
647	1.45E+00	18	317	51.8	0.457
699	2.90E-01	19.2	317	6.46	0.305
652	8.57E-03	21.3	366.5	16.5	0.598
658	7.81E-03	20.7	422	6.8	0.497
231	2.27E-01	28.3	327.6	7.2	0.204
232	2.27E-01	24.7	327.6	8.6	0.204
216	4.16E-03	18.3	343.2	10.5	0.396
242	3.78E-01	34.9	366.5	32.3	0.152
274	1.41E-01	33.5	397	13.6	0.21
RO22EEF6	6.30E-04	14.3	299.8	9.1	0.762
RO22EEF8	1.26E-06	14.9	299.8	12.2	0.61
RO22EEF7	1.39E-04	14.9	299.8	3	0.61
RO22EEF9	2.52E-05	14.9	299.8	6.1	0.61

File: Case1

Emission Point	Emission Rate (g/s)	Stack Height (m)	Temp (K)	Velocity (m/s)	Diameter (m)
662	0.00E+00	45.7	350.9	12.3	0.405
647	8.50E-02	18	317	51.8	0.457
699	0.00E+00	19.2	317	6.46	0.305
652	3.78E-03	21.3	366.5	16.5	0.598
658	2.52E-03	20.7	422	6.8	0.497
231	1.44E-02	28.3	327.6	7.2	0.204
232	1.44E-02	24.7	327.6	8.6	0.204
216	0.00E+00	18.3	343.2	10.5	0.396
242	1.86E-02	34.9	366.5	32.3	0.152
274	2.31E-02	33.5	397	13.6	0.21
RO22EEF6	0.00E+00	14.3	299.8	9.1	0.762
RO22EEF8	0.00E+00	14.9	299.8	12.2	0.61
RO22EEF7	0.00E+00	14.9	299.8	3	0.61
RO22EEF9	0.00E+00	14.9	299.8	6.1	0.61

File: Case2

Emission Point	Emission Stack			
	Rate (g/s)	Height (m)	Temp (K)	Velocity (m/s)
662	0.00E+00	45.7	350.9	12.3
647	8.50E-02	18	317	51.8
699	0.00E+00	19.2	317	6.46
652	3.78E-03	21.3	366.5	16.5
658	2.52E-03	20.7	422	6.8
231	8.57E-03	28.3	327.6	7.2
232	8.57E-03	24.7	327.6	6.6
216	0.00E+00	18.3	343.2	10.5
242	1.01E-02	34.9	366.5	32.3
274	1.73E-02	33.5	397	13.6
RO22EEF6	0.00E+00	14.3	299.8	9.1
RO22EEF8	0.00E+00	14.9	299.8	12.2
RO22EEF7	0.00E+00	14.9	299.8	3
RO22EEF9	0.00E+00	14.9	299.8	6.1

File: Case3

Emission Point	Emission Stack			
	Rate (g/s)	Height (m)	Temp (K)	Velocity (m/s)
662	0.00E+00	45.7	350.9	12.3
647	5.61E-02	18	317	51.8
699	0.00E+00	19.2	317	6.46
652	3.78E-03	21.3	366.5	16.5
658	2.52E-03	20.7	422	6.8
231	8.57E-03	28.3	327.6	7.2
232	8.57E-03	24.7	327.6	6.6
216	0.00E+00	18.3	343.2	10.5
242	1.01E-02	34.9	366.5	32.3
274	1.73E-02	33.5	397	13.6
RO22EEF6	0.00E+00	14.3	299.8	9.1
RO22EEF8	0.00E+00	14.9	299.8	12.2
RO22EEF7	0.00E+00	14.9	299.8	3
RO22EEF9	0.00E+00	14.9	299.8	6.1

File: Case4

Emission Point	Emission Stack			
	Rate (g/s)	Height (m)	Temp (K)	Velocity (m/s)
662	0.00E+00	45.7	350.9	12.3
647	5.61E-02	30.2	317	51.8
699	0.00E+00	19.2	317	6.46
652	3.78E-03	21.3	366.5	16.5
658	2.52E-03	20.7	422	6.8
231	8.57E-03	28.3	327.6	7.2

232	8.57E-03	24.7	327.6	8.6	0.204
216	0.00E+00	18.3	343.2	10.5	0.396
242	1.01E-02	34.9	366.5	32.3	0.152
274	1.73E-02	33.5	397	13.6	0.21
RO22EEF6	0.00E+00	14.3	299.8	9.1	0.762
RO22EEF8	0.00E+00	14.9	299.8	12.2	0.61
RO22EEF7	0.00E+00	14.9	299.8	3	0.61
RO22EEF9	0.00E+00	14.9	299.8	6.1	0.61

File: Cases6

Emission Point	Emission Rate (g/s)	Stack Height (m)	Temp (K)	Velocity (m/s)	Diameter (m)
682	0.00E+00	45.7	350.9	12.3	0.405
647	8.49E-02	24.1	317	51.8	0.457
699	0.00E+00	19.2	317	6.46	0.305
652	3.78E-03	21.3	366.5	16.5	0.598
658	2.52E-03	20.7	422	6.8	0.497
231	1.15E-02	34.4	327.6	7.2	0.204
232	1.15E-02	30.8	327.6	8.6	0.204
216	0.00E+00	18.3	343.2	10.5	0.396
242	1.44E-02	41	366.5	32.3	0.152
274	2.02E-02	39.6	397	13.6	0.21
RO22EEF6	0.00E+00	14.3	299.8	9.1	0.762
RO22EEF8	0.00E+00	14.9	299.8	12.2	0.61
RO22EEF7	0.00E+00	14.9	299.8	3	0.61
RO22EEF9	0.00E+00	14.9	299.8	6.1	0.61

File: Cases6

Emission Point	Emission Rate (g/s)	Stack Height (m)	Temp (K)	Velocity (m/s)	Diameter (m)
682	0.00E+00	45.7	350.9	12.3	0.405
647	5.61E-02	30.2	317	51.8	0.457
699	0.00E+00	19.2	317	6.46	0.305
652	3.78E-03	21.3	366.5	16.5	0.598
658	2.52E-03	20.7	422	6.8	0.497
231	8.57E-03	34.4	327.6	7.2	0.204
232	8.57E-03	30.8	327.6	8.6	0.204
216	0.00E+00	18.3	343.2	10.5	0.396
242	1.01E-02	41	366.5	32.3	0.152
274	1.73E-02	39.6	397	13.6	0.21
RO22EEF6	0.00E+00	14.3	299.8	9.1	0.762
RO22EEF8	0.00E+00	14.9	299.8	12.2	0.61
RO22EEF7	0.00E+00	14.9	299.8	3	0.61
RO22EEF9	0.00E+00	14.9	299.8	6.1	0.61

File: Case7

Emission Point	Emission Rate		Stack Height		Temp		Velocity		Diameter
	(g/s)	(m)	(K)	(m/s)	(m)				
662	0.00E+00	45.7	350.9	12.3	0.405				
647	5.61E-02	24.1	317	51.8	0.457				
669	0.00E+00	19.2	317	6.46	0.305				
662	3.78E-03	21.3	366.5	16.5	0.598				
668	2.52E-03	20.7	422	6.8	0.467				
231	8.57E-03	34.4	327.6	7.2	0.204				
232	8.57E-03	30.8	327.6	8.6	0.204				
216	0.00E+00	18.3	343.2	10.5	0.396				
242	1.01E-02	41	366.5	32.3	0.152				
274	1.73E-02	39.6	397	13.6	0.21				
RO22EEF6	0.00E+00	14.3	299.8	9.1	0.762				
RO22EEF8	0.00E+00	14.9	299.8	12.2	0.61				
RO22EEF7	0.00E+00	14.9	299.8	3	0.61				
RO22EEF9	0.00E+00	14.9	299.8	6.1	0.61				