

Sample

T-101 VENT

Date

10/12/73

ن ۳۳۱

SAMPLE

ANALYSIS

[illegible]

CWH 000004003

Sample.

T101 VENT

Date _____

10-3-73

0700

SAMPLE

ANALYSIS

CWH 000004004

Sample

Vant garu

Date _____

9-19-73


1501

SAMPLE

ANALYSIS

[illegible]

CWH 000004005



John D. Minott



To T-10 vent flowmeter

Date 8/22/73

Reading of 3 to 10 units out of 100 units on linear chart. Pressure 21 psig. Temp -20°F

FR-105T-F flowmeter - Monel Orifice

Line I.D = 3.068" - 100" O.P. ull

Orifice Size = 0.656", flange type

β ratio = 0.2138 S.G. avg gas = 1.02

If -20°F, 21 psig, S.G. of gas of 1.02 are used then
full scale = 5,600 scfh

Special chart (sq rt.) is 3 to 4 reading

$.35 \times 5,600 = 1960$ scfh.

1176

CWH 000004006

Analysis Sheet

Sample

T-101 Vent

Date _____

9-19-73

[illegible]

CWH 000004007

08.00

CWH 000004008

Analyst's Sheet

Date _____

9-5-73

1500

[illegible]

CWH 000004009

Sample

Date _____

7-25-73

100

ANALYSIS

[illegible]

CWH 000004010

Sample

T-101 ident

Date _____

7/15/73

47321

ANALYSIS

[illegible]

CWH 000004011

Analysis Sheet

Sample

Date _____

7.-11-73

1300

SAMPLE

ANALYSIS

[illegible]

CWH 000004012

Analysis Sheet

Sample.

Date _____

7-11-73

1500

[illegible]

CWH 000004013

Analysis Sheet

Sample

VENT

Date _____

6-20-73

[illegible]

CWH 000004014

Analysis Sheet

Sample -

Date _____

6-13-73

15-00

[illegible]

CWH 000004015

— Analysis Sheet

Sample

Date

FE101 VENT 0700

4-13-73

SAMPLE

ANALYSIS

EDC	2848										
Vinyl Chloride	157										
Ethylchloride	125										
Other Organics	6										
CO ₂	13.2										
C ₂ H ₄	5.5										
C ₂ H ₆	.85										
O ₂	15.7										
N ₂	69.4										
CH ₄	23.5										
CO	.81										
HCl											
Cl ₂											

CWH 000004016

Analysis Sheet

Sample T 101 VENT

Date 6-6-73

ANALYSIS

CWH 000004017

Analysis Sheet

Sample

Date _____

6-6-73

15-00

[illegible]

Sample T-101 VentH

Date 5/23/73

0802

CWH 000004019

Sample

T-101 Vent

Date 5-16-73

ANALYSIS

CWH 000004020

Sample

T-101 Vent gas

Date _____

5-2-73

040

[illegible]

Sample T-101 Vent

Date 4-25-13

[illegible]

Sample T-101 Vent Date 4-18-73

Sample

T-101 Vent

Date _____

4-18-73

०४०४

CWH 000004023

Sample

~~7-101~~

1900

Date _____

66-73

ANALYSIS

[illegible]

CWH 000004024

Sample

Date _____

3/25/73

CWH 000004025

0930

[illegible]

Sample T-101 VENT

Date 2-28-73

1330

SAMPLE		ANALYSIS									
1											
2	EDC	3328	PPM								
3	VINYLCHORIDE	141	"								
4	ETHYLCHLORIDE	152	"								
5	ETHYLENE CO ₂										
6	ETHYLENE C ₂ H ₄										
7	ETHYLENE C ₂ H ₆										
8	ETHYLENE N ₂										
9	ETHYLENE O ₂										
10	ETHYLENE CH ₄										
11	ETHYLENE CO										
12	TRICHLORO										
13	1,1,2										
14	BENZENE										
15	CHLORAL										
16											
17											
18	H ₂ O										
19	ACID										
20	COLOR										
21	SP. GR.										
22	NON-VOLS.										
23	DIST. RANGE	INIT.	°C	MID	°C	FINAL	°C	SPREAD	°C		
24											
25											
26											

CWH 000004027

Analysis Sheet

Sample

T-101

Date _____

2/21/73

1035

[illegible]

CWH 000004028

Sample

Date _____

1-7-75

08-03

ANALYSIS

[illegible]

CWH 000004029

Analysis Sheet

Sample T-101

Date 1-31-73

0572

[illegible]

CWH 000004030

Sample T-101 VENT Date 1-24-73
08/5

Sample

T-101 VENT

Date _____

1-24-73

08/5

CWH 000004031

Analysis Sheet

Sample.

T 101 VENT

Date _____

1-3-73

1500

SAMPLE

ANALYSIS

[illegible]

CWH 000004032

Sample

Pr. 309

Date _____

1-3-73

16. 10. 1941

ANALYSIS

[illegible]

CWH 000004033