


FILE NAME: Borg Warner (BW)

DATE: WtΩ

DOC#: BW

DOCUMENT DESCRIPTION: a\$ΨŮ [†ö\$ΠΩ° ŮŮ !σö\$σŮŮσ a†ú\$σŮ†Pσ



Stieber Division der Borg-Warner GmbH, 69 Heidelberg, Postfach 101360, Kurpfalzring, Tel.: 06221/708-1, Telex 04-61845, Telegr.: borstieb

Specialty Paper Division
Attn.: Mr. J.M. Nolan

South Lee, Massachusetts 01260

Ihr Zeichen	Ihre Nachricht vom	Durchwahl	Unser Zeichen	Datum
JMN:har	22.Nov.78	06221/708- 280	p10 ba-no	17 Jan.79

Ref.: Labelling of Asbestos Materials

Dear Mr. Nolan,

Günter Lanzerath has passed your letter dated Nov. 22nd, 1978 on to me since safety and environmental regulations are part of my responsibility as production manager. I apologize for the delay due to vacation time and a lengthy investigation to comply with German regulations and standards in labelling what we call "dangerous work materials" (gefährliche Arbeitsstoffe)

Typical German thoroughness of course requires very precise details of such labels regarding size, colouring, lay-out etc. So, please accept that labels must be...

1. easy and clear to read,
2. lasting (not fading or coming away during transportation or storing)
3. adhering to packing on total area of label
4. distinctly different to colour of packing material and format/lay-out of address labels etc. to show up well,
5. a minimum size of 148 x 210 mm (5.83 x 8.27")
6. bearing a warning symbol, designation of the material, hazard hints, safety advice and name and address of delivery source.

104936

/2...



Considering these basic rules I propose to use a lay-out worded as enclosed. Please note that our health regulations include "no smoking", when working with, or handling asbestos materials causing dust.

I hope to have answered your questions satisfactorily. Please do not hesitate to contact me again for any further assistance.

Best regards,

Peter Bachmann
Production Manager and
Chief Safety Supervisor

PB/no
Encl.

104437