

PURCHASE ORDER

12-5

8

Page 1953 / Freepoint, Texas 77541

SHIP TO: THE DOW CHEMICAL CO. TEXAS DIV.

See Original

RECEIVED

QUAN.

This order is an addendum to our original purchase order 50000 dated 4-13-60 and its addenda "A" through "RRS" and all terms and conditions of that order and its addenda are to apply unless otherwise specified herein.

This addendum is issued to make the following change:

Dow Code 15-13123-000 Change Group title to read:
Rone, Wire, Performed Improved Plow Steel, Lubricated, IWRC.

This addendum is also issued to add the following 13 items of Anderson Greenwood effective 2-20-67.

Now Code 14-01440

Meter Manifold, No. M2-VC, Carbon Steel W/Kel-F Seats, Teflon Packing Glands on all valves, 303 S.S. Trim, 2500 Lb. MWP at 250' Deg. F.

Dow Code 14-01450

Meter Manifold, No. M2-VS, Stainless Steel, 316 with Kel-F Seats and Teflon Packing Glands on Valves.

DELIVER TO (PERSON AND BLDG.)

J. P. Godleski

AUTH. NO.

Gentry

LETTERS RECEIVED

ACK'D

VENDORS NO.

PROMISED

DOW-841

Gulf Supply Company, Inc.

ST0010635

50000 "55"

SHOW THIS ORDER NUMBER ON ALL PACKAGES. SHIPPING PAPERS, IF VOICES AND CORRESPONDENCE.

Page 2 of 3

SHIP VIA		SHIP TO: THE DOW CHEMICAL CO. TEXAS DIV.		F.O.B.		TERMS		TO BE SHIPPED	
LOCATION AND USE		PLANT		TEXAS		See Original		See Original	
		DATE	RECEIVED	QUAN.					
					Dow Code 14-01460 Steam Gage Siphon, No. CT-7-44, 303 S.S. 1/2" M x 1/2" F.				
					Dow Code 14-01472 Valve, Miniature, Type H5, No. 5010, 1/8" M-NPT, Brass Construction, O-Ring Packing, Nylon Seat Globe Pattern.				
					Dow Code 14-01474 Valve, Miniature, Type H5, No. 5050, 1/4" M-NPT, Brass Construction, O-Ring Packing, Nylon Seat, Globe Pattern.				
					Dow Code 14-01476 Valve, Miniature, Type H5, No. 5080, 1/4" Tylok, Brass Construction, O-Ring Packing, Nylon Seat, Globe Pattern.				
					Dow Code 14-01478 Valve, Miniature, Type H5, No. 5510, 1/8" M-NPT, 316 S.S. Construction, Teflon Packed, Kel-F Seat, Globe Pattern.				
					Dow Code 14-01480 Valve, Miniature, Type H5, No. 5550, 1/4" M-NPT, 316 S.S. Construction, Teflon Packed, Kel-F Seat, Globe Pattern.				
NOTIFY/OR PLANT		DELIVER TO (PERSON AND BLOC.)		RECON./PROJ. ENG.		BLOG. #		SUPT. OR PROCESS REP.	
J. P. Godleski B101		J. P. Godleski							
MATERIAL NEEDED		BUYER		REQ. OR B M NO. AND		DATE		ACCOUNT NO.	
								As Distributed - 50	
								EST. TOTAL	
								W. O. NO.	

[illegible]

3-2-2

١٢٠٧

ST0010636

Gulf Supply Company, Inc.

Page 3 of 3

SHIP VIA	SHIP TO: THE DOW CHEMICAL CO. TEXAS DIV.	F.O.B.	TERMS	TO BE SHIPPED
LOCATION AND USE	PLANT	QUAN.	See Original	UNIT
DATE RECEIVED	DATE		See Original	PRICE
			Dow Code 14-01482 Valve, Miniature, Type H5, No. 5580, 1/4" Tylok, 316 S.S. Construction, Teflon Packed, Kel-F Seats, Globe Pattern.	Ea.
			Dow Code 17-16778 Valve, Pressure Gauge, 1/2" M x 1/2" F. S.S. No. M5VC-44.	Ea.
			Dow Code 17-16780 Valve, Pressure Gauge, 3/4" M x 1/2" F. S.S. No. M5VC-46.	Ea.
			Dow Code 17-16782 Valve, Pressure Gauge, 1/2" M x 1/2" F. Type 316 Stainless Steel with 316 S.S. Trim, No. M5VS-44.	Ea.
			Dow Code 17-16783 Valve, Pressure Gauge, 3/4" M x 1/2" F. Type 316 Stainless Steel with 316 S.S. Trim, Kel-F Seat, Teflon Packing 5000 Lb. No. M5VS-46, Dow Std. B-654.	Ea.
			This addendum is also issued to add ¹²³ 348 items of insulating materials per the attached list effective 2-27-67.	
			This addendum is also issued to add ⁽³⁴⁸⁾ 123 items of miscellaneous welding supplies per the attached list effective 3-27-67.	
J.P. Godleski B101	J. P. Godleski		REON./PROJ. ENG.	EST. TOTAL
MATERIAL NEEDED	AUTH. NO.	REG. OR B.M. NO. AND	DATE	ACCOUNT NO.
				As Distributed - 50

[illegible]

نہایت

UNIT:

2 IN. THK., 3, 4 OR 6 FT. WIDE, 150 FT. LONG

7-29353-000

PC

BLUCK, KAYLO

4,653

- 1-1/2 IN. X 6 IN. X 36 IN.

7-29356-000

PC

BLUCK, KAYLO

5,177

2 IN. X 6 IN. X 36 IN.

7-29360-000

PC

BLUCK, KAYLO 20

2,592

ST0010637

HEADS

IN

ST0010638

17-29390-000	PC	1 IN. X 6 IN. X 36 IN. BLOCK, KAYLO 20	1,440
17-29393-000	PC	1-1/2 IN. X 6 IN. X 36 IN. BLOCK, KAYLO 20	2,766
17-29575-000	CAN	2 IN. X 6 IN. X 36 IN. CEMENT AND FILLERS	59
17-29580-000	CAN	ADHESIVE, 1 GAL. CAN FOSTER NO. 30-46 CEMENT AND FILLERS	12
17-29604-000	CAN	ADHESIVE, FOSTER NO. 30-46, 5 GAL. CAN CEMENT AND FILLERS	519
17-29604-500	CAN	MASTIC, EMULSION, WHITE, SEAL-FAS, 3 GALLON C ONTAINER, B.F. NO. 31-99 OR EQUAL CEMENT AND FILLERS	205
17-29605-000	BAG	NONOLAR MASTIC, WHITE SAFETEE, BENJAMIN FOSTE R NO. 60 X 20, IN 3-GAL. CANS CEMENT AND FILLERS	369
17-29606-000	CAN	PLASTIC CEMENT, 50 LB. BAG, SCHUNDLER NO. 303 OR JH 450 CEMENT AND FILLERS	7
17-29610-000	BAG	WEATER PROOFING, PROMEL GRADE, FOSTER NO. 60- 30N, IN 5 GAL. CONTAINER CEMENT AND FILLERS	462
17-29612-000	BAG	ROCK WOOL, DRY /CEMENT/ 40 LB BAGS CEMENT AND FILLERS	735

REARS

TV

ST0010639

CEMENT, UTILITY INSULATING FINISH, J-X 301, I
N 50 LB. BAGS

17-29614-000	CAN	CEMENT AND FILLERS	101
17-29615-000	CAN	SAFETEE MASTIC, FOSTER NO. 60-80, 5 GAL. CAN CEMENT AND FILLERS	422
17-29623-000	GAL	WEATHERKOTE /ROOFING COMPOUND/ 5 GAL CANS, FO STER NO. 90-07 COMPOUND, HEAT CONDUCTING, THERMON, X-5 1 GAL. CONTAINER	68
17-29630-000	GAL	COMPOUND, HEAT CONDUCTING, THERMON, X-5 5 GAL. CONTAINER	140
17-29730-000	EA	COVERING, ELLS, 90 DEGREE SCREWED 1 IN. THICK , MASTIC SPRAYED, PONCHO 1/2 IN. PIPE SIZE	68
17-29752-000	EA	COVERING, ELLS, 90 DEGREE SCREWED 1 IN. THICK , MASTIC SPRAYED, PONCHO 3/4 IN.	124
17-29754-000	EA	COVERING, ELLS, 90 DEGREE SCREWED 1 IN. THICK , MASTIC SPRAYED, PONCHO 1 IN.	167
17-29766-000	EA	COVERING, ELLS, 90 DEGREE SCREWED 1 IN. THICK , MASTIC SPRAYED, PONCHO 1-1/2 IN.	216
17-29788-000	EA	COVERING, ELLS, 90 DEGREE SCREWED 1 IN. THICK , MASTIC SPRAYED, PONCHO 2 IN.	206
17-29790-000	EA	COVERING, ELLS, 90 DEGREE SCREWED 1 IN. THICK , MASTIC SPRAYED, PONCHO 2-1/2 IN.	192

ST0010640

1-29794-000	EA	COVERING, ELLS, 90 DEGREE SCREWED 1 IN. THICK ; MASTIC SPRAYED, PONCHO 3 IN. WELD	36
1-29794-000	EA	COVERING, ELLS, 90 DEGREE SCREWED 1 IN. THICK ; MASTIC SPRAYED, PONCHO 4 IN. WELD	50
1-29794-000	EA	COVERING, ELLS, 90 DEGREE SCREWED 1 IN. THICK ; MASTIC SPRAYED, PONCHO 6 IN. WELD	8
1-29794-000	EA	COVERING, ELLS, 90 DEGREE, SCREWED 1 IN. THIC K, 1200 DEG. MOLDED SILICA 1/2 IN. PIPE SIZE.	162
1-29794-010	EA	COVERING, ELLS, 90 DEGREE, SCREWED 1 IN. THIC K, 1200 DEG. MOLDED SILICA 3/4 IN. PIPE SIZE.	66
1-29794-020	EA	COVERING, ELLS, 90 DEGREE, SCREWED 1 IN. THIC K, 1200 DEG. MOLDED SILICA 1 IN. PIPE SIZE.	456
1-29794-030	EA	COVERING, ELLS, 90 DEGREE, SCREWED 1 IN. THIC K, 1200 DEG. MOLDED SILICA 1-1/2 IN. PIPE SIZE.	239
1-29794-040	EA	COVERING, ELLS, 90 DEGREE, SCREWED 1 IN. THIC K, 1200 DEG. MOLDED SILICA 2 IN. PIPE SIZE	167
1-29794-500	EA	COVERING, ELLS, 90 DEGREE, SCREWED, 1-1/2 IN. THICK, 1800 DEG. MOLDED SILICA 1/2 IN. PIPE SIZE.	43
1-29794-510	EA	COVERING, ELLS, 90 DEGREE, SCREWED, 1-1/2 IN. THICK, 1800 DEG. MOLDED SILICA 3/4 IN. PIPE SIZE	24
1-29794-520	EA	COVERING, ELLS, 90 DEGREE, SCREWED, 1-1/2 IN. THICK, 1800 DEG. MOLDED SILICA 1 IN. PIPE SIZE	129
1-29794-530	EA	COVERING, ELLS, 90 DEGREE, SCREWED, 1-1/2 IN.	27

ST0010641

THICK, 1800 DEG. MOLDED SILICA
1-1/2 IN. PIPE SIZE

-29794-000	EA	-COVERING, ELLS, 90 DEGREE, SCREWED, 1-1/2 IN. THICK, 1800 DEG. MOLDED SILICA 2 IN. PIPE SIZE	3
-29795-000	EA	COVERING, TEES, 1 IN. THICK, MASTIC SPRAYED, PORCHO 1/2 IN. PIPE SIZE	29
-29797-000	EA	COVERING, TEES, 1 IN. THICK, MASTIC SPRAYED, PORCHO 3/4 IN.	49
-29798-000	EA	COVERING, TEES, 1 IN. THICK, MASTIC SPRAYED, PORCHO 1 IN.	93
-29801-000	EA	COVERING, TEES, 1 IN. THICK, MASTIC SPRAYED, PORCHO 1-1/2 IN.	93
-29803-000	EA	COVERING, TEES, 1 IN. THICK, MASTIC SPRAYED, PORCHO 2 IN.	109
-29805-000	EA	COVERING, TEES, 1 IN. THICK, MASTIC SPRAYED, PORCHO 2-1/2 IN.	75
-29806-000	EA	COVERING, TEES, 1 IN. THICK, MASTIC SPRAYED, PORCHO 3 IN. WELD	26
-29807-000	EA	COVERING, TEES, 1 IN. THICK, MASTIC SPRAYED, PORCHO 4 IN. WELD	22
-29810-000	EA	COVERING, TEES, SCREWED, 1 IN. THICK, 1200 DEG. MOLDED SILICA 1/2 IN. PIPE SIZE	101
-29810-010	EA	COVERING, TEES, SCREWED, 1 IN. THICK, 1200 DEG.	33

ST0010642

G. MOLDED SILICA
3/4 IN. PIPE SIZE

7-29810-020	EA	-COVERING, TEES, SCREWED, 1 IN. THICK, 1200 DE G. MOLDED SILICA 1 IN. PIPE SIZE	223
7-29810-030	EA	COVERING, TEES, SCREWED, 1 IN. THICK, 1200 DE G. MOLDED SILICA 1-1/2 IN. PIPE SIZE	109
7-29810-040	EA	COVERING, TEES, SCREWED, 1 IN. THICK, 1200 DE G. MOLDED SILICA 2 IN. PIPE SIZE	92
7-29812-000	EA	COVERING, TEES, SCREWED, 1-1/2 IN. THICK, 180 0 DEG. MOLDED SILICA 1/2 IN. PIPE SIZE	35
7-29812-010	EA	COVERING, TEES, SCREWED, 1-1/2 IN. THICK, 180 0 DEG. MOLDED SILICA 3/4 IN. PIPE SIZE	24
7-29812-020	EA	COVERING, TEES, SCREWED, 1-1/2 IN. THICK, 180 0 DEG. MOLDED SILICA 1 IN. PIPE SIZE	81
7-29812-030	EA	COVERING, TEES, SCREWED, 1-1/2 IN. THICK, 180 0 DEG. MOLDED SILICA 1-1/2 IN. PIPE SIZE	48
7-29812-040	EA	COVERING, TEES, SCREWED, 1-1/2 IN. THICK, 180 0 DEG. MOLDED SILICA 2 IN. PIPE SIZE	27
7-29825-000	RL	COVERING, PLASTIC COATED, RUBBEROID, TEOLAR N 0. TNA-100 35 IN. FOR INSULATION	15
7-29831-000	FT	COVERING, PIPE, SNAP-ON, WITH VAPOR BARRIER 1 /2 IN. THICK, G. B. ULTRAFINE 1/2 IN. PIPE SIZE	126
7-29832-000	FT	COVERING, PIPE, SNAP-ON, WITH VAPOR BARRIER 1	171

1/2 IN. THICK, G. B. ULTRAFINE 3/4 IN. ST0010643

17-29833-000	FT.	COVERING, PIPE, SNAP-ON, WITH VAPOR BARRIER 1 1/2 IN. THICK, G. B. ULTRAFINE 1 IN.	90
17-29842-000	FT	COVERING, PIPE, ULTRAFINE SNAP-ON, 1 IN. THIC K, WITH VAPOR BARRIER G. B., J.M. MICROTEX AC CEPTABLE 1/2 IN. PIPE SIZE	538
17-29844-000	FT	COVERING, PIPE, ULTRAFINE SNAP-ON, 1 IN. THIC K, WITH VAPOR BARRIER G. B., J.M. MICROTEX AC CEPTABLE 3/4 IN.	1,200
17-29846-000	FT	COVERING, PIPE, ULTRAFINE SNAP-ON, 1 IN. THIC K, WITH VAPOR BARRIER G. B., J.M. MICROTEX AC CEPTABLE 1 IN.	1,820
17-29848-000	FT	COVERING, PIPE, ULTRAFINE SNAP-ON, 1 IN. THIC K, WITH VAPOR BARRIER G. B., J.M. MICROTEX AC CEPTABLE 1-1/2 IN.	2,266
17-29850-000	FT	COVERING, PIPE, ULTRAFINE SNAP-ON, 1 IN. THIC K, WITH VAPOR BARRIER G. B., J.M. MICROTEX AC CEPTABLE 2 IN.	1,950
17-29852-000	FT	COVERING, PIPE, ULTRAFINE SNAP-ON, 1 IN. THIC K, WITH VAPOR BARRIER G. B., J.M. MICROTEX AC CEPTABLE 2-1/2 IN.	2,491
17-29854-000	FT	COVERING, PIPE, ULTRAFINE SNAP-ON, 1 IN. THIC K, WITH VAPOR BARRIER G. B., J.M. MICROTEX AC CEPTABLE 3 IN.	1,080
17-29856-000	FT	COVERING, PIPE, ULTRAFINE SNAP-ON, 1 IN. THIC K, WITH VAPOR BARRIER G. B., J.M. MICROTEX AC	329

COVERING, PIPE, KAYLO, 1200 DEGREE, 1 IN. THICK
1-1/4 IN.

717

FT MEAS

ACCEPTABLE
3-1/2 IN.

474

COVERING, PIPE, ULTRAFINE SNAP-ON, 1 IN. THICK
K, WITH VAPOR BARRIER G. B., J.M. MICROTEX AC
ACCEPTABLE
4 IN.

333

COVERING, PIPE, ULTRAFINE SNAP-ON, 1 IN. THICK
K, WITH VAPOR BARRIER G. B., J.M. MICROTEX AC
ACCEPTABLE
4-1/2 IN.

492

COVERING, PIPE, ULTRAFINE SNAP-ON, 1-1/2 IN.
THICK WITH VAPOR BARRIER G. B., J.M. MICROTEX
ACCEPTABLE
6 IN. PIPE SIZE

378

COVERING, PIPE, ULTRAFINE SNAP-ON, 1-1/2 IN.
THICK WITH VAPOR BARRIER G. B., J.M. MICROTEX
ACCEPTABLE
8 IN.

251

COVERING, PIPE, ULTRAFINE SNAP-ON, 1-1/2 IN.
THICK WITH VAPOR BARRIER G. B., J.M. MICROTEX
ACCEPTABLE
10 IN.

114

COVERING, PIPE, ULTRAFINE SNAP-ON, 1-1/2 IN.
THICK WITH VAPOR BARRIER G. B., J.M. MICROTEX
ACCEPTABLE
12 IN.

2,619

COVERING, PIPE, KAYLO, 1200 DEGREE, 1 IN. THICK
CK
1/2 IN. PIPE SIZE

1,143

COVERING, PIPE, KAYLO, 1200 DEGREE, 1 IN. THICK
CK
3/4 IN.

5,050

COVERING, PIPE, KAYLO, 1200 DEGREE, 1 IN. THICK

ST0010645

17-29974-000	FT-	K 6 IN.	COVERING, PIPE, KAYLO 1200 DEGREE, 2 IN. THIC	945
17-29976-000	FT	K 8 IN.	COVERING, PIPE, KAYLO 1200 DEGREE, 2 IN. THIC	642
17-29981-000	FT	K 10 IN.	COVERING, PIPE, KAYLO 1200 DEGREE, 2 IN. THIC	228
17-29983-000	FT	K 14 IN. CURVED TRI SEGMENTS	COVERING, PIPE, CALCIUM SILICATE, 1200 DEGREE , CURVED SEGMENTS. 1-1/2 IN. X 6 IN. X 36 IN. FOR 30 IN. PIPE	12
17-29985-000	FT	K 12 IN. PIPE SIZE	COVERING, PIPE, CALCIUM SILICATE, 1200 DEGREE TRI-SEGMENT, 2 IN. THICK	393
17-29990-000	FT	K 16 IN.	COVERING, PIPE, CALCIUM SILICATE, 1200 DEGREE TRI-SEGMENT, 2 IN. THICK	219
17-29995-000	FT	K 20 IN.	COVERING, PIPE, CALCIUM SILICATE, 1200 DEGREE TRI-SEGMENT, 2 IN. THICK	135
17-29998-000	FT	K 26 IN. QUAD SEGMENT	COVERING, PIPE, CALCIUM SILICATE, 1200 DEGREE TRI-SEGMENT, 2 IN. THICK	242
17-30100-000	FT	K 1/2 IN. PIPE SIZE	COVERING, PIPE, KAYLO 20, 1800 DEGREE, 1-1/2 IN. THICK	72
17-30102-000	FT	K 3/4 IN.	COVERING, PIPE, KAYLO 20, 1800 DEGREE, 1-1/2 IN. THICK	78
17-30104-000	FT	K 1/2 IN. PIPE SIZE	COVERING, PIPE, KAYLO 20, 1800 DEGREE, 1-1/2 IN. THICK	760

ST0010646

IN. THICK
1 IN.

190

COVERING, PIPE, KAYLO 20, 1800 DEGREE, 1-1/2
IN. THICK
1-1/2 IN.

FT-

17-30108-000

81

COVERING, PIPE, KAYLO 20, 1800 DEGREE, 2 IN.
THICK, CALSILITE.
1-1/2 IN.

FT

17-30109-000

627

COVERING, PIPE, KAYLO 20, 1800 DEGREE, 2 IN.
THICK, CALSILITE
2 IN.

FT

17-30110-000

129

COVERING, PIPE, KAYLO 20, 1800 DEGREE, 2 IN.
THICK, CALSILITE
3 IN.

FT

17-30112-000

78

COVERING, PIPE, KAYLO 20, 1800 DEGREE, 2 IN.
THICK, CALSILITE
4 IN.

FT

17-30114-000

1,422

COVERING, PIPE, KAYLO 20, 1800 DEGREE, 2 IN.
THICK, CALSILITE
5 IN.

FT

17-30116-000

396

COVERING, PIPE KAYLO 20, 1800 DEGREE, 3 IN TH
ICK
4 IN

FT

17-30117-000

183

COVERING, PIPE, CALCIUM SILICATE, 1800 DEGREE
, 2 IN. THICK
7 IN. PIPE SIZE

FT

17-30118-000

168

COVERING, PIPE, CALCIUM SILICATE, 1800 DEGREE
, 2 IN. THICK
8 IN.

FT

17-30120-000

156

COVERING, PIPE, CALCIUM SILICATE, 1800 DEGREE
, 2 IN. THICK
10 IN.

FT

17-30122-000

174

COVERING, PIPE, CALCIUM SILICATE, 1800 DEGREE

FT

17-30135-000

ST0010647

1 2 IN. THICK
12 IN. TRI-SEGMENT

17-30140-000	FT.	COVERING, PIPE, CALCIUM SILICATE, 1200 DEGREE 1 2 IN. THICK 16 IN. TRI-SEGMENT	76
17-30155-000	FT	COVERING, PIPE, CALCIUM SILICATE, 1800 DEGREE 1 2 IN. THICK 22 IN. TRI-SEGMENT	124
17-30160-000	FT	COVERING, PIPE, CALCIUM-SILICATE, 1800 DEGREE 1 2 IN. THICK 30 IN. QUAD SEGMENT	174
17-30250-000	ROL	COVERING, PIPE, TORCH TAPE, GLASS FABRICATED 4 IN. WIDE	141
17-30255-000	ROL	COVERING, PIPE, TORCH TAPE, GLASS FABRICATED 6 IN.	39
17-30355-000	RUL	FELT, ASPHALT SATURATED 50 LBS. 38 IN. WIDE FIRECLAD JACKETING	376
17-30370-000	ROL	FELT, ASPHALT SATURATED 55 LBS. 32 IN. WIDE FINE TARRED INSULATING JACKET	153
17-30425-000	RUL	FELT, TAR SATURATED, ASBESTOS PIPELINE FELT 15 LBS. 9 IN. WIDE X 100 FT. LONG	13
17-30525-000	RUL	GLASS FAB, WHITE, 36 IN. WIDE X 50 YD. LONG 20 X 20 MESH	307
17-30575-000	RUL	PAPER, ASBESTOS, JOHNS MANVILLE NO. 32 1 1/16 IN. X 36 IN. WIDE	1,335
17-30675-000	EA	SKETCHERS, LAMB	32,500

HEAD

14

ST0010648

4 IN. X 3/16 IN. DIA.

4,000

17-30680-000

EA - SKEWERS, LAMB

5-1/2 IN.

3,000

17-30685-000

EA - SKEWERS, LAMB

7 IN.

72

17-30775-000

RL TAPE, JOINT

2 IN. X 215 FT.