


PLAINTIFF'S EXHIBIT
WH-139

Wires and Cables

SOFT DRAWN BARE COPPER WIRE

GENERAL CABLE

No.	Approx. Wt. 1000 Ft.	Per Lb.	25 Lbs. Per CWT.	50 Lbs. Per CWT.	100 to 500 Lbs. Per CWT.
		(Solid Conductor)			
*8	80 Lbs.	$0.34	$27.20	$27.20	$27.20
*6	80 Lbs.	.34	27.20	27.20	27.20
*4	127 Lbs.	.34	27.20	27.20	27.20
2	201 Lbs.	.33	27.20	27.20	27.20
1	254 Lbs.	.33	27.20	27.20	27.20
		(Stranded Conductors)			
*8	87 Lbs.	$0.52	$72.80	$52.00	$46.80
*6	90 Lbs.	.36	50.40	36.00	43.20
*4	143 Lbs.	.36	50.40	36.00	43.20

*Indicates sizes commonly used for grounding.

CASH DISCOUNT (X OF) %

THERMOSTAT CABLE

Extensively used for automatic fuel burner control, signal and intercommunicating systems.

Armored Thermostat Cable

[redacted]

No. 18 solid copper conductors with asbestos insulation and cadmium plated steel armor over all.

No.	Wires	100 Ft.	250 Ft. @	1000 Ft. @
18-3	3	$6.00	$45.00 M	$40.00 M
18-4	4	6.00	52.00 M	45.00 M

Unarmored Thermostat Cable

No. 18 solid copper conductors with 2 parallel-lined windings, twisted and paraffined cotton, dampproof braid overall.

No.	Wires	100 Ft.	250 Ft.	1000 Ft. @
18-2	2	$2.00	$17.00 M	$15.00 M
18-3	3	4.00	32.00 M	28.00 M
18-4	4	4.00	36.00 M	32.00 M

"ROCKBESTOS"-ASBESTOS COVERED RANGE OR RHEOSTAT WIRE

Solid Conductor—600 Volts

[redacted]

Solid conductor wire with genuine asbestos covering, used for wiring electric ranges, etc.

No.	100 Ft.	250 Ft.	500 Ft.
14	$5.40	$5.15 C	$4.95 C
12	6.04	5.80 C	5.55 C
10	6.52	6.00 C	6.34 C
8	8.36	8.02 C	7.70 C

NEON SIGN AND OIL BURNER CABLES


[redacted]

For use with luminous tube (neon) signs and oil burner ignition systems.

No.	Volts	Finish	Approx. O.D.	Less than 5000 Ft.
14	5,000	Lacquer	.240"	$ 5.80 C Ft.
14	10,000	W. P.	.275"	5.80 C Ft.
14	10,000	Lacquer	.300"	7.20 C Ft.
14	15,000	W. P.	.465"	8.80 C Ft.
14	15,000	Lacquer	.490"	10.80 C Ft.

ANNUNCIATOR WIRE





Single supplied on ¼-lb. coil and 7-lb. spool. Twisted supplied on 5-lb. spool.

No.	Per Lb.
18—Single, ¼-lb. Coil	$0.74
18—Single, 1-lb. Coil	.64
18—Single, 7-lb. Spool	.52
18—Twisted, 5-lb. Spool	.68

LEAD ENCASED CABLE (Rubber and Lead Covered)

[redacted]

SINGLE CONDUCTOR

Single Conductor—Solid

No.	Lbs. per 1000 ft.	100 ft. @	500 ft. @	2500 ft. Amt. @
14	126	$ 4.72	$ 37.40 M	$ 36.40 M
12	158	5.84	43.40 M	41.40 M
10	200	6.80	57.20 M	53.80 M
8	320	11.24	88.00 M	84.40 M

Single Conductor—Stranded

6	450	17.36	140.80 M	132.40 M
4	620	21.40	166.60 M	157.20 M
2	770	26.20	204.60 M	192.60 M
1	920	30.60	240.60 M	226.60 M
1/0	1080	37.40	294.60 M	278.60 M
2/0	1210	42.40	332.60 M	316.60 M
3/0	1370	49.80	388.60 M	368.60 M
4/0	1570	58.80	464.60 M	438.60 M

Circular Mill Sizes—Single Conductor

Cir. Mill	Lbs. per 1000 ft.	Per ft.	100 ft. @	500 ft. Amt. @
250,000	2080	$0.76	$60.40	$562.60 M
300,000	2270	.86	64.60	626.60 M
350,000	2490	.93	73.60	694.60 M
400,000	2720	1.02	80.60	760.60 M
500,000	3160	1.19	94.40	886.60 M

TWO CONDUCTOR LEAD

[redacted]

Duplex Solid Conductor

No.	Lbs. per 1000 ft.	100 ft. @	500 ft. Amt. @	2500 ft. Amt. @
18	245	$ 5.78	$ 48.80 M	$ 42.80 M
14	338	7.86	68.60 M	58.40 M
12	390	11.70	92.60 M	86.80 M
10	410	12.86	108.60 M	102.60 M
8	548	19.42	182.60 M	144.60 M

Duplex Stranded Conductor

6	852	$26.60	$242.60 M	$230.60 M
4	1045	32.70	302.60 M	284.60 M
2	1310	40.70	384.60 M	362.60 M

THREE CONDUCTOR

3 Wire—Solid Conductor

14	500	$19.42	$152.60 M	$144.60 M
12	660	22.80	176.60 M	167.60 M
10	770	25.60	204.60 M	194.30 M
8	960	34.20	268.60 M	252.60 M

3 Wire—Stranded Conductor

6	1470	$48.40	$382.60 M	$360.60 M
4	1780	58.20	454.60 M	428.60 M
2	2240	80.60	634.60 M	598.60 M
1	2980	102.80	798.60 M	870.60 M
1/0	3340	123.40	970.60 M	914.60 M
2/0	3820	140.20	1102.60 M	1044.60 M
3/0	4370	180.60	1382.60 M	1128.60 M
4/0	5490	196.60	1548.60 M	1468.60 M

FLEXIBLE MOTOR LEAD WIRE

Double Braid

[redacted]

Tinned copper with cotton separator, N. E. C. Standard rubber wall, weatherproof finish.

Single Conductor

No.	Wall	Strand-ing	Per ft.	200 ft. @	500 ft. @
12	3/64"	41/#28	$0.06	$4.64 C	$28.20 M
18	3/64"	65/#28	.08	6.28 C	51.20 M
8	4/64"	133/#29	.24	19.24 C	158.60 M

No. 18 AND 16 R. C. SINGLE BRAID FIXTURE WIRE

[redacted]

Black. Single Braid.

			100 ft. @	500 ft. @	2500 ft. Amt. @
*18	7/64"	Solid	$1.04	$ 9.16 M	$ 7.78 M
18	7/64"	Solid	1.12	8.92 M	8.54 M
16	7/64"	Solid	1.16	9.12 M	8.74 M
16	7/64"	Solid	1.28	10.06 M	9.50 M

*Black or White.

No. 14 SOLID RUBBER COVERED SINGLE BRAID WIRE

Flame Resisting

[redacted]

Choice of BLACK, WHITE, RED, GREEN, YELLOW or BLUE.

No.	100 ft. @	500 ft. @	2500 ft. Amt. @
14	$ 1.32	$ 10.36 M	$ 9.88 M

SOLID R. C. SINGLE BRAID

Choice colors of BLACK, WHITE or RED.

No.	100 ft. @	500 ft. @	2500 ft. Amt. @
12	$ 1.76	$ 14.86 M	$ 13.38 M
10	2.54	20.32 M	19.38 M
8	4.34	33.44 M	31.72 M

SOLID R. C. DOUBLE BRAID

No.	100 ft. @	500 ft. @	2500 ft. Amt. @
14	$ 1.72	$ 13.66 M	$ 12.92 M
12	2.28	17.86 M	16.90 M
10	2.96	23.36 M	22.22 M
8	4.64	36.66 M	34.96 M

DUPLEX SOLID RUBBER COVERED

No.	100 ft. @	500 ft. @	2500 ft. Amt. @
14	$ 3.68	$ 27.84 M	$ 26.32 M
12	4.84	36.72 M	34.80 M

STRANDED R. C. SINGLE BRAID

[redacted]

Colors, Black or White

No.	100 ft. @	500 ft. @	2500 ft. Amt. @
14	$ 1.60	$ 12.30 M	$ 12.72 M
12	2.20	17.06 M	16.72 M
10	2.96	23.36 M	22.04 M
8	4.84	36.72 M	34.96 M

STRANDED R. C. DOUBLE BRAID

[redacted]

Colors, Black or White

No.	100 ft. @	500 ft. @	2500 ft. Amt. @
14	$ 2.06	$ 16.52 M	$ 15.58 M
12	2.66	21.06 M	19.76 M
10	3.44	27.36 M	25.84 M
8	5.24	41.22 M	39.32 M

Sizes below furnished in black only.

No.	100 ft. @	500 ft. @	2500 ft. Amt. @
6	$ 6.66	$ 52.44 M	$ 49.96 M
4	8.84	69.72 M	66.12 M
3	11.32	89.30 M	84.92 M
2	12.90	101.84 M	96.52 M
1	17.78	143.06 M	134.70 M
1-0	21.46	169.66 M	161.30 M
2-0	25.84	206.20 M	193.80 M
3-0	31.16	246.10 M	231.80 M
4-0	36.66	286.90 M	273.60 M

STRANDED R. C. DOUBLE BRAID

Cir. Mills Sizes	Under 100 Ft.	100 Ft.	500 Ft. and Over
250,000	$ 48.62 C	$ 35.54 C	$346.10 M
300,000	51.30 C	40.66 C	385.70 M
350,000	58.14 C	45.98 C	437.00 M
400,000	64.79 C	51.30 C	486.40 M
500,000	80.37 C	63.27 C	602.30 M
600,000	102.03 C	80.56 C	765.70 M
700,000	115.14 C	90.63 C	862.00 M
750,000	121.79 C	95.95 C	912.00 M
800,000	127.68 C	100.70 C	957.60 M
900,000	141.36 C	111.91 C	1064.00 M
1,000,000	158.06 C	124.83 C	1185.60 M

ADDITIONAL DISCOUNTS ALLOWED FROM THE MAXIMUM QUANTITY PRICES OF "RAYBESTOS" BUILDING WIRES AND CABLES


Purchases of ... Discount

$500.00 Net Value ... 5%

ASSORTING PRIVILEGE: To obtain the best prices, you may assort all sizes and lengths of all Rubber Covered and Rubber and Lead Covered Wires and Cables, in purchases of 2500 Ft. or more. Orders must be for one delivery.

PROPERTY OF THE NEW YORK CITY BOARD OF TRANSPORTATION

Rubber Covered Cords and Cables



New Code Type C—Green and Yellow and Olive Green
On 250 Ft. Metal Spools

No.	Less than 250 Ft. Coil	250 Ft. Coil	1000 Ft.
18	$2.60 C	$22.80 M	$19.80 M
16	3.60 C	32.00 M	24.00 M
14	5.00 C	32.00 M	36.50 M

SILK PARALLEL LAMP CORD



WITH UNDERBRAID
Heat resist over all and braid over individual conductors.

No.	Less than 250 Ft. Coil	1000 Ft.
18—$\frac{1}{64}$"	$2.60 C	$16.45 M	$18.40

Maroon, Green, Brown, White, Black, Old Gold or Brush Brass.
500 Ft. on Spool.

FLAME PROOF NITROGEN CORD
Rexibestos—Type AF (Finish)



Approved for use with large size lamps, as used in commercial or industrial lighting fixtures. Supplied in silk braid. Color Dark Brown.

No.	100 Ft.	1000 Ft.
18—Silk	$2.60	$22.80
14—Silk	3.85	32.75

TYPE CF SINGLE CONDUCTOR FIXTURE CORD



Flame resisting insulation, single braid. Constructed of strands of No. 30 wires. Choice of Black, White, Brown or Oak Tan, with or without tracer.

No.	100 Ft.	250 Ft.	1000 Ft.
18	$1.40	$10.20 M	$ 9.00

SILK AND COTTON COVERED SINGLE CONDUCTOR CORD TYPE "FF"




Coil quantity not broken to assort colors.
Silk Covered Cord

No.	100 Ft.	500 Ft.	1000 Ft. Spool
18—$\frac{1}{64}$"	$1.20 C	29.00 M	$8.40 M

Colors: Brush Brass or Brown.
Cotton Covered Cord
Colors: Brush Brass, Brown and Brown with tracer.

No.	100 Ft.	500 Ft.	1000 Ft. Spool
18—$\frac{1}{64}$"	$1.20 C	29.00 M	$8.40 M


TYPE "P" REINFORCED CORD



A very rugged substantial cord extensively used on Vacuum Cleaners and other portable devices.
(With Dry Braid)

No.	100 Ft.	250 Ft.	1000 Ft.
18—$\frac{1}{64}$" Small	$2.70 C	$22.00 M	$26.00 M
18—$\frac{1}{64}$" Large	5.00 C	37.40 M	35.20 M

BREWERY CORD TWISTED



New Code Twisted, Flexible

No.	Less than 250 Ft. Coil	250 Ft. Coil	1000 Ft.
18	$3.00 C	$2.52 C	$26.20
16	4.40 C	3.32 C	31.40
14	6.80 C	4.30 C	46.00

SUPER-SERVICE JUNIOR ALL RUBBER CORD



Made of extremely flexible stranded conductors and covered with two coats of highest grade pure gum rubber. Outer coat 60% rubber. Inner coat 30% rubber. Built for hard service. The rubber covering is cured by a special scientific process which insures long lasting resiliency and will resist acids, oils, water and severe abrasion.

No.	Wires	O. D.	100 ft.	250 ft.	1000 ft.
18	2	.400	$ 17.00	$11.44 C	$105.00
18	3	.421	22.00	14.32 C	130.00
18	4	.500	27.20	17.68 C	162.50
16	2	.421	22.00	14.30 C	132.00
16	3	.450	28.00	18.20 C	168.00
16	4	.562	32.20	21.82 C	199.20
14	2	.562	32.20	20.20 C	199.20
14	3	.625	38.20	25.48 C	235.20
14	4	.675	44.40	28.16 C	272.40
12	2	.625	42.00	27.30 C	252.00
12	3	.675	48.00	31.72 C	292.00
12	4	.750	57.20	37.12 C	343.20
10	2	.675	48.20	31.20 C	286.20
10	3	.800	58.20	38.48 C	352.20
*8	2	.550	52.00	33.80 C	478.00
*8	3	.960	102.00	66.30 C	614.00
*6	2	.960	104.00	67.60 C	626.00
*6	3	1.100	130.00	84.45 C	754.00

*49 Strands.

SUPER SERVICE ALL RUBBER CORD



The same construction as above except of smaller diameter.

No.	Wires	O. D.	100 ft.	250 ft.	1000 ft.
18	2	.300	$ 12.40	$ 8.06 C	$ 74.40
18	3	.324	18.00	11.70 C	108.00
16	2	.324	14.20	9.22 C	81.20
16	3	.400	21.80	14.04 C	128.00


"DIP CORD"



The heavy duty portable cord for use in chemical plants, steel mills, refineries, garages, battery plants, etc. Dip-cord has a heavy covering of thick heavy long-fiber cotton woven like a fire hose, oil resisting.

No.	Wires	O.D.	100 ft.	250 ft.	1000 ft.
18—$\frac{1}{64}$"	2	.308	$12.20	$ 7.28 C	$ 67.20
18—$\frac{1}{64}$"	2	.390	16.00	10.40 C	96.00
18—$\frac{1}{64}$"	3	.406	20.00	13.52 C	125.00
16	2	.406	20.00	13.00 C	120.00
16	3	.480	22.00	17.24 C	141.00
14	2	.530	28.20	18.98 C	176.20
14	3	.560	32.20	21.82 C	199.20
12	2	.606	34.00	22.10 C	204.00
12	3	.635	41.00	27.04 C	250.00

RUBBER SHEATHED CORD—SPECIAL
For the Shop or Commercial Use.



Similar in size and appearance to Super-Service Junior Cord. This is a competitive grade of All Rubber Covered Cord.

No.	Wires	O.D.	App. than 100 Ft.	100 Ft.	250 Ft.	1000 Ft.
18	2	.31"	$5.20 C	$4.25 C	$3.22 C	$3.40 C
18	3	.34"	7.20 C	6.00 C	5.22 C	4.70 C
16	2	.33"	6.50 C	5.42 C	4.82 C	4.26 C
16	3	.36"	8.90 C	7.40 C	6.00 C	5.22 C

HOUSEHOLD ALL-RUBBER CORD



A sturdy all-rubber covered flexible cord for household service such as on washers, vacuum cleaners, polishers, etc. Made of 40% rubber which is scientifically cured by special process to insure flexibility and long service.

No.	Wires	Diam.	100 Ft.	250 Ft.	1000 Ft.
18	2	.240	$4.00	$30.00 M	$22.00

MED-REF PARALLEL ALL RUBBER CORD



This new all rubber parallel cord is "extra special flexible" conductors constructed of 41 strands of No. 34 wire, both embedded in a single strip of soft flexible para rubber.
Colors: Brown, Ivory, Green and Black.

No.	100 Ft.	250 Ft.	1000 Ft.
18—$\frac{1}{64}$"	$2.60	$19.80 M	$18.50 M
18—$\frac{1}{64}$"	3.80	28.00 M	24.00 M
16—$\frac{1}{64}$"	4.60	30.00 M	28.00 M

HEATER CORD
Type HPD—3000 Cycle




Extra flexible. All sizes have strands constructed of No. 34 wires, insulated with pure asbestos yarn, covered with black and gray braid.

No.	100 Ft.	250 Ft.	1000 Ft.
18	$2.40 C	$2.44 C	$22.00
16	4.10 C	2.66 C	25.20
14	5.22 C	3.96 C	38.20

HEATER CORD
Type HPD—10,000 Cycle
"Special extra flexible" with conductors constructed of strands of No. 36 wires. Insulated with pure asbestos yarn. Glazed black and gray cotton braid with rayon marker.

No.	100 Ft.	250 Ft.	1000 Ft.
18 65 No. 36	$4.00 C	$3.22 C	$30 50
16 100 No. 36	5.20 C	4.20 C	38.50

THREE WIRE HEATER CORD
"Rexibestos" Type HPD
3000 Cycle—Gray Cotton



For wiring combination pendant switch and convenience outlets on kitchen fixtures, etc.

No.	Wires	Per Ft.	100 Ft.	250 Ft.
18	3	$0.06	$4.92	$4.46 C

"AMERICAN BEAUTY" HEATER CORD



The super-flexible Heater Cord, constructed of strands of No. 34 wires. Black and gold braid overall. Size No. 17.

No.	Per Ft.	100 Ft.	250 Ft.
17GB	$0.09	$8.00	$6.75 C

TWISTED TELEPHONE WIRE (SOLID)



Weatherproof or Oak Tan Dry Braid as listed. Two and three wire. $\frac{1}{64}$" insulation.

No.	Wires	Braid	100 Ft.	1000 Ft.	5000 Ft.
19	2	Dry Int.	$ 2.20	$19.84	$18.27 M
19	3	Dry Int.	3.30	29.78	28.20 M
17	2	W.P.Cop.	2.98	26.92	24.65 M
17	2	W.P.Brz.	2.98	26.92	24.65 M

PACKINGHOUSE CORD



Extremely rugged Saturated Weatherproof Braid.

No.	Less than 250 Ft. Coil	250 Ft. Coil	1000 Ft.
18	$ 5.40 C	$ 40.00 M	$ 37.60 M
16	6.60 C	48.00 M	45.00 M
14	8.20 C	66.00 M	62.00 M
12	14.00 C	110.00 M	104.00 M

DAMAGED CUSTOMER COPY