...B. Beni...
...Ford

...12, ...

...B. Larson

...suffice for answers to ...
...2 cha...

...only rem... with ...
... to undertak... ...y studi... ...
...solubility of pc... ...biphenyl ...ther
...ntained in four bel... ...not be stud...
...get a 96-hour ... Depending ...
...studies, ... to do at ... ...
...experiment... We will keep ... informed of any ... ...
...obtain.

...A...

...ex copy of ...
...
...
...
...ilant in ... 00 series ...
...extent inhal... ...y ... last two ...
...1242 is biphenyl ...ominated to the ...
...00 compounds are ...ls is again wi... ...
... indicating ... percentage of chlorination ...
...00 compounds are mixtures of biphenyls ...
...nated to the per... indicated by ...
...s.

...ave added to the ... these page... ...
...ute animal toxic... ... showing ...
...ues and the skin ... ...onal dose ...
...ies. You will note ... the samples were ...
...luted or as solu...-s ...pension in corn ...
...the viscosity and ...bility of the materi...

...hronic inhalation ... been obtain... ...
... and 1254 and a ... discussing the ... ...
...ies is enclosed. ... further suggests thre...
...s for an indust... ...ironment of 2.0 mg ...
... 12-2 ... ...em by meter for ...
... Industr... ...mental Toxicol...
... Public ... ...by one-half...

MONS 096356

L. [illegible] S. Tergen

You will note in the [illegible] the properties these materials that [illegible] members of the [illegible] extremely high distillation ranges and that many of [illegible] members have to be distilled under high vacuum. [illegible] attest to the low vapor pressure of the materials [illegible] ambient temperatures.

[illegible] our more than 30-years of manufacture, cases of harmful effects in the industrial use of the materials have been extremely rare. We believe this is due to the low volatility [illegible] produces any possible inhalation at ambient temperatures and secondly the fact that in uses where the material is heated the system is a closed one so that exposures are limited to the occasion that when due to accidents the hot materials might escape from a system briefly. Where such incidents have occurred, the irritation caused by the vapors from the hot materials have limited voluntary exposures such that systemic toxic effects are rare.

Elmer P. Wheeler

[illegible]closures

MONS 096357