

VINYL DEPARTMENT HAZARDOUS MATERIALS

10/24/85
PAGE 1

A

PROD: 2-ETHYL HEXALDEHYDE
CHEM: 2-ETHYL HEXANAL
USAGE: PVC PROCESSING AGENT
MANUF: EASTMAN CHEMICAL PRODUCTS

PROD: 2-MERCAPTOETHANOL
CHEM: 2-HYDROXYETHYL MERCAPTAN
USAGE:
MANUF: MORTON THIOKOL, INC.

PROD: ALPEROX - F
CHEM: BIS(1-OXODODECYL) PEROXIDE OR DODECANDYL
USAGE: CATALYST
MANUF: PENNWALT CORPORATION

PROD: AMS
CHEM: ALPHA METHYL STYRENE
USAGE: PVC REACTION SHORT-STOP
MANUF: USS CHEMICALS

PROD: AMSCO SOLV 1241
CHEM: ODORLESS MINERAL SPIRITS
USAGE: SOLVENT
MANUF: UNION OIL CO. OF CALIF.

PROD: CAQ-3
CHEM: BUTYLATED HYDROXYTOLUENE
USAGE: ANTI-OXIDANT
MANUF: SHEREX CHEM. CO.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: ESPEROX 33M
CHEM: T-BUTYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: WITCO CHEM. CORP.

PROD: ESPEROX 939M
CHEM: CUMYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: WITCO CHEMICAL CORP.

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: IONOL CP
CHEM: 2, 6 DITERTIARY BUTYL-P-CRESOL IN TOLUENE (BHT)
USAGE: ANTI-OXIDANT
MANUF: SHELL CHEMICAL CO.

VINYL DEPARTMENT HAZARDOUS MATERIALS

10/24/85
PAGE 2

A

PROD: KEMSTRENE
CHEM: GLYCERIN
USAGE: ANTI-STATIC AGENT
MANUF: WITCO CHEM. CORP

PROD: LUPERSOL 10M75
CHEM: T-BUTYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: PENNWALT CORP.

PROD: LUPERSOL 11
CHEM: T-BUTYL PEROXYPIVALATE
USAGE: CATALYST
MANUF: PENWALT CORP.

PROD: LUPERSOL 188-M75
CHEM: ALPHA-CUMYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: PENNWALT CORP.

PROD: LUPERSOL 223-M75
CHEM: DI-(2- ETHYL HEXYL) PEROXYDICARBONATE
USAGE: CATALYST
MANUF: PENNWALT CORP.

PROD: LUPERSOL TA 46-M75
CHEM: T-AMYL PEROXYNEODECANOATE
USAGE: CATALYST
MANUF: PENNWALT CORP.

PROD: METHANOL
CHEM: METHYL ALCOHOL
USAGE: SOLVENT
MANUF: ASHLAND CHEMICAL CO.

PROD: NITROGEN
CHEM: NITROGEN, COMPRESSED
USAGE: MISC. PROCESS CONTROLS; G. C. CARRIER GAS
MANUF: AIRCO, INC. UPLY

PROD: NOSE-GUARD
CHEM: NATURAL OIL EXTRACT, ISOPROPYL ALCOHOL
USAGE: ODOR MASKING AGENT
MANUF: PHILIPS CHEMICAL CO.

PROD: ODORLESS MINERAL SPIRITS
CHEM: ALIPHATIC PETROLEUM DISTILATES
USAGE: SOLVENT
MANUF: ASHLAND CHEMICAL CO.

PROD: PC-555
CHEM: 4,6 DI-NONYL O-CRESOL
USAGE: ANTI-OXIDANT
MANUF: PITT-CONSOL CHEM.

VINYL DEPARTMENT HAZARDOUS MATERIALS

10/24/85
PAGE 3

A

PROD: POLIVIC S-202-35%
CHEM: VINYL ACETATE/VINYL ALCOHOL COPOLYMER
USAGE: PROCESSING ADDITIVE
MANUF: VVV CORPORATION

PROD: PPG EHP-75%
CHEM: DI (2-ETHYL HEXYL) PEROXYDICARBONATE
USAGE: CATALYST
MANUF: PPG INDUSTRIES, INC.

PROD: RECONSTITUTEED BREATHING AIR
CHEM: AIR, COMPRESSED
USAGE: SELF-CONTAINED BREATHING APPARATUS AIR
MANUF: MS WELDING SUPPLY

PROD: SHELL SOL 71
CHEM: HYDROCARBON
USAGE: SOLVENT
MANUF: SHELL CHEMICAL CO.

PROD: STP-TRIPOLY
CHEM: SODIUM TRIPOLYPHOSHATE
USAGE: PROCESS ADDITIVE
MANUF: MONSANTO COMPNAY

PROD: SULFITE 3
CHEM: AQUEOUS SOLUTION CONTAINING A BISULFATE SALT, A COBALT SALT, AND A
PHOSPHONIC ACID DERIVATIVE
USAGE: WATER TREATMENT CHEMICAL
MANUF: BETZ LABORATORIES, INC.

PROD: TECQUINOL
CHEM: HYDROQUINONE
USAGE: INHIBITOR
MANUF: EASTMAN CHEMICAL PRODUCTS, INC.

PROD: TRIGNOX 36-C75
CHEM: BIS(3,5,5-TRIMETHYLHEXANOYL) PEROXIDE
USAGE: CATALYST
MANUF: NOURY CHEMICAL CORP.

PROD: TRIGONOX EHP-C75
CHEM: BIS(2-ETHYLHEXYL) PEROXYDICARBONATE
USAGE: CATALYST
MANUF: NOURY CHEMICAL CORP.

PROD: VCM
CHEM: VINYL CHLORIDE MONONER
USAGE: PVC RAW MATERIAL
MANUF: VISTA CHEMICAL CO.; B. F. GOODRICH CO.; GENERAL TIRE & RUBBER

VINYL DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85

A

PAGE 1

PROD: BUBBLE BREAKER 3056A
CHEM: REACTED SILICA IN HYDROCARBON SOLVENT
USAGE: ANTIFOAM AGENT
MANUF: WITCO CHEM. CO.

PROD: CALCIUM STEARATE, 50 %
CHEM: CALCIUM STEARATE
USAGE: ANTI-STATIC AGENT
MANUF: MALLINCKRODT, INC.

PROD: CULMINAL MHPC 25
CHEM: METHYL HYDROXYPROPYL CELLULOSE
USAGE: SUSPENDING AGENT
MANUF: HENKEL CORP

PROD: FOAMASTER DF-160-L
CHEM: HYDROCARBON - SILICATE DISPERSION
USAGE: ANTI-FOAM AGENT
MANUF: DIAMOND SHAMROCK CORP.

PROD: GOHSENOL
CHEM: POLYVINYL ALCOHOL
USAGE: SUSPENDING AGENT
MANUF: NIPPON SYNTHETIC CHEMICAL INDUSTRY CO., LTD.

PROD: ISONOX 132
CHEM: 2, 6-DI-TERT-BUTYL-4-SEC-BUTYLPHENOL
USAGE: ANTI-OXIDANT
MANUF: SCHENECTADY CHEMICALS, INC.

PROD: LUBRACAL 48N
CHEM: AQUEOUS DISPERSION OF CALCIUM STEARATE
USAGE: ANTI-STATIC AGENT
MANUF: WITCO CHEM. CORP.

PROD: METHOCEL F-50
CHEM: HYDROXYPROPYL METHYLCELLULOSE
USAGE: SUSPENDING AGENT
MANUF: DOW CHEMICAL CO.

PROD: NAUGARD 492
CHEM: PHOSPHITE/PHENOLIC BLEND
USAGE: ANTI-OXIDANT
MANUF: UNIROYAL

COMPOUND DEPARTMENT HAZARDOUS MATERIALS

10/24/85

PAGE 1

PROD: 1943-T1 GRAY
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2013-T1 GRAY
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2170-T1 GRAY
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 32-GY-18
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON PRODUCTS CO.

PROD: ADAVASTAB TM 948
CHEM: ALKYTIN MERCAPTOACID ESTER
USAGE: DRY BLEND STABILIZER
MANUF: MORTON THIOKOL, INC.

PROD: ANTIMONY OXIDE TMS
CHEM: ANTIMONY OXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: ANZO AMERICA, INC.

PROD: ANZON BFR2
CHEM: ANTIMONY TRIOXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: ANZON AMERICA, INC.

PROD: BISPHENOL A
CHEM: 4,4 ISOPROPYLLIDENEDIPHENOL
USAGE: COMPOUND ANTI-OXIDANT
MANUF: USS CHEMICALS, SHELL CHEM.CO., UNION CARBIDE

PROD: CYASTAB 15
CHEM: DIBASIC LEAD CARBONATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO

PROD: CYASTAB 247
CHEM: DIBASTIC LEAD STEARATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: CYASTAB 523
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

COMPOUND DEPARTMENT HAZARDOUS MATERIALS

10/24/85

PAGE 2

PROD: CYASTAB 564
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: CYASTAB 712
CHEM: DIBASIC LEAD PHOSPHITE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: CYASTAB 800
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: CYASTAB 988
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: AMERICAN CYANAMID CO.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: DS-207 OILED
CHEM: LEAD STEARATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: DYPHOS OILED
CHEM: DIBASIC LEAD PHOSPHITE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: DYTHAL ENVIROSTAB
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: DYTHAL XL ND
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: EPISTATIC 100
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: EAGLE-PICHER INDUST., INC.

PROD: EPISTATIC 102
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: EAGLE-PICHER INDUST., INC.

COMPOUND DEPARTMENT HAZARDOUS MATERIALS

10/24/85
PAGE 3

PROD: EPISTATIC 112
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: EAGLE-PICHER INDUST., INC.

PROD: EPITHAL 122
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: EAGLE-PICHER INDUST., INC.

PROD: FERRO 1827
CHEM: BARIUM/CADMIUM FATTY ACID SOAPS
USAGE: COMPOUND HEAT STABILIZER
MANUF: FERRO CORP.

PROD: FIRE SHIELD
CHEM: ANTIMONY OXIDE
USAGE: COMPOUND HEAT STABILIZER
MANUF: PPG INDUSTRIES, INC.

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: HAL-LUB-D
CHEM: DIBASIC LEAD STEARATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALBASE 10
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALBASE 10/EP
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALBASE 100 EP
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALCARB 20
CHEM: DIBASIC LEAD CARBONATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: HALPHOS
CHEM: DIBASIC LEAD PHOSPHITE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

COMPOUND DEPARTMENT HAZARDOUS MATERIALS

10/24/85
PAGE 4

A

PROD: HALTHAL EP
CHEM: DIBASIC LEAD PHTHALATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: HAMMOND LEAD PROD., INC.

PROD: INTERSTAB R-4067
CHEM: BARIUM/CADMIUM/ZINC ORGANIC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: INTERSTAB CHEM., INC.

PROD: MARK 1314
CHEM: BARIUM/CADMIUM COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: WITCO CHEM. CORP.

PROD: MARK 2045
CHEM: BARIUM/CADMIUM/ZINC ORGANIC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: WITCO CHEMICAL CORP.

PROD: MARK 7119
CHEM: LIQUID BARIUM-CADMIUM-ZINC STABILIZER
USAGE: COMPOUND HEAT STABILIZER
MANUF: WITCO CHEM. CORP.

PROD: MARK SC 111-32A
CHEM: BARIUM/CADMIUM SOAP
USAGE: COMPOUND HEAT STABILIZER
MANUF: ARGUS CHEMICAL CORP.

PROD: MK 7119
CHEM: LIQUID BARIUM-CADMIUM-ZINC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: ARGUS CHEMICAL CORP.

PROD: ONGARD 2
CHEM: MAGNESIUM OXIDE AND ZINC OXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: ANZON AMERICA, INC.

PROD: RECONSTITUTEED BREATHING AIR
CHEM: AIR, COMPRESSED
USAGE: SELF-CONTAINED BREATHING APPARATUS AIR
MANUF: MS WELDING SUPPLY

PROD: RED STAR
CHEM: ANTIMONY OXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: ANZON AMERICA, INC.

PROD: SYNPRON 1438
CHEM: BARIUM CALCIUM ZINC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: SYNTHETIC PRODUCTS CO.

COMPOUND DEPARTMENT HAZARDOUS MATERIALS

10/24/85
PAGE 5

PROD: SYNPRON 1641
CHEM: BARIUM/CADMIUM/ZINC ORGANIC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: SYNTHETIC PRODUCTS CO.

PROD: SYNPRON 1666
CHEM: BARIUM/CADMIUM/ZINC COMPLEX
USAGE: COMPOUND HEAT STABILIZER
MANUF: SYNTHETIC PRODUCTS CO.

PROD: THERMOGARD S
CHEM: ANTIMONY OXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: M & T CHEMICAL, INC.

PROD: THERMOGARD WE
CHEM: ANTIMONY OXIDE
USAGE: COMPOUND FLAME RETARDENT
MANUF: M & T CHEMICALS, INC.

PROD: TRIBASE EXL
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: TRIBASE ND
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: TRIBASE XL ND
CHEM: TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: TRIBASE XL-TOTM
CHEM: MODIFIED TRIBASIC LEAD SULFATE
USAGE: COMPOUND HEAT STABILIZER
MANUF: ASSOC. LEAD, INC.

PROD: VINYZENE SB-1
CHEM: 10,10'-OXYBISPHENOXARSINE/POLYMERIC RESIN
USAGE: COMPOUND FUNGICIDE
MANUF: MORTON THIOKOL, INC.

PROD: VISTA 610-P
CHEM: N-HEXYL, N-OCTYL, N-DECYL PHTHALATE
USAGE: COMPOUND PLASTICIZER
MANUF: VISTA POLYMERS, INC.

COMPOUND DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85
PAGE 1

PROD: 1186-R1 RED
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 19349-R2 BLUE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 19349-R2 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 1942-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR CONCENTRATE
MANUF: AMERICHEM, INC.

PROD: 2228-T1 BLACK
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2312-T1 SILVER
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2486-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2489-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2602-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2656-T1 BLUE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 2777-T1 CHROME
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

COMPOUND DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85

PAGE 2

PROD: 30-BK-32
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON-FIBERFIL INTERNATIONAL

PROD: 3152-T1 WHITE
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR CONCENTRATE
MANUF: AMERICHEM, INC.

PROD: 32-BK-1
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON PRODUCTS CO.

PROD: 32-BK-33
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON-FIBERFIL INTERNATIONAL

PROD: 32-GY-16
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON PRODUCTS CO.

PROD: 32-GY-4
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: WILSON PRODUCTS CO.

PROD: 4310-R1 VIOLET
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: 6500-R4 BLACK
CHEM: PVC COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: A-C POLYETHYLENE
CHEM: LOW MOL. WT. POLYETHYLENE
USAGE: COMPOUND LUBRICANT
MANUF: ALLIED CHEM. CORP.

PROD: ADMEX 711
CHEM: EPOXIDIZED SOYBEAN OIL
USAGE: COMPOUND PLASTICIZER
MANUF: SHEREX CHEM. CO.

PROD: ADVAWAX 165
CHEM: REFINED PARAFFIN WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: MORTON THIOKOL, INC.

COMPOUND DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85
PAGE 3

PROD: ADVAWAX 280
CHEM: REFINED PARAFFIN WAX
USAGE: COMPOUND/DRYBLEND LUBRICANT
MANUF: MORTON THIOROL, INC.

PROD: ALCOA HYDRATED ALUMINA
CHEM: HYDRATED ALUMINA
USAGE: COMPOUND FLAME RETARDANT
MANUF: ALUM. CO. OF AMERICA

PROD: ATOMITE
CHEM: CALCIUM CARBONATE
USAGE: COMPOUND FILLER
MANUF: THOMPSON WEINMAN, & CO.

PROD: BURGESS 30
CHEM: ANHYDROUS KAOLIN CLAY
USAGE: COMPOUND FILLER
MANUF: BURGESS PIGMENT CO.

PROD: BURGESS 30 P
CHEM: ANHYDROUS KAOLIN CLAY
USAGE: COMPOUND FILLER
MANUF: BURGESS PIGMENT CO.

PROD: CARNATION WHITE MINERAL OIL
CHEM: WHITE MINERAL OIL
USAGE: COMPOUND INTERNAL LUBRICANT
MANUF: WITCO CHEM. CORP.

PROD: CERECLOR S-52
CHEM: CHLORINATED PARAFFIN
USAGE: COMPOUND SECONDARY PLASTICIZER
MANUF: ENNIS CHEM. CO.

PROD: CS-2027
CHEM: PARAFFINIC WAX
USAGE: COMPOUND LUBRICANT
MANUF: CRYSTAL SOAP & CHEMICAL CO.

PROD: CYASORB UV 531
CHEM: 2-HYDROXY-4-N-OCTOXYBENZOPHENONE
USAGE: COMPOUND LIGHT ABSORBER
MANUF: AMERICAN CYANAMID CO.

PROD: DIOCTYL ADIPATE
CHEM: BIS(2-ETHYLHEXYL) ADIPATE; DI(2-ETHYLHEXYL) ADIPATE; HEXANEDIOIC ACID, BIS(2-ETHYLHEXYL) ESTER
USAGE: COMPOUND PLASTICIZER
MANUF: MONSANTO CO.

PROD: DIUNDECYL PHTHALATE (DUP)
CHEM: 1,2-BENZENEDICARBOXYLIC ACID, DIUNDECYL ESTER
USAGE: COMPOUND PLASTICIZER
MANUF: MONSANTO CO.

COMPOUND DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85
PAGE 4

A

PROD: DRAPEX 6.8
CHEM: EPOXIDIZED SOYBEAN OIL
USAGE: COMPOUND SECONDARY PLASTICIZER
MANUF: ARGUS CHEMICAL CORP.

PROD: EPOLENE E14P
CHEM: OXIDIZED POLYOLEFIN
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: EASTMAN CHEM. PROD., INC.

PROD: GAMA-SPERSE 6532
CHEM: CALCIUM CARBONATE
USAGE: COMPOUND FILLER
MANUF: GEORGIA MARBLE COMPANY

PROD: GRAY VCP 5082
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: HARWICK CHEM. CO.

PROD: GRAY VCP 5083
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: HARWICK CHEM. CO.

PROD: HOSTALUB XL-165
CHEM: SYNTHETIC PETROLEUM WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: AMERICAN HOECHST CORP.

PROD: HYDRATED ALUMINA
CHEM: HYDRATED ALUMINA
USAGE: COMPOUND FLAME RETARDENT
MANUF: ALUM. CO. OF AMERICA

PROD: HYDROFOL 1655
CHEM: STEARIC ACID
USAGE: COMPOUND LUBRICANT
MANUF: SHEREX CHEM. CO.

PROD: HYSTRENE 5016
CHEM: STEARIC ACID
USAGE: COMPOUND LUBRICANT
MANUF: WITCO CHEM. CORP.

PROD: JAYFLEX DIDP
CHEM: DI ISODECYL PHTHALATE
USAGE: COMPOUND PLASTICIZER
MANUF: EXXON CHEM. CO.

PROD: KODAFLEX TOTM
CHEM: TRI (2-ETHYL HEXYL) TRIMELLITATE
USAGE: COMPOUND PLASTICIZER
MANUF: EASTMAN CHEM. PROD. INC.

COMPOUND DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85
PAGE 5

PROD: KRONOTEX 100
CHEM: TRI ARYL PHOSPHATE
USAGE: COMPOUND SECONDARY PLASTICIZER
MANUF: FMC CORP.

PROD: KRONOX S
CHEM: EPOXIDIZED SOYBEAN OIL
USAGE: COMPOUND SECONDARY PLASTICIZER
MANUF: FMC CORP.

PROD: LOXIOL H 7107
CHEM: SYTHETIC WAX BLEND
USAGE: COMPOUND LUBRICANT
MANUF: HENKEL CORP.

PROD: LOXIOL HOB 7121
CHEM: PENTAERYTHRITOL MONO-DI-STEARATE
USAGE: COMPOUND LUBRICANT
MANUF: HENKEL CORP.

PROD: MICOWHITE
CHEM: CALCIUM CARBONATE
USAGE: COMPOUND FILLER
MANUF: SYLACAUGA CALCIUM PROD.

PROD: MINEX #4
CHEM: NEPHELINE SYENITE
USAGE: COMPOUND FILLER
MANUF: INDUSTMIN LTD.

PROD: PX-316
CHEM: N-OCTYL, N-DECYL PHTHALATE
USAGE: COMPOUND PLASTICIZER
MANUF: USS CHEMICALS

PROD: ROSS WAX 145
CHEM: PETROLEUM WAX
USAGE: COMPOUND LUBRICANT
MANUF: FRANK B ROSS COMPANY

PROD: SAND BEIGE 3189 T1
CHEM: COLOR CONCENTRATE
USAGE: COMPOUND COLOR PIGMENT
MANUF: AMERICHEM, INC.

PROD: SANTICIZER 146
CHEM: MODIFIED PHOSPHATE ESTER
USAGE: COMPOUND PLASTICIZER
MANUF: MONSANTO CO.

PROD: SANTICIZER 429
CHEM: POLYESTER OF ADIPIC ACID
USAGE: COMPOUND PLASTICIZER
MANUF: MONSANTO CO.

COMPOUND DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85
PAGE 6

PROD: SANTICIZER 97
CHEM: DI-ALKYL ADIPATE; HEXANEDIOIL ACID; BIS-ALKYL ESTERS
USAGE: COMPOUND PLASTICIZER
MANUF: MANSANTO CO

PROD: SATIN TONE NO. 2
CHEM: ANHYDROUS ALUMINUM SILICATE
USAGE: COMPOUND FILLER
MANUF: ENGLEHARD MINER & CHEMICAL CORP.

PROD: SP 33
CHEM: ANHYDROUS KAOLIN CLAY
USAGE: COMPOUND FILLER
MANUF: FREEPORT KAOLIN CO.

PROD: SUNOLITE 160
CHEM: PETROLEUM WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: WITCO CHEMICAL CORP.

PROD: T-CARB ULTRA
CHEM: CALCIUM CARBONATE
USAGE: COMPOUND FILLER
MANUF: THOMPSON HAYWARD CHEMICAL COMPANY

PROD: TALCRON CP44-31
CHEM: MAGNESIUM SILICATE HYDRATE-TALC
USAGE: COMPOUND FLATTENING AGENT
MANUF: PFIZER

PROD: TALCRON MP 45-26
CHEM: MAGNESIUM SILICATE HYDRATE-TALC
USAGE: COMPOUND SURFACE FLATTENING AGENT
MANUF: PFIZER

PROD: TI-PURE R-101
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: DUPONT COMPANY

PROD: TI-PURE R-902
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: DUPONT CO.

PROD: TI-PURE R-960
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: DUPONT CO.

PROD: TOTM
CHEM: TRIOCTYL TRIMELLITATE
USAGE: COMPOUND PLASTICIZER
MANUF: BADISCHE CORP.

COMPOUND DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85

PAGE 7

PROD: TRONOX TITANIUM DIOXIDE
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: KERR MCGEE CHEMICAL CORP.

PROD: UNITANE OR 460
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND PIGMENT
MANUF: AMER. CYANAMID COMPANY

PROD: VIKOFLEX 7170
CHEM: EPOXIDIZED SOYBEAN OIL
USAGE: COMPOUND SECONDARY PLASTICIZER
MANUF: VIKING CHEMICAL COMPANY

PROD: VISTA 108P
CHEM: N-OCTYL, N-DECYL PHTHALATE
USAGE: COMPOUND STABILIZER
MANUF: VISTA POLYMERS, INC.

PROD: ZOPAQUE R-69
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND COLOR PIGMENT
MANUF: SCM CORP.

DRY BLEND DEPARTMENT HAZARDOUS MATERIALS

10/24/85

PAGE 1

PROD: ACRYLOID K 120N
CHEM: PROPRIETARY ACRYLIC ESTER COPOLYMER
USAGE: DRY BLEND PROCESSING AID
MANUF: ROHM & HAAS

PROD: ACRYLOID K175
CHEM: PROPRIETARY ACRYLIC POLYMER
USAGE: DRY BLEND IMPACT MODIFIER
MANUF: ROHM & HAAS

PROD: ACRYLOID K653
CHEM: METHACRYLATE/BUTADIENE/STYRENE POLYMER
USAGE: DRY BLEND IMPACT MODIFIER
MANUF: ROHM & HAAS

PROD: ACRYLOID KM 323B
CHEM: PROPRIETARY ACRYLIC POLYMER
USAGE: DRY BLEND IMPACT MODIFIER
MANUF: ROHM & HAAS

PROD: ACRYLOID KM/330
CHEM: PROPRIETARY ACRYLIC POLYMER
USAGE: DRY BLEND IMPACT MODIFIER
MANUF: ROHM & HAAS

PROD: ADVASTAB TM 181
CHEM: ALKYL TIN MERCAPTOACID ESTER
USAGE: DRY BLEND HEAT STABILIZER
MANUF: MORTON THIOKOL, INC.

PROD: ADVASTAB TM 692
CHEM: ALKYL TIN MERCAPTIDE
USAGE: DRY BLEND STABILIZER
MANUF: MORTON THIOKOL, INC.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: DURASTRENGTH 200
CHEM: PROPRIETARY ACRYLIC POLYMER
USAGE:
MANUF: M & T CHEM., INC.

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: MARK 1900
CHEM: METHYL TIN MERCAPTO ESTER COMPLEX
USAGE: DRY BLEND HEAT STABILIZER
MANUF: ARGUS CHEM. CORP.

DRY BLEND DEPARTMENT HAZARDOUS MATERIALS

10/24/85

PAGE 2

PROD: MARK 1925
CHEM: METHYL TIN MERCAPTO ESTER COMPLEX
USAGE: DRY BLEND HEAT STABILIZER
MANUF: ARGUS CHEM. CORP.

PROD: MARK 1928
CHEM: BARIUM/CADMIUM SOAP
USAGE: DRY BLEND HEAT STABILIZER
MANUF: ARGUS CHEMICAL CORP.

PROD: RECONSTITUTEED BREATHING AIR
CHEM: AIR, COMPRESSED
USAGE: SELF-CONTAINED BREATHING APPARATUS AIR
MANUF: MS WELDING SUPPLY

PROD: THERMOLITE 101
CHEM: ORGANO TIN MERCAPTO ESTER COMPLEX
USAGE: DRY BLEND HEAT STABILIZER
MANUF: M & T CHEMICALS, INC.

PROD: THERMOLITE 175
CHEM: ORGANO TIN MERCAPTO ESTER COMPLEX
USAGE: DRY BLEND HEAT STABILIZER
MANUF: M & T CHEMICALS, INC.

DRY BLEND DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85

PAGE 1

PROD: A-C POLYETHYLENE 629
CHEM: LOW MOL. WT. POLYETHYLENE
USAGE: DRY BLEND LUBRICANT
MANUF: ALLIED CHEM. CORP.

PROD: ADVAWAX 165
CHEM: REFINED PARAFFIN WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: MORTON THICKOL, INC.

PROD: ADVAWAX 280
CHEM: REFINED PARAFFIN WAX
USAGE: COMPOUND/DRYBLEND LUBRICANT
MANUF: MORTON THIOROL, INC.

PROD: CALCIUM STEARATE
CHEM: CALCIUM STEARATE
USAGE: DRY BLEND LUBRICANT
MANUF: NITCO CHEM. CORP.

PROD: EPOLENE E14P
CHEM: OXIDIZED POLYOLEFIN
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: EASTMAN CHEM. PROD., INC.

PROD: HOSTALUB XL-165
CHEM: SYNTHETIC PETROLEUM WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: AMERICAN HOECHST CORP.

PROD: OMYACARB UF-T
CHEM: CALCIUM CARBONATE
USAGE: DRY BLEND FILLER
MANUF: OMYA, INC.

PROD: SUNOLITE 160
CHEM: PETROLEUM WAX
USAGE: COMPOUND/DRY BLEND LUBRICANT
MANUF: WITCO CHEMICAL CORP.

PROD: SUPERCOAT
CHEM: CALCIUM CARBONATE
USAGE: DRY BLEND FILLER
MANUF: THOMPSON, WEINMAN & CO.

PROD: SUPERFINE F
CHEM: CALCIUM STEARATE
USAGE: DRY BLEND LUBRICANT
MANUF: WITCO CHEM. CORP.

PROD: SUPERMITE
CHEM: CALCIUM CARBONATE
USAGE: DRY BLEND FILLER
MANUF: THOMPSON, WEINMAN & CO.

DRY BLEND DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85

PAGE 2

PROD: TI-PURE R-101
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: DUPONT COMPANY

PROD: TI-PURE R-902
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: DUPONT CO.

PROD: TI-PURE R-960
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: DUPONT CO.

PROD: TRONOX TITANIUM DIOXIDE
CHEM: TITANIUM DIOXIDE
USAGE: COMPOUND/DRY BLEND COLOR PIGMENT
MANUF: KERR MCGEE CHEMICAL CORP.

PROD: ULTRA-PFLEX
CHEM: CALCIUM CARBONATE
USAGE: DRY BLEND FILLER
MANUF: PFIZER

PROD: WINNOFIL-S
CHEM: CALCIUM CARBONATE
USAGE: DRY BLEND FILLER
MANUF: ICI UNITED STATES, INC.

PLASTICIZER DEPARTMENT HAZARDOUS MATERIALS

10/24/85

PAGE 1

PROD: 2-ETHYLHEXANOL
CHEM: 2-ETHYL-1-HEXANOL, 2-ETHYLHEXYL ALCOHOL
USAGE: PLASTICIZER RAW MATERIAL
MANUF: BADISCHE CORP

PROD: ALFOL 610
CHEM: 6,8,10 BLEND OF NORMAL ALCOHOLS
USAGE: PLASTICIZER RAW MATERIAL
MANUF: VISTA CHEM. CO.

PROD: ALFOL 810
CHEM: 8,10 BLEND OF NORMAL ALCOHOLS
USAGE: PLASTICIZER RAW MATERIAL
MANUF: VISTA CHEM. CO.

PROD: BISPHENOL A
CHEM: 4,4 ISOPROPYLDENEDIPHENOL
USAGE: COMPOUND ANTI-OXIDANT
MANUF: USS CHEMICALS, SHELL CHEM.CO., UNION CARBIDE

PROD: DARCO S-51
CHEM: ACTIVATED CARBON
USAGE: DECOLORIZING CHARCOAL
MANUF: ICI AMERICAS, INC.

PROD: DECYL ALCOHOL
CHEM: ISODECANOL
USAGE: PLASTICIZER RAW MATERIAL
MANUF: EXXON CHEM. CO.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: PARA TOLUENESULFONIC ACID
CHEM: TOLUENESULFONIC ACID
USAGE: PLASTICIZER ACID CATALYST
MANUF: JIM WALTERS RESOURCES, INC.

PROD: PHTHALIC ANHYDRIDE
CHEM: PHTHALIC ANHYDRIDE
USAGE: PLASTICIZER RAW MATERIAL
MANUF: USS CHEMICALS, MONSANTO, EXXON

PROD: RECONSTITUTEED BREATHING AIR
CHEM: AIR, COMPRESSED
USAGE: SELF-CONTAINED BREATHING APPARATUS AIR
MANUF: MS WELDING SUPPLY

PLASTICIZER DEPARTMENT HAZARDOUS MATERIALS

10/24/85
PAGE 2

PROD: SODIUM HYDROXIDE, 50 % LIQUID
CHEM: SODIUM HYDROXIDE
USAGE: PLASTICIZER PROCESSING
MANUF: VULCAN MATERIALS, DIAMOND SHAMROCK, OCCIDENTAL CHEMICAL CO.

PLASTICIZER DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85

PAGE 1

PROD: FILTROL K85
CHEM: DIATOMACEOUS EARTH
USAGE: CLAY ABSORBENT FOR DECOLORIZING
MANUF: FILTROL CORP.

PROD: HYFLO SUPER-CEL
CHEM: DIATOMACEOUS EARTH
USAGE: FILTER AID
MANUF: JOHNS-MANVILLE

PROD: SUPER FILTROL
CHEM: DIATOMACEOUS EARTH
USAGE: CLAY ABSORBENT FOR DECOLORIZING
MANUF: FILTROL CORP.

PROD: TSP
CHEM: TRISODIUM PHOSPHATE
USAGE: OIL ABSORBENT
MANUF: OLIN CHEMICALS

MAINTENANCE DEPARTMENT HAZARDOUS MATERIALS

10/24/85

PAGE 1

PROD: ACETYLENE
CHEM: ACETYLENE
USAGE: FLAME CUTTING & WELDING
MANUF: AIRCO, INC.

PROD: AGITENE
CHEM: PETROLEUM NAPTHAS
USAGE: CLEANING SOLVENT
MANUF: GRAYMILLS CORP.

PROD: ANHYDROUS AMMONIA
CHEM: AMMONIA, ANHYDROUS LIQUID
USAGE: EFFLUENT WATER TREATMENT
MANUF: US AGRICHEMICAL

PROD: ARGON
CHEM: ARGON, COMPRESSED
USAGE: HELI-ARC WELDING
MANUF: MS WELDING SUPPLY

PROD: BALANCED POLYMER 5000 SERIES
CHEM: WATER SOLN: NAOH; SALTS OF EDTA, NITRATE, SILICATE, SULFITE, POLYCARBOXYLIC ACIDS, POLYALKYLENE GLYCOL, ANHYDROUS POLYPHOSPHATE
USAGE: BOILER FEEDWATER TREATMENT
MANUF: BETZ LABORATORIES, INC.

PROD: BETZ 2060
CHEM: AQUEOUS SOLUTION OF POTASSIUM HYDROXIDE, ORGANO PHOSPHONATE, PHOSPHATE SALTS, SILICATE SALT AND AN AROMATIC NITROGEN HETEROCYCLE
USAGE: WATER TREATMENT
MANUF: BETZ LABORATORIES, INC.

PROD: BIOSPERSE 250
CHEM: ISOTHIAZOLNE
USAGE: COOLING WATER TREATMENT
MANUF: DREW CHEM. CO.

PROD: CATALYZED SULFITE
CHEM:
USAGE: STEAM CONDENSATE TREATMENT
MANUF: DREW CHEM. CORP.

PROD: CORREGEN
CHEM: CATALYZED SODIUM SULFITE
USAGE: WATER TREATMENT
MANUF: BETZ LABORATORIES, INC.

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: FREON 11
CHEM: TRICHLOROFLUOROMETHANE
USAGE: REFRIGERANT
MANUF: DUPONT

MAINTENANCE DEPARTMENT HAZARDOUS MATERIALS

10/24/85

PAGE 2

PROD: FREON 12
CHEM: DICHLORODIFLUOROMETHANE
USAGE: REFRIGERANT
MANUF: DUPONT

PROD: FREON 22
CHEM: CHLORODIFLUOROMETHANE
USAGE: REFRIGERENT
MANUF: DUPONT

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: HYDROCHLORIC ACID
CHEM: HYDROCHLORIC ACID
USAGE: EFFLUENT WATER TREATMENT
MANUF: STAUFFER CHEM. CO.

PROD: HYZEEN
CHEM: HYDRAZEEN-DIAMINE
USAGE: BOILER FEEDWATER CORROSION INHIBITOR
MANUF: BETZ LABORATORIES, INC.

PROD: KI-2
CHEM: WATER SOLUTION OF AN ACID CHELANT, AN ORGANO PHOSPHONATE, & ORGANIC CORROSION INHIBITOR
USAGE: ION EXCHANGE RESIN CLEANER
MANUF: BETZ LABORATORIES, INC.

PROD: LIQUID CHLORINE
CHEM: CHLORINE
USAGE: COOLING WATER TREATMENT
MANUF: DIAMOND SHAMROCK, DOW CHEM. CO.

PROD: NEUTRAMEEN NA-7
CHEM: CYCLOHEXYLAMINE & MORPHOLINE IN WATER
USAGE: CORROSION INHIBITOR
MANUF: BETZ LABORATORIES, INC.

PROD: OAKITE DRYCID
CHEM: CATIONIC-INHIBITED INORGANIC ACID
USAGE: ACID-CLEANING OF EQUIPMENT
MANUF: OAKITE PRODUCTS, INC.

PROD: OXYGEN
CHEM: OXYGEN, COMPRESSED
USAGE: FLAME CUTTING & WELDING; PVC COMPOUND QUALITY CONTROL AID
MANUF: AIRCO, INC.

PROD: PHOSPHORIC ACID, 75 PCT
CHEM: PHOSPHORIC ACID
USAGE: EFFLUENT WATER TREATMENT
MANUF: STAUFFER CHEMICAL CO.

MAINTENANCE DEPARTMENT HAZARDOUS MATERIALS

10/24/85

PAGE 3

PROD: POLYSERSE PLUS
CHEM: AQUEOUS SOLUTION OF A POLYSTYRENE DERIVATIVE, A POLYACRYLATE POLYMER,
ANTI-FOAM AGENT, & CAUSTIC SODA
USAGE: COOLING WATER TREATMENT CHEMICAL
MANUF: BETZ LABORATORIES, INC.

PROD: RECONSTITUTEED BREATHING AIR
CHEM: AIR, COMPRESSED
USAGE: SELF-CONTAINED BREATHING APPARATUS AIR
MANUF: MS WELDING SUPPLY

PROD: SLIMICIDE C-31
CHEM: BLEND OF DODECYLGUANIDINE HYDROCHLORIDE AND METHYLENE
BIS(THIOCYANATE)
USAGE: COOLING WATER TREATMENT
MANUF: BETZ LABORATORIES, INC.

PROD: SLIMICIDE C-68
CHEM: BLEND OF 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN & 2-METHYL-4-ISOTHIAZOLIN
USAGE: COOLING WATER TREATMENT
MANUF: BETZ LABORATORIES, INC.

PROD: SLIMICIDE J-12
CHEM: AQUEOUS SOLUTION OF N-ALKYL BENZYL AMMONIUM CHLORIDE, BIS(TRIBUTYL)T
IN OXIDE, SODIUM HYDROXIDE AND SILICONE EMULSION
USAGE: COOLING WATER TREATMENT
MANUF: BETZ LABORATORIES, INC.

PROD: SULPHURIC ACID
CHEM: SULPHURIC ACID
USAGE: EFFLUENT WATER PH CONTROL
MANUF: INDUSTRIAL CHEMICALS

PROD: SUPER-AGITENE
CHEM: PETROLEUM NAPHAS
USAGE: CLEANING SOLVENT
MANUF: GRAYMILLS CORP.

PROD: VCM STANDARD GAS
CHEM: VINYL CHLORIDE MONOMER
USAGE: EQUIPMENT CALIBRATION
MANUF: MS WELDING SUPPLY (DISTRIBUTOR)

PROD: ZERO AIR
CHEM: AIR, COMPRESSED
USAGE: INSTRUMENT CALIBRATION
MANUF: MS WELDING SUPPLY (DISTRIBUTOR)

MAINTENANCE DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85
PAGE 1

PROD: COGLUBE LUBRICANTS
CHEM: PETROLEUM LUBRICATING OILS
USAGE: LUBRICANT
MANUF: CONOCO

PROD: CONOCO LUBRICATING GREASES
CHEM: PETROLEUM HYDROCARBONS
USAGE: LUBRICANT
MANUF: CONOCO

PROD: CONOCO MOTOR OILS
CHEM: PETROLEUM HYDROCARBONS
USAGE: LUBRICANT
MANUF: CONOCO

PROD: CONOCO TRANSMISSION FLUIDS
CHEM: PETROLEUM HYDROCARBONS
USAGE: HYDRAULIC TRANSMISSION FLUID
MANUF: CONOCO

PROD: DECTOL R & O OIL 116
CHEM: PETROLEUM LUBRICATING & HYDRAULIC OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: DECTOL R & O OIL 150
CHEM: PETROLEUM LUBRICATING & HYDRAULIC OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: DECTOL R & O OIL 46
CHEM: PETROLEUM LUBRICATING & HYDRAULIC OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: DECTOL R & O OIL 68
CHEM: PETROLEUM LUBRICATING & HYDRAULIC OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: DELTOL R & O OIL 15
CHEM: PETROLEUM LUBRICATING & HYDRAULIC OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: DELTOL R & O OIL 32
CHEM: PETROLEUM LUBRICATING & HYDRAULIC OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: E.P. LUBRICANT HD 220
CHEM: PETROLEUM HYDROCARBON
USAGE: LUBRICANT
MANUF: GULF OIL CORP.

MAINTENANCE DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85

PAGE 2

PROD: INCA OIL
CHEM: PETROLEUM HYDROCARBON OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: MILL GEAR OILS
CHEM: PETROLEUM HYDROCARBONS
USAGE: LUBRICANT
MANUF: CONOCO

PROD: OMALA OIL 150
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: OMALA OIL 220
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: OMALA OIL 320
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: OMALA OIL 680
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: ROTELLA T MULTIGRADE 15W/40
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: SHELL DONAX (R) TG FLUID
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: SHELL SPIRAX (R) HEAVY DUTY 80W/90
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: SHELL TURBO (R) OIL 100
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL CO.

PROD: SHELL TURBO (R) OIL 150
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL CO.

MAINTENANCE DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85

PAGE 3

PROD: SHELL TURBO (R) OIL 32
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL CO.

PROD: SHELL TURBO (R) OIL 46
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL CO.

PROD: SHELL TURBO (R) OIL 68
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL CO.

PROD: SOLUBLE OIL
CHEM: PETROLEUM OIL BLEND
USAGE: CUTTING FLUID
MANUF: CONOCO

PROD: SUPER HYDRAULIC OILS
CHEM: PETROLEUM HYDROCARBONS
USAGE: HYDRAULIC FLUID
MANUF: CONOCO

PROD: SUPER INDUSTRIAL CLEANER 500
CHEM:
USAGE: METAL PARTS CLEANING SOLVENT
MANUF: HUNTER CHEMICAL, INC.

PROD: TELLUS OIL 32
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: TELLUS OIL 46
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL

PROD: TELLUS OIL 68
CHEM: LUBRICATING OIL
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL CO

PROD: TURBINE OIL 15
CHEM: PETROLEUM LUBRICATING OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: TURBINE OIL 21
CHEM: PETROLEUM LUBRICATING OIL
USAGE: LUBRICANT
MANUF: CONOCO

MAINTENANCE DEPARTMENT NON-HAZARDOUS MATERIALS

10/24/85
PAGE 4

PROD: TURBINE OIL 32
CHEM: PETROLEUM LUBRICATING OIL
USAGE: LUBRICANT
MANUF: CONOCO

PROD: UCON CALENDAR LUBRICANT 51
CHEM: POLYALKYLENE GLYCOL MIXTURE
USAGE: COMPOUND LINE 3 FCM HEATING OIL
MANUF: UNION CARBIDE

PROD: UCON HEAT TRANSFER FLUID 500
CHEM: INHIBITED POLYALKYLENE GLYCOL
USAGE: HEAT TRANSFER FLUID
MANUF: UNION CARBIDE

PROD: VALVATA OIL J460
CHEM: HYDROCARBON
USAGE: LUBRICANT
MANUF: SHELL CHEMICAL CO.

LABORATORY HAZARDOUS MATERIALS

10/24/85

PAGE 1

PROD: DIESEL FUEL
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: GASOLINE
CHEM: HYDROCARBON BLEND
USAGE: AUTOMOTIVE FUEL
MANUF: WHITE OIL COMPANY (DISTRIBUTOR)

PROD: HELIUM
CHEM: HELIUM, COMPRESSED
USAGE: G.C. CARRIER GAS
MANUF: AIRCO, INC.

PROD: HYDROGEN
CHEM: HYDROGEN, COMPRESSED
USAGE: G. C. FUEL
MANUF: AIRCO, INC.

PROD: NITROGEN
CHEM: NITROGEN, COMPRESSED
USAGE: MISC. PROCESS CONTROLS; G. C. CARRIER GAS
MANUF: AIRCO, INC. UPLY

PROD: OXYGEN
CHEM: OXYGEN, COMPRESSED
USAGE: FLAME CUTTING & WELDING; PVC COMPOUND QUALITY CONTROL AID
MANUF: AIRCO, INC.

PROD: RECONSTITUTEED BREATHING AIR
CHEM: AIR, COMPRESSED
USAGE: SELF-CONTAINED BREATHING APPARATUS AIR
MANUF: MS WELDING SUPPLY

PROD: VCM STANDARD GAS
CHEM: VINYL CHLORIDE MONOMER
USAGE: EQUIPMENT CALIBRATION
MANUF: MS WELDING SUPPLY (DISTRIBUTOR)