



E. I. DU PONT DE NEMOURS & COMPANY
INCORPORATED
WILMINGTON, DELAWARE 19898

CHEMICALS AND PIGMENTS DEPARTMENT
CHESTNUT RUN

K. H. P. A. / P. H. W. i. e. d. e
↑

CC: EWStewart-C&P, Chestnut Run
NJKane-C&P, Chestnut Run
P. H. W. i. e. d. e - C&P, Jackson Lab.
SADombchik-C&P, Newport
WMWilliams-C&P, Newport
DGray-C&P, Newark
REPeavy-C&P, Newark
WRZonin-C&P, Newark
LWPancoast-C&P, Newark
JSThackrah-C&P, B-6237
SWSeverance-C&P, B-6237
RARpetto-C&P, B-6237
NDCassel-C&P, B-6237
RENickerson-C&P, B-6237
EADonald-C&P, B-6237
DWHoppenjans-C&P, B-6237
JFKane-C&P, B-6333-A
JAMackiewicz-C&P, Chestnut Run
WWSpencer-C&P, Chestnut Run
DEYonker-C&P, Chestnut Run

May 20, 1982

TO: J. A. LAMTET
C&P, CHESTNUT RUN
FROM: B. H. GARTH *BH*
C&P, CHESTNUT RUN

STANDARDS COMMITTEE MEETING
5/14/82 at Newark

Of the eleven candidate standards now at Chestnut Run, three have been accepted by the Standards Committee: Dalamar® Yellow YT-808-D, PS-81808; Krolor® Red 981-D, PS-82981 and Monastral® Blue RF BT-498-D, PS-81498. The status of reports for these plus those not yet completed are shown in Table I.

As part of the standards evaluation program we have been revising the Guides to Standardization. Thus far, we have reviewed 25 and have modified ten. Joe Mackiewicz will issue those which have been modified. This modification procedure involves consulting with industry experts at Chestnut Run to determine which tests should be dropped and added.

We have recently received the Shipping Limits for all color pigments used at Newark. Don Yonker will have responsibility for reviewing all organics and Walt Spencer all inorganics. Revisions suggested will be provided to Newark.

We expect to receive a total of 16 candidate standards by the end of July. These are shown in Table II. Five of these, YT-915-D, XRT-859-D,

TO: J. A. LAMIER
C&P, CHESTNUT RUN

- 2 -

May 20, 1982

XBT-579-D, BT-565-D, and RM-881-D, are new products which have recently been or are expected to be commercialized by the end of the third quarter. We also expect to increase time spent in evaluating standards in Don Yonker's group during the next three months to ensure quick evaluation.

BHG:dm

TO: B. H. GARTH
FROM: D. E. YANKER

TABLE I

Status of Candidate Standards - 5/13/82

Reporting

YT-808-D Lot 81808:	will recommend acceptance	est. comp. 5/88
KR-981-D lots 82278-1 & 2:	either 1 or 2 is acceptable; awaiting comments from Newark	est. comp. 5/81
BT-498-D lots 81498-3 & 4:	will recommend -4	est. comp. 6/11

Action

KO-786-D Lot 84061:	plastic testing complete, paint testing remains; acceptable to date	est. comp. 6/8
RT-618-D Lot 81618-1:	testing is 80% complete; acceptable to date	est. comp. 6/16
RT-757-D Lot 83556-1:	Hoover Muller/Varnish drive testing complete, light moisture; awaiting comments from 3M	—
BT-297-D Lot 81297:	varnish drive testing complete; acceptable	est. comp. 6/25
YT-823-D Lot 81823-1:	varnish drive testing complete; acceptable	est. comp. 7/1
RT-209-D Lot 81209-1:	varnish drive testing complete; acceptable	est. comp. 7/9
RT-899-D Lot 84592-1:	varnish drive testing complete; acceptable	est. comp. 7/16

Not Started

GT-1.714-D Lot 822601 P049:	—	est comp. 7/23
-----------------------------	---	----------------

TABLE II
CANDIDATE STANDARDS SAMPLES TO BE SUBMITTED
BY JULY 30, 1982

Monastral® Maroon RT-792-D
Monastral® Violet R RT-887-D
Monastral® Violet R RT-201-D
Monastral® Fast Gold YT-915-D
Exp. Monastral® Red Y XRT-859-D
Monastral® Green Y GT-860-D
Monastral® Blue G BT-383-D
Exp. Ramapo Blue XBP-565-D
Exp. Monastral® Blue XBT-579-D
Victoria Blue BT-264-D
Watchung Red B RM-417-D
Watchung Red B RT-761-D
Daiamar® Yellow YT-858-D
Krolor® Primrose KY-790-D
Krolor® RM-881-D
Zinc Yellow Y-539-D

BHG:dm

5/20/82