

FILE NAME: Allied Signal Bendix (ASB)

DATE: 1972 June 20

DOC#: ASB214

DOCUMENT DESCRIPTION: Memo OSHA Standard - Position of Industry,
NIOSH & Advisory Committee

FRICTION MATERIALS STANDARDS INSTITUTE, INC., E. 210 ROUTE 4, PARAMUS, N.J. 07652

June 20, 1972

TO: MEMBERS OF ASBESTOS STUDY COMMITTEE

SUBJECT: OSHA STANDARD - POSITION OF INDUSTRY, NIOSH
AND ADVISORY COMMITTEE

Mr. I. H. Weaver, Chairman of the Committee, felt the attached tabulation proposed by AIA/NA comparing items in the OSHA Standard against the Industry position and the recommendations of NIOSH and the Advisory Committee on Asbestos Dust would be of interest to all members of this Committee.

Copies of this tabulation are attached for your information.

E. W. Drislane
Executive Secretary

EWD:llz

FMSI--0119

C-10
(4)
FMSI 02833

OSHA REGULATIONS ON ASBESTOS

<u>Subject</u>	<u>Industry Position</u>	<u>NIOSH/Advisory Committee Recommendation</u>	<u>Final OSHA Standard</u>
1. Numerical Standard	Five fibers with <u>no</u> automatic reduction to two fibers.	Five fibers with an automatic reduction to two fibers in <u>two</u> years.	Five fibers with an automatic reduction to two fibers in <u>four</u> years.
2. Labeling	No label on locked-in asbestos containing products. The words "cancer" or "danger" should not be used on labels.	All asbestos-containing products should be labeled. Label should carry words "cancer" and "danger."	No label on locked-in asbestos containing products. Words "cancer" and "danger" will not be used.
3. Monitoring Frequency	Monitoring should be conducted at a frequency necessary to assure compliance with the environmental standards. Management should decide frequency.	NIOSH: Annual monitoring at stations below TWA. Quarterly monitoring at stations above TWA. ADVISORY COMMITTEE: Twice-yearly monitoring at stations below TWA. Monthly monitoring at stations above TWA.	Monitoring every six months at stations above TWA. Monitoring at other stations at a frequency to assure compliance with environmental standards. Management to decide frequency.
4. Protective Clothing	No protective clothing required below 5-10 times TWA.	NIOSH: Protective clothing required in all areas above limit. ADVISORY COMMITTEE: No protective clothing below 10 times TWA.	Protective clothing required only where peak exposures above limit (10 fibers) occur.
5. Waste Disposal	Only wastes that generate dust in excess of limits should be bagged.	All waste should be bagged.	Only wastes that generate dust in excess of limits must be bagged.

<u>Subject</u>	<u>Industry Position</u>
6. Frequency of Medical Examinations	Exams every two years for workers with less than 10 years exposure. Exams every year for workers with more than 10 years exposure, or with symptoms of disease.
7. Medical Surveillance	Employer should "provide or make available" medical exams as required.
8. Medical Records	Employer shall maintain records and have access to them as required to comply with regulations.
9. Wearing of Respirators	No specific recommendations.

FMSI 02835

NIOSH/Advisory Committee
Recommendation

Final OSHA Standard

NIOSH: Same as industry position. Advisory Committee: Same as industry position.

Annual exams required of all employees exposed to asbestos dust, regardless of length of employment.

NIOSH: No specific recommendation. Advisory Committee: Employee should select physician to perform exam. Employer to pay cost of exam.

Same as industry position.

NIOSH: No specific recommendation. Advisory Committee: Employer shall not maintain records nor have access to them.

Same as industry position.

NIOSH: No specific recommendation. Advisory Committee: No employee shall be required to wear a respirator if he has any of a long list of symptoms of disease.

Physician selected by employer to conduct medical surveillance program shall decide if employee can or cannot wear respirator.