

Georgia-Pacific



PLAINTIFF'S EXHIBIT

GP-1891

INTERDEPARTMENTAL COMMUNICATION

TO: **Mr. J. B. Moss**

FROM: **Ed Anson**

SUBJECT: **Asbestos Caution Label**

DATE: **May 2, 1973**LOCATION: **Wilmington**LOCATION: **Portland**

Because of the high usage rate of joint system bags at Akron, we are incorporating the appropriate warning for asbestos into the bag manufacturer's printing plates. As we approach the time when asbestos will be eliminated, we should be alerted far enough in advance to have this warning removed from the plates so that future bags will be correct.

I understand from Matt Fink that Chicago is presently applying the asbestos caution using the same type size and style as used by UGC, and this probably is the best way for them to handle it.

I suggest that Marietta do the same as Chicago, and this can best be handled by Bob Favero obtaining the necessary information or a sample from Monty Palmowski.

E. L. A.

ELA:ar

cc: Messrs. E. B. Hollingsworth - Wilmington
 T. W. Richards - Tigard
 C. W. Lehmert - Tigard
 J. B. Rauch - Akron ✓
 R. V. Favero - Marietta

C
O
P
Y

SGP 0006809

QUOTATION FORM

NATIONAL MINE SERVICE COMPANY

Box 310, Indiana, Pa.

 Georgia Pacific Corporation
 Akron, New York 14001

Attn: Bob Gaddis

Quotation No. 7013

Date 5/1/73

Terms Net 30 days

F. O. B. Destination

Delivery 1 - 2 weeks

We thank you for the privilege of quoting you on your inquiry

of

as follows:

Item No	Quantity	Description	Unit Price	Total Price
	1	C-115 Personal Monitor with rechargeable Nicad battery and battery charger	308.50	
	1	2 stage respirable mass sampler	30.00	
	1	37MM 3 - part plastic filter holder	1.25	
	1 Bx	100 per box 37 MM filter membrane (0.8 Micron size)	23.00	
		<u>(Above is for asbestos sampling)</u>		\$362.75

Prices quoted for items we are unable to ship from stock are subject to change without notice and prices in effect at time of shipment will apply.

 In Reply Please Refer to Above Number.
 Subject to Conditions on Back Hereof.
 Subject to Prior Sale

 C. R. Bucklin, District Sales Manager
 NATIONAL MINE SERVICE COMPANY

By

Terence P. Walsh, Asst. to Dist. Sales Mgr.

SGP 0006810

This quotation expires 10 days from this date, and meanwhile is subject to change without notice. It is further, upon condition that orders shall be subject to our approval as to quantity, unless the quantity has been heretofore specifically agreed upon; that dates of delivery are in accordance with our present expectations only and are not guaranteed; that we shall not be liable for any delay or failure to deliver due to strikes, fire, flood, riot, embargo, act of God or civil or military disturbance, or the public enemy, inability to secure material, failure of transportation facilities, or other causes beyond our control; and that orders accepted by us shall not be subject to withdrawal or modification by the purchaser unless agreed to in writing by us.

Our quotations are based on the best material available, and we reserve the right to change the price of any material if the price of such material should increase before the material is delivered. We do not allow any claim for expenses incurred in using our material.

Our quotations are subject to the following conditions: Payment within 10 days from date of invoice unless otherwise specified. Terms will be 10 days net.


GEORGIA-PACIFIC

INTERDEPARTMENTAL COMMUNICATION

DATE: May 7, 1973

TO: * See Below

LOCATION:

FROM: G. E. Wilson

LOCATION: Portland

 SUBJECT: Warning Labels for Asbestos

We should proceed to use warning labels on our bagged goods containing asbestos to comply with OSHA regulations. If we have not already done so, you should handle this directly with Bill Lehnert to get advice as to the proper wording of the labels to be applied.

GEW
G. E. W.

GEW:jb

* TO: Messrs. J. D. Rauch - Akron, N. Y.
M. A. Palmowski - Chicago J. S. Plant
H. W. Scharf - Marietta

cc: Messrs. E. B. Hollingsworth - Wilmington, Del.
T. W. Richards - Tigard Lab
C. W. Lehnert - Tigard Lab

Irv - Bill - Ed.

Looks like bag stamping is here!

We had better get our stamp and start this program A.S.A.P. Please advise me when we start so I can advise all concerned of the date.

(JDR)

Stamp Recvd 5/16/73
M

SGP 0006812



INTERDEPARTMENTAL COMMUNICATION

DATE: May 7, 1973

TO: Mr. J. D. Rauch

LOCATION: Akron

FROM: C. W. Lehnert

LOCATION: Tigard

SUBJECT: TRIAL BATCHES OF JOINT SYSTEM
AND TEXTURE

cc: Mr. E. B. Hollingsworth - Wilmington

Confirming our telephone conversation, you should charge the
non-asbestos bedding and topping to 010-8489-7891 R & D 347.

Please send samples of the wall texture as well as the two different shipments of attagel which were received. Five pounds of the texture and one pound of each attagel will be sufficient. Although it should be standard procedure to send a sample of any trial material to Tigard, we should have reminded you.

We have had satisfactory acceptance with the wall texture elsewhere, but that doesn't assure that we will get the same experience in Akron. However, we are under pressure to revise the wall texture so we don't continue to lose money on the product. Even if the new formula isn't quite as acceptable, we may decide to make a change. In trying the texture, I assume you will arrange it with someone who now uses our wall texture. We had suggested just shipping it to a customer because it takes so long to get field tests and they often haven't proven reliable.

To respond to the other questions in Bill Nalbhone's letter:

2. The vinyl products, like Tripel Duty, sand easily so there is no need for two products. We believe, however, that we should not fight the separate product (Bedding and Topping) insofar as sales is concerned at the present time. If you wish, we can make the topping yellow.

3. We are merely trying to get rid of some bags. If you feel the people we will be shipping to will be turned off by the SRA bags, by all means put the material into some other bags.

4. We should have sent you raw material specifications for Gendriv and Attagel and will send them out as soon as possible.

We will appreciate your advising us when all the raw materials arrive so we can have Bill Gettel there for the trials.

C. W. L.

CWL:elz

SGP 0006813



GEORGIA-PACIFIC CORPORATION

900 S.W. 5TH AVENUE • PORTLAND, OREGON 97204 • 503-222-5581

May 8, 1973

Mr. Hal Derven
Luis Company, Inc.
101 West 26th Street
Burien, Washington 98660

Dear Hal:

This is to confirm my conversation with you today cancelling the item of 16,000 CX-226 Johns-Manville Topping bags ordered on purchase order G-05782 for our Akron plant. As explained we have a number of these bags on hand at Chicago which we will transfer.

Also, you have picked up the new artwork for our Casein Topping; Bedding and All-Purpose bag along with color swatches for each.

Please include the asbestos warning notice when cutting new plates for the P-1070 Triple Duty bags. This will be the same printing layout as on the casein bags and is to be printed on the back of the bag in the same position.

Thank you.

Very truly yours,

Edward L. Aasen
Purchasing Manager
Gypsum Division

ELA:ar

cc: Messrs. C. Martin - Portland
J. D. Rauch - Akron
C. Swain - Akron

SGP 0006814