Geo - This is the tabulation of work done on PCB's and related products at Biotest & PW

Industrial BIO-TEST Laboratories, Inc.
1810 FRONTAGE ROAD
NORTHBROOK, ILLINOIS 60062

TOXICOLOGY
ENVIRONMENTAL SCIENCES
CHEMISTRY
PLANT SCIENCES
MEDICAL SCIENCES

June 30, 1971

AREA CODE 312
TELEPHONE 272-3030

Mr. E. P. Wheeler
Manager, Environmental Health
Monsanto Company
800 North Lindbergh Boulevard
St. Louis, Missouri 63166

Dear Elmer:

We have reviewed the finances on all Aroclor projects. According to our records your payments are as follows:

Paid in 1969		$ 90,000
Paid in 1970		179,490
	Total	$269,490

The complete list of studies is as follows:

B7009	Rat Pilot	$ 5,100	BTL-69-31
J7010	Chicken Pilot	2,440	BTL-69-32
A7204	Fish (1242, 1254, 1260)	2,600	BTL-69-33
B7298	2-Year Rat	69,500	BTL-71-69
C7299	2-Year Dog	85,000	BTL-71-70
B7297	3-Generation Rat	35,000	BTL-71-68
J7300	Chicken Reproduction	20,000	BTL-70-16
A8570	Fish Repeat	5,000	BTL-72-103
J8746	Chicken - 1242	8,000	BTL-71-67
A8831	Acute - HB40 & MIPB 2	1,390	BTL-70-11
B8832	Rat Pilot - HB40 & MIPB 2	1,600	PILOT
B8833	90-Day Rat - HB40 & MIPB 2	10,500	BTL-70-12
B9350	Rat Teratology - 1242	1,800	BTL-71-71
B9351	Rat Teratology - 1254	1,800	BTL-71-72
B9352	Rat Teratology - 1260	1,800	BTL-71-73
A9378	Acute 1016, 1221, 5432 series	2,425	
N9379	Inhalation 1016, 1221, 5432 series	400	BTL-72
A9380	Fish 1016, 1221, 5432 series	5,000	BTL-72-129
B9888	90-Day Rat - 1016, 1221, 5432, 5442	20,400	BTL-72-137

1242, 1254, 1260

DSW 034771

STLCOPCB4018598

BTL-72-130	J9884	90-Day Dog - 5432	$33,700
BTL-72-131	C9885	90-Day Dog - ~~1016~~ 1221	
BTL-72-132	C9886	90-Day Dog - ~~1221~~ 5442	
BTL-72-133	C9887	90-Day Dog - ~~5442~~ MCS1016	
	A9768	Subacute fish - 1221	3,000*
	A9769	Subacute fish - 1016	3,000*
	A9770	Subacute fish - 5432	3,000*
	A9771	Subacute fish - 5442	3,000*
		Chicken Reproduction - 1016, 1221, 5432 & 5442	26,000
			351,455 *

note below

* Estimated costs, studies being held for now.

Therefore the balance is estimated to be $~~79,965~~ 81,965. It is my understanding you want two separate invoices. If your figures agree with our let me know when and for what amounts you want the invoices.

Sincerely yours,

M. L. Keplinger, Ph. D.
Manager, Toxicology

MLK:db

Keg made a mistake of minus $2,000.
E

Note - we're not going to have Bio-Test do these.
EPW

DSW 034772

STLCOPCB4018599