Springate — X

PCB PRESENTATION

Nov 17, 1969

TO

CORPORATE DEVELOPMENT COMMITTEE

PENGAD 800-631-6989
DEPOSITION EXHIBIT
11
6/26/14 LG

I. INTRODUCTION:

We are here today to acquaint you with the PCB (Aroclor) pollution problem and to secure your guidance and approval on a recommended plan of action.

Certain PCB's have recently been identified by various scientists along with DDT in fish, birds, and other wildlife.

From the standpoint of reproduction, the PCB's are highly toxic to birds. In a few moments, Elmer Wheeler will describe the problem in detail.

Our objective is to describe for you the basic problems, the issues involved, review alternative courses of action, and suggest an action plan program for your approval.

This is a serious matter, not only from the pollution viewpoint, but also because of the $22 M worldwide customer business involved with resultant gross profits of $10 M and a net investment of approximately $9 M. In addition, there could be possible adverse legal and public relations problems leveled against Monsanto.

Our Agenda will be as follows:

WATER_PCB-SD0000007218

PCB AGENDA REVIEW

I. INTRODUCTION

II. THE PROBLEM

- DEVELOPMENTS INCRIMINATING PCB's
- COMPLEXITY OF IDENTIFICATION
- NATURE OF
- SERIOUSNESS

III. LAW DEPARTMENT VIEWPOINT AND RECOMMENDATIONS

IV. EFFECT ON MONSANTO AND ALTERNATIVES

V. FUNCTIONAL FLUID BUSINESS GROUP DISCUSSION

- MARKETS, USES
- SOURCES OF POLLUTION
- CUSTOMER EFFECT

VI. PLASTICIZER BUSINESS GROUP DISCUSSION

- MARKETS, USES
- SOURCES OF POLLUTION

VII. RECOMMENDED ACTION PLAN

VIII. SUMMARY

WATER_PCB-SD0000007219

By way of introduction, the Organic Division and the Medical Department has been actively engaged for the last 18 months in developing facts and knowledge on this subject by personal visits to Universities and Industrial test laboratories, other worldwide producers, and other industrial collaborators, as well as keeping abreast of all literature and news sources on the subject as well as funding a toxicological and analytical test program in excess of $100 M. We established an Ad Hoc Committee of both Business Groups and Medical which recently issued a report - much of which will be discussed today. We have learned a lot, but there is much yet to learn as you will hear.

What are PCB's? They are polychlorinated biphenyls - better known to us as Aroclors. The next slide will quickly re-familiarize you with our Aroclor business.

WATER_PCB-SD0000007220

MONSANTO WORLDWIDE AROCLOR BUSINESS

POUNDS/YEAR	104 M (70 M in Functional Fluids 34 M in Plasticizers)
SALES/YEAR	$22 M ($16 M in Functional Fluids $ 6 M in Plasticizers)
GROSS PROFIT/YEAR	$10.0 M ($7.5 M in Functional Fluids $2.5 M in Plasticizers)
GROSS INVESTMENT	$13 M ($8.8 M net investment)
ROI	10.5%
WORLDWIDE M/I	62%
MONSANTO PRODUCTION LOCATIONS:	USA (2 plants, Anniston, Alabama Sauget, Illinois)
	UK (Newport)
	JAPAN (Yokkaichi)
OTHER PRODUCERS:	Bayer, Prodelec, Caffaro, Flick, Kanegahuchi, and several Eastern European producers (all ex-USA)

MONS 036997

5

WATER_PCB-SD0000007221

THE AROCLOR PRODUCT LINE

CHEMICAL NAME	TRADE NAME	NATURE OF MATERIAL
MONOCHLOROBIPHENYL	AROCLOR 1221	THIN LIQUID
DICHLOROBIPHENYL	AROCLOR 1232	↓
TRICHLOROBIPHENYL	AROCLOR 1242	OILY LIQUID
TETRACHLOROBIPHENYL	AROCLOR 1248	↓
PENTACHLOROBIPHENYL	AROCLOR 1254	HEAVY MOLASSES
HEXACHLOROBIPHENYL	AROCLOR 1260	THICK TAR
HEPTACHLOROBIPHENYL	AROCLOR 1262	↓
OCTACHLOROBIPHENYL	AROCLOR 1268	↓
DECACHLOROBIPHENYL	AROCLOR 1270	SOLID
TERPHENYLS	SANTOWAX	↓
CHLORINATED TERPHENYL	AROCLOR 5460	SOLID

WATER_PCB-SD0000007222

There are theoretically 210 different isomers of chlorinated biphenyls.

Monsanto entered the Aroclor market in 1930 by acquiring Swan Chemical Company. The first load of Aroclor went out of Anniston, Alabama to General Electric in 1931. Since then, the market has grown to one of Monsanto's most profitable franchises. This franchise is now being threatened by [illegible] recently found pollution problems which Elmer Wheeler will now discuss.

II. The Problem (Wheeler) - see attached Appendix A

III. Law Department Viewpoint and Recommendations (French)

IV. Effect on Monsanto and Our Alternative Courses of Action

As discussed, Aroclors 1254 and 1260 -- the 5 and 6 Cl ringed biphenyls are the ones most seriously involved in the pollution problem. Both Plasticizers and Fluids Groups are involved as shown:

WATER_PCB-SD0000007223

AROCLOR SALES

(M POUNDS)

	FLUIDS	PLASTICIZERS	TOTAL
AROCLOR 1254	1.45	5.4	6.85
AROCLOR 1260 & ABOVE	3.7	1.7	5.4
	5.15	7.1	12.25

MONS 037000

S

WATER_PCB-SD0000007224

We considered 4 alternative courses of action;

(Slide)

Alternative 1: Do nothing was considered unacceptable from a legal, moral, and customer, public relations & company policy viewpoint. This is also the quickest route to being forced out of business.

Alternative 2: Go out of total Aroclor business was considered unacceptable from a Divisional viewpoint, but from a Corporate viewpoint may be necessary. Only you can make that decision. All Aroclor products are not serious pollutants - many degrade; there is too much customer/market need and selfishly too much Monsanto profit to go out. To go out would require a write off of Aroclor net investment of $7 M (10¢/share) or if biphenyl included $8.8 M (12¢/share). In addition, inventory disposition, continuing cost of utilities, and back-up capital and serious manpower & resources reallocation at Anniston.

Alternative 3: Go out of Aroclor 1254 and 1260. This was seriously considered and may eventually occur by our actions and customer actions, nevertheless, we feel that segments of this business are defensible or are so "confined" in use that specific plans of action are called for this portion. Our reasons for eliminating this alternative will become clearer as we outline our action plans.

WATER_PCB-SD0000007225

ALTERNATIVE COURSES OF ACTION

1. DO NOTHING - JUST REACT TO LEGISLATION AND EMOTION.

2. GO OUT OF TOTAL AROCLOR BUSINESS.

3. GO OUT OF AROCLOR 1254 AND 1260 PRODUCTION

4. DEVELOP SPECIFIC ACTION PLANS "TAILORED" TO EACH BUSINESS GROUP AND EACH CUSTOMER/MARKET SITUATION TO "CLEAN UP" THE MESS.

S

WATER_PCB-SD0000007226

Alternative 4: Develop specific action plans tailored to each Business Group and each customer/market situation, - was the alternative selected at this point of time and based on our knowledge from a Divisional viewpoint as making Monsanto act in the most positive, responsible way to society and our customers, as well as our interests.

However, because of the magnitude and seriousness of this problem and its total implications for Corporate Monsanto, the final decision on this matter must be made by the CDC.

V. Functional Fluids Business Group Discussion:

Aroclors are used widely in 3 of our 4 market areas in the Fluids Group:

WATER_PCB-SD0000007227

FLUIDS USE OF AROCLORS BY MARKET AREA

AROCLOR PRODUCT	DOMESTIC MARKET AREA			TOTAL
	INDUSTRIAL	HEAT TRANSFER	ELECTRICAL	
1242	4.1	1.1	36	41.2
1248	1.2	1.0	-	2.2
1254	-	0.1	0.8	0.9
1260 & Above	0.6	-	3.5	4.1
	5.9	2.2	40.3	48.4

MONS 037004

S

WATER_PCB-SD0000007228

SOURCES OF FLUIDS POLLUTION

APPLICATION	INTENSITY OF POLLUTION	
INDUSTRIAL FLUIDS	GREATEST	(DIRECT)
DIELECTRICS	↓	(INDIRECT CONTAINED)
HEAT TRANSFER	↓	(INDIRECT CONTAINED)
PRODUCING PLANTS	LEAST	(DIRECT)

MONS 037005

S

WATER_PCB-SD0000007229

FLUIDS CUSTOMER ALTERNATIVES

AREA OF APPLICATION	PRODUCT OF CHOICE	CUSTOMER OPTIONS
Industrial Fluids	Pydraul 312/F-9/ A-200/Phosphate Esters/ Water Glycol	Customer could get along without us, but Pydraul 312 favored. H_2O Glycol has some pollution problems. Phosphate ester route ok at present.
Transformer	Air/Oil/Aroclor/Gas	Could drop Aroclor at sacrifice of safety, cost or size of equipment or noise level.
Capacitors	Aroclors	No immediate replacement available. Longer term - oil at expense of size and cost of efficiency, and redesign of equipment.
Heat Transfer	Therminol	No option for FR liquid market. Other system possibility.
	Oil/Dowtherm/T66 T55 T77 T88	Liquid systems favored. T66 and T55 increasing rapidly in use. Oil also a pollution problem.

WATER_PCB-SD0000007230

Customer Choices & Alternatives & Penalties:

Summarizing, some of our customers have no immediate alternative, some could change only at sacrifices of safety, or cost or various technical factors. Only in the Industrial field could the customer make an immediate conversion.

PCB Threat to Functional Fluids Business and Profit:

WATER_PCB-SD0000007231

FLUIDS BUSINESS THREATENED

(1970 BUDGET)

PROBLEM	SALES	GROSS PROFIT
1. Confined to A-1254/ 1260 only.	$ 3.0 M	$1.36 M
2. Spreads to A-1242 and 1248		
First to: a) Industrial Fluids	$ 4.0 M	$1.6 M
Then to: b) Dielectric Fluids	$ 8.0 M	$3.8 M
Then to: c) Heat Transfer	$ 1.0 M	$ .6 M
	$16.0 M	$7.36 M

--- Turn over to Jim Springgate

MONS 037008

S

WATER_PCB-SD0000007232

15 +1

VI

PLASTICIZERS

(WORLD-WIDE)

	ALL AROCLORS	AROCLOR 1254/1260 TYPE
1969 SALES, DOLLARS	$ 6.0 M	$1.7 M (28%)
POUNDS	34.0 M	9.5 M (28%)
1969 GROSS PROFIT	$ 2.5 M	$0.8 M (32%)

MONS 037009

COMMENTS: DISTINCTIONS FROM F.F.

1. Large number of direct U.S. customers - 570.
2. Customers are small: 23 direct customers - 47% A-1254/1260 sales.
3. 50% domestic A-1254/1260 sales through distributors - difficult to police.

WATER_PCB-SD0000007234

MARKETS	1968 SALES	MAJOR AROCLOR USED
Carbonless Carbon Paper	8.8 M lb.	Aroclor 1242
Hot Melt Adhesives	5.7 M lb.	Aroclor 5460
Swimming Pool Paints	1.7 M lb.	Aroclor 1254 ✓ Aroclor 5460)
Protective Coatings	5.3 M lb.	Aroclor 1254 ✓ Aroclor 5460)
Rubber Adhesives	1.5 M lb.	Aroclor 1254) Aroclor 1260 ✓
Sealants	3.0 M lb.	Aroclor 1254) Aroclor 1262)
Wax Modification	2.0 M lb.	Aroclor 1254 ✓ Aroclor 5460)
Miscellaneous	5.0 M lb.	Aroclor 1254 ✓ Aroclor 1260)

COMMENTS: 1. One major customer (85% of Aroclor 1242 sold).

2. 55% of domestic Aroclors sold through distributors.

MONS 037011

WATER_PCB-SD0000007235

POSSIBLE CONTAMINATION SOURCES

(PLASTICIZERS)

DEGREE OF CONTAMINATION	MARKET	APPLICATION	SOURCE	IS A-1254 /1260 USED?
Most	Coatings	Marine Paints Water tank linings	Leaching	Yes
	Coatings	Swimming Pool Paints	Leaching	Yes
	Carbonless Carbon Paper	-	Vaporization	No
	Wax Modification	-	Vaporization	Yes
	Emulsion Adhesives	-	Contact with product via packaging. Incineration.	Yes
	Hot Melt Adhesives	-	Contact with product via packaging. Incineration.	No
Least	Sealants	Automotive Construction Joint sealants	Long-term leaching	Yes

[illegible]: 1. Unlike fluids, Aroclor plasticizers are combined into plastics to produce the final product - therefore, far less mobile.

2. Problems such as wastes from our manufacturing plants, customers plants and and leasing of drums common to both groups.

3. [illegible] protective coatings are not considered a high [illegible] [illegible].

4. [illegible] of [illegible] plant processing [illegible] [illegible]

MONS 037012

PLASTICIZER BUSINESS THREATENED

PROGRESS	SALES RETAINED*	$ G.P. RETAINED (LOST)
1. Confined to A-1254/1260 type only.	$4.3 M	$1.7 M (-$0.8 M)
2. Spreads to all chlorinated biphenyls.	$2.0	$0.6 M (-$1.9 M)
3. Spreads to all PCB's and all chlorinated polyphenyls	0.0	0.0 (-$2.5 M)

*Based on 1969 forecasts.

NOTES: Manufacturers sell Aroclor 1262/4465 which are very close to A-1254/1260 and these have been included in A-1254/1260.

MONS 037013

WATER_PCB-SD0000007237

RECOMMENDED ACTION PLAN

THE JOINT ACTION PLAN DEVELOPED BY THE FUNCTIONAL FLUIDS AND PLASTICIZER BUSINESS GROUPS, AND THE MEDICAL AND LAW DEPARTMENTS IS AS FOLLOWS:

1. Appoint a Project Manager - responsible for the overall management of the Aroclor pollution problem. He would be assisted by a Task Force from members of each Business Group plus Medical, Law, Engineering and Manufacturing.

2. Notify all Aroclor customers of PCB problem and relabel containers - within 60 days.

3. Clean up Monsanto plants' effluents within 12 months.

4. Develop and implement new packaging systems for Aroclor 1254/1260 - within 6 months.

5. Educate customers on need for clean-up at their plants - within 4 months.

6. Introduct to market, replacement products for Aroclor 1254/1260 - beginning 1/1/70 (Fluids), 4/1/70 (Plasticizers).

WATER_PCB-SD0000007238

RECOMMENDED ACTION PLAN

7. Continue and expand biodegratation test program with Aroclor series, particularly 1242, 1248 and 1254.

8. Continue toxicological test program.

9. Accelerate present analytical test program.

10. Determine feasibility and cost of eliminating 5/6 Cl_2 in Aroclors 1242 and 1248. (3/70)

11. Study incineration products. (3/70)

12. Develop business plan to offer:

    Monsanto Fluid Reclamation and Recovery with Enviro Chem (4/70). (Reclamation already underway at Findett.)

WATER_PCB-SD0000007239

WHAT COULD WE EXPECT FROM THIS PROGRAM?

Through this action program, Monsanto would expect to:

1. Retain or convert a good portion of our business and profits:

PROBLEMS	CONVERT OR RETAIN	$M SALES OUT OF PRESENT	ODDS OF SUCCESS
a. Confined to A-1254/ 1260.	$20.3 M	$22 M	70%
b. Spreads to A-1248 and 1242.	$10 M	$22 M	60%

2. Gain further valuable knowledge and time to:
   a. Learn more facts.
   b. Protect our position.
   c. Make further decisions regarding our program.
   d. Contribute to overall pollution knowledge.

3. Clean up the major contributing PCB pollution factors.

4. Minimize customer complaints and hardships.

WATER_PCB-SD0000007240

The Program Would:

1. Cost some money.

   Est. SARE - $400-500 M

   Est. Capital - $700 M

   $1.1 M - 1.2 M

2. Expose us to continued adverse publicity and possible law suits.

3. Cause some customer discontent - but much less than an abrupt termination of production.

WATER_PCB-SD0000007241

SUMMARY

In summary, the PCB pollution problem is a very serious one. It is a worldwide ecological problem. At present the most serious offenders are the 5 and 6 chlorine containing products (Aroclors 1254 and 1260). There are some indications other members are biodegradable to varying degrees. Currently, much scientific testing is underway and more information will be forthcoming. Monsanto must act in a positive cooperative fashion. A plan of action has been discussed which we feel indicates responsible action. Our stakes are large and because of the many possible effects on the Corporation -- your guidance and approval of the suggested action program is requested.

Thank you for your consideration. May we answer any questions?

WATER_PCB-SD0000007242