

To: Dravis, Samantha[dravis.samantha@epa.gov]
From: Tampio, Christopher
Sent: Thur 3/23/2017 2:21:45 PM
Subject: RE: EPA [WARNING: SPF validation failed]

I know way to much about it. ☺

Very happy that you are working for such a great boss – again!

Christopher Tampio
Director, Congressional Affairs
Government Affairs
202-789-5178 tampioc@ada.org

American Dental Association 1111 14th Street, Suite 1100, Washington DC 20005
www.ada.org

From: Dravis, Samantha [mailto:dravis.samantha@epa.gov]
Sent: Thursday, March 23, 2017 10:13 AM
To: Tampio, Christopher
Subject: RE: EPA [WARNING: SPF validation failed]

Sure, give me a call. Just for your awareness, this is about the Dental Amalgam Rule.

From: Tampio, Christopher [mailto:tampioc@ada.org]
Sent: Thursday, March 23, 2017 10:12 AM
To: Dravis, Samantha <dravis.samantha@epa.gov>
Subject: RE: EPA [WARNING: SPF validation failed]

Yes for sure – Health care crazy time.

How about lunch time?

Christopher Tampio

Director, Congressional Affairs
Government Affairs
202-789-5178 tampioc@ada.org

American Dental Association 1111 14th Street, Suite 1100, Washington DC 20005
www.ada.org

From: Dravis, Samantha [<mailto:dravis.samantha@epa.gov>]

Sent: Thursday, March 23, 2017 9:28 AM

To: Tampio, Christopher

Subject: EPA

Chris,

Could you call me at 703-899-9379? I have a work related question for you. Thanks!

Samantha Dravis

Senior Counsel / Associate Administrator for Policy

U.S. Environmental Protection Agency