

# ETHYL CORPORATION

RESEARCH AND ENGINEERING DEPARTMENT

RESEARCH LABORATORIES • 1600 WEST EIGHT MILE ROAD  
FERNDALE 20, DETROIT, MICHIGAN

April 24, 1956

Dr. Robert A. Kehoe  
The Kettering Laboratory, College of Medicine  
Eden Avenue  
Cincinnati 19, Ohio

Dear Dr. Kehoe:


Thank you for your careful review of our recent report and for the criticisms, comments, and compliments which you took the time to enumerate. I was glad that the over-all content met with your approval, and surprised that so few points required changes.

It was particularly fortunate for us that you mentioned the two overlooked references, which support so well our statements that the hygienic aspects had been studied in detail and found to be acceptable. We tried to become familiar with all of the prior work while we worked on this program, but apparently there are many publications which we missed.

I've heard of no new policy decisions as yet as to our publication of the report, but if the decision remains to go ahead I'll incorporate all of your suggestions in the final form.

In regard to your interest in reducing lead output, we do have some exploratory tests under way. So far these consist of a comparison between two identical cars as to lead retention, one car having a standard exhaust system and the other having an additional spark-arrestor type muffler at the end of the system.

Sincerely yours,



D. A. Hirschler