

MD-3-A

PACKAGE TICKET

(DRY AND PASTE ONLY)

CODE

117 787

LOT

33445

NET WT/PKG

50

NO. PKG

149

PACK. WGT

7,450

LOCATION

PQ

STUMP

TOTAL NET WT.

7,450

PKG. N-CODE

1135

PROD. SPVR.

JR

DATE

1,2,80

WHSE. OPER.

95
262

CG 03 CODE KY-787-D PKG. _____

→ DEC 27 33445

EST. WGT. 1921 2230 LBS.

SS BAG 012
110

TOTAL WGT 7230 (REQ _____)

PROCESSING INSTRUCTIONS: BATCH UNIT

	PROCESSES KY-787-D (S)	APPROVED BY EWK 10-19-77
	Alternate	DCG 10-25-77
	TYPED BY JIC 11-4-77	
MAKING NOTES		

REMARKS

NAME: KROLOR® YELLOW-MEDIUM

NON-BLEEDING

INSTRUCTIONS

-PRESSING-

RECORD

VAT	262				PRESSLOAD	1ST	2ND	3RD	4TH	5TH
DATE	12-28-77				STARTED	2:20 PM				
TIME	4:45 PM				CAKES USED	54				
RELEASED BY					WATER ON	9:30 AM				
PRESS	98	96	95		HRS. WASHED	6 HRS				
NO. OF CAKES	70	72	84		OHMS	4000				
PRESS WITH		AGITATION			HRS. WASHED					
WASH TO	2000	OHMS WITH 35-75°F WATER			OHMS					
TEST AFTER	4	HOURS			HRS. WASHED					
LOAD ON 10 CARS					OHMS					
					CAKE CONDITION					
					NO. CARS LOADED	7+7				
					EXPLAIN LOSSES					

SAMPLES 1-8 oz. JAR
DELIVER TO CTL FOR COLOR

SAMPLED BY 458 RELEASED BY [Signature]

-DRYING-

DRY 12 HRS AT 220°F.
THEN DRY 8 HRS AT 160°F

LUMP: - OK - WET - SALTS - CONTAMINATED

Color appears def.

ADDITIONAL DRYING HOURS REQUIRED

SAMPLES
DELIVER TO

NO. CARS PULLED
SAMPLED BY

No. Drums: 31
LUMP WGT. 7537
RELEASED BY [Signature]

-GRINDING-

MILL 939 HSP 3/32" RP SCREEN 3500 RPM
MAX. TEMP. 150°F

SCREEN RPM
MAX. TEMP. °F

EXPLAIN LOSSES

SAMPLE WITHOUT MIXING
SAMPLES 1 env + 1 Pt Can
DELIVER TO CTL

DATE MIXED

SAMPLED BY

RELEASED BY

DUP050093356

N 26204.01

33445

41

51

252

0.00 *

2.60 +

0.14 -

2.61 +

0.14 -

2.64 +

0.14 -

2.51 +

0.14 -

2.99 +

0.12 -

2.50 +

0.14 -

2.76 +

0.14 -

2.92 +

0.14 -

3.00 +

0.12 -

2.66 +

0.14 -

2.95 +

0.12 -

2.58 +

0.14 -

2.64 +

0.14 -

2.51 +

0.14 -

2.62 +

0.14 -

2.64 +

0.14 -

2.66 +

0.14 -

2.61 +

0.14 -

2.71 +

0	11	-
2	47	+
0	11	-
2	70	+
0	11	-
2	50	+
0	11	-
2	42	+
0	11	-
2	41	+
0	11	-
2	40	+
0	11	-
2	43	+
0	11	-
2	56	+
0	11	-
2	44	+
0	11	-
2	46	+
0	11	-
2	54	+
0	11	-
1	10	+
0	11	-
75	37	±

14 case →