

Calidria ASBESTOSPLAINTIFF'S
EXHIBIT

UC-555

for T. P. Norris
W. C. Thurber
J. E. Walsh
KC-File
NF-File

UNION CARBIDE CORPORATION
P.O. Box 579 Niagara Falls, N.Y. 14302

By G. L. DicksonDate 9/4/74

Full Name	W. R. Grace & Co. 62 Whittemore Ave.	Interviewed	Lester J. Macklin: PA (Construction Prod. Div.)
Address	Cambridge, MA 02140		Joseph M. Cummiff: PA (Dewey and Almy Chemical Div.)
Mfrs. of			

OBJECTIVE

Follow up on samples and literature sent to Les Macklin by J. L. Myers on July 2.

OBSERVATIONS

1. Les Macklin- Interested in a "safe" asbestos for fire retardant insulating spray. Have replaced asbestos in their product and are "getting by" with their new spray. Originally felt that our "Calidria" products were different enough from the Canadian grade 7 that they had used to make it exempt from the present OSHA regulations. Have since found out that this is not the case and have dropped their program to test our materials. No other interest in "Calidria" at this time. They purchase about 100M lbs. per year of Polyox from UCC which contains 3 1/2% Cabosil. However, because the amount of Cabosil used is so small they do not consider it worthwhile evaluating other products. Suggested I talk to Joe Cunniff who might have an interest in RG-244.

2. Joe Cunniff- Some Cabosil used by D & A, especially in their vinyl plastisols. Unable to get a figure from Joe on their consumption but it is apparently enough to make him interested in RG-244. Requested complete literature and price schedule, but no samples, which he will relay to his technical people.

ACTION

Send requested literature to Joe. Will try to get appointment with their technical people as soon as possible. Purchasing appears to call the shots on new raw materials to be tested and so I will go thru Joe on this.

typed 10/11/74

mlv

SEP 14 1974