

warded to the Department with the manufacturer's data report."

(F) Amendment to Section on Low Pressure Heating Boilers:

Paragraphs H-50 and H-103 amended by substitution of present paragraphs H-50 and H-103 (1937 edition) of the A.S.M.E. Code.

3. REGULATIONS FOR ELEVATORS

(A) Rule 217 was amended to read as follows:

- (a) (A) "Metal plates, with the permissible load in pounds marked thereon, shall be posted in a conspicuous place in the cars of all elevators.
- (b) (A) Metal tag, on which shall be stamped the diameter, stranding and material of cables, shall be attached to all hoisting and counterweight cables.
- (c) (A) Where more than one elevator is located in a building, numbers shall be placed thereon for permanent identification."

(B) Rule 239 (j- (N)) was amended to read as follows:

- (j) (N) "Where pent houses are provided over fire-resistive freight elevator shaftways, they shall be constructed of approved fire-resistive materials and a permanent means of entrance thereto shall be provided other than through the shaftway. Pent house doors shall be locked at all times, except when repairs are being made or when the machinery is being inspected or oiled."

(C) Rule 242 (a) (A) was amended by addition of the following paragraph:

"Such landing doors, excluding those for auto-

matic control and double button control elevators, shall be equipped with latches arranged so that they can be unlocked only from the inside, except that the main or lowest landing door may be arranged to also open from the outside of the shaftway by means of a removable key."

INTERPRETATIONS

1. REGULATIONS FOR INDUSTRIAL HOME WORK

"It is interpreted that the regulations for Industrial Home Work do not apply to merchant tailors who operate their own shops and who give out some portion of the work in the making of a garment to other tailors who do the work in their own shops."