Asbestos removal from pipes has never been easier.



DISTRIBUTION INTERNATIONAL

CORPUS CHRISTI

P. O. Box 4017 • 1217 N. Tancahua • (512) 883-3651
Corpus Christi, Texas 78469

SWRf/Asbestos 6822

GRAYLING

AVAIL

Glove Bags & Accessories

AVAIL... unique glove bags that speed asbestos pipe work

Dramatically improve asbestos removal and maintenance work on pipes. When you consider AVAIL's labor saving features, sizes and configurations you may find they actually pay for themselves on the job. Easily save half the time normally spent setting up. Each pipe configuration has its own special AVAIL enclosure, so safety is greater than standard bag designs that require 'force-fitting'. Notice the collar area designed into each bag. By eliminating bunching, you get more work area and there are fewer folds to trap dangerous asbestos debris.

Grayling offers styles, sizes and quality features to permit efficient work on: horizontal, vertical, horizontal & vertical T's, elbows and valves. Multi-arm styles will accommodate up to 30" pipe diameters. A single AVAIL glove bag can provide up to 18 feet of safe, enclosed work space along a pipe length to maximize savings.

Grayling offers the AVAIL glovebag line as your single most complete and practical solution for asbestos removal from all pipe configurations. Call a Grayling sales engineer for assistance in choosing the most cost-effective glove bag or accessory to meet your requirements. If a job requires a design not currently offered we will engineer a product or enclosure to fit your specific need.

No longer must you be tied to making one bag design fit all pipe configurations.

Quality Grayling products are backed by excellent service and straight talk. Grayling service starts with a knowlegeable staff to help you make the best, most cost-effective product selection. We then follow through to see that you get every order on schedule, single case or multi-pallet. In most cases orders can be shipped from stock the same day. You will always receive quick, honest responses from qualified Grayling representatives.

AVAIL FEATURES

Self adhesive top strip quickly closes AVAIL bag opening. Simply peel away white tape backing to expose an adhesive surface and tack bag opening together for final taping.

Recessed collar area for fast, secure closure around pipe. Fitted collars eliminate bag 'bunching', giving a larger work area that can be quickly secured by only one person.

Large 9" arm openings spaced a full 29" apart make for easy arm entry/exit. Extra spacing between arms gives improved worker flexibility inside every AVAIL glovebag.

Large tool pouch contains both drop-in and slide-through compartments. easily holds abatement tools while providing super-efficient access.

High clarity, super-strong, co-extruded polyethylene material. Superior raw materials give the user excellent clarity and strength. Available in 6 and 10 mil thicknesses.

AVAIL GLOVE BAGS

Specify 6 or 10 mil thickness


H Models for horizontal pipe sections


MODEL #	Pipe dia.	# arm sets	Effective Work area	6 mil # per case	10 mil # per case
S44x60	up to 8"	one	24"	25	n/a
H48x60	up to 8"	one	29"	25	20
H60x60	up to 8"	one	38"	25	20
H60x72	up to 14"	one	38"	20	15
H60x84M	up to 20"	two	36"	15	10*
H72x120M	up to 30"	up to 4	40"	10	10*
H120x60M	up to 8"	two	102"	10	5*


*denotes special order items, two pallet minimum.


SCALE: 1/4" = 1'


= actual work area













SWRf/Asbestos 6823




Five-in-one H Model for extended horizontal pipe sections

MODEL #	Pipe dia.	# arm sets	Work area	6 mil # per case	10 mil # per case
5in1-60x20'	up to 8"	five	18 feet	5	5 *
5in1-72x20'	up to 14"	five	18 feet	5	5 *



SWRf/Asbestos 6824




GRAYLING
Accessory Products

re-usable, plastic, 5/16" eyelets clamp onto virtually any sheeting product to give a quick, sturdy eyelet for cord or nail. No tools required. Order RG516's by the dozen.



DUCT TAPE - Order easy-application DT260 in 2" x 60 yd. rolls (24 rolls per case) or DT360 - 3" x 60 yd. rolls (16 rolls per case).




POLY WARNING SIGN - 14" x 20" perforated on rugged heavy duyl poly, 100 per roll. Order AD1420 imprinted with asbestos danger or RR 1420 imprinted with respirators required warning. Order rolls of 100, specify English or Spanish.





FLEXI-WIRE SAW - is a tough, serrated-edge wire that is easily maneuvered in glove-bags. Cuts through most anything! Order FS18 (18"), or FS24 (24") by the dozen.

BARRICADE TAPE - 3" x 1000' rolls with printed asbestos danger warning. Order BT31000 by the case. (10 rolls per case).



GLOVEBAG STRAPS - Reusable, rugged 54" nylon straps speed fastening and make bag indexing operations practical. Order GBS54 by the dozen.



POLY TAPE - Translucent, yellow, adhesive back tape that tears like duct tape, yet has the tensile strength and adhesion qualities of other poly tapes. Order PT260 in 2" x 60 yd. rolls (36 per case).

SPECIAL PROTECTIVE SHEETING - When specifications require fire resistant sheeting choose Grayling's FR20100, tested to ASTM standards. Or for maximum strength and tear resistance, select PR20100, a multi-layered poly laminated to a center, nylon cord grid.

MODEL #	Special characteristics	# rolls per pallet
FR20x100	Fire Retardant	25
PR20x100	Poly-Reinforced	25

STANDARD POLY SHEETING - Available in full gauge thickness for general duty partitions or masking. Meets government standards for asbestos abatement projects. Specify 4 or 6 mil.

MODEL #	# rolls per pallet 4 mil	6 mil
PS12x100	60	48
PS20x100	25	25

POLY KNIFE - The only efficient way to cut all types of poly sheeting. Order POLY KNIVES by the dozen.

DISPOSAL BAGS - Polyethylene bags for safe asbestos transport, storage & disposal. Imprinted with OSHA DANGER WARNING and D.O.T. label.

MODEL #	Bag color	# per roll	# rolls per pallet
CP30x40	Clear	100	25
CP30x48	Clear	100	25
BP30x48	Black	100	25
CP33x50	Clear	75	25
YP33x50	Yellow	75	25
BP33x50	Black	75	25
CP36x60	Clear	50	25
BP36x60	Black	50	25
CP48x60	Clear	50	25




POLY FLEX DUCTING - Six mil poly exhaust ducting fits standard HEPA negative air machine ports. Order PFD8500 (8"dia.) or PFD12500 (12"dia.) in 500' rolls

GRAYLING TERMS MAKE IT EASY FOR YOU TO SAVE

For all Grayling glovebag and disposal bag products, freight is free for orders of one pallet or more. Glovebag orders are shipped twenty cases per pallet, disposal bags, twenty-five. Terms are net 30 days with pre-approved credit.


GRAYLING INDUSTRIES

SWRf/Asbestos 6825



V Models for vertical pipe sections


MODEL #	Pipe dia.	# arm sets	Work area	6 mil # per case	10 mil # per case
V 10	up to 10"	one	30"	25	20
V 24	up to 24"	two	30"	10	10*



SWRf/Asbestos 6826


Exclusive GRAYLING AVAIL glovebag guarantee.


The AVAIL GUARANTEE is our commitment to you. If any AVAIL product does not meet your full expectations, you may receive either a full refund or replacement for returned product. Grayling is able to offer the strongest guarantee in the industry because AVAIL is the finest in design excellence and quality. Fabrication begins with the finest raw materials. Specially designed Grayling tooling permits the most efficient manufacture of standard and custom poly products. Then, each AVAIL glove bag must pass no fewer than five separate quality control checks before shipment. Simply stated, there is no better, more cost-effective way to perform asbestos abatement on pipe.




VTE Models for vertical pipes with 'T' or elbow sections

MODEL #	Pipe dia.	# arm sets	Work area	6 mil # per case	10 mil # per case
VH-TE 10	up to 10"	one	30"	15	10*
VH-TE 24	up to 24"	two	30"	10	10*
HT /HVT60x84	up to 10"	one	36"	20	15*









Distribution International
Environmental Supply Div.
Corporate Headquarters
Houston, Texas 77[illegible]
Texas # 713-[illegible]







The Professional's Source For All Your Asbestos Abatement Product Needs

Asbestos abatement professionals choose Grayling for innovative equipment and labor saving supplies.

We've built our reputation by supplying the industry with the best glovebag available today. When you think of glovebags, you think of AVAIL®. Our high quality standards and labor saving features make it the safest, most efficient glovebag available. And now we're much more than glovebags.

We've carried these high standards into our new, expanded product lines. Extensive testing and research has produced exciting entries such as the Scaffunnel®, a portable ceiling debris collection system, and our new WaterWorks™ PF35 a lightweight, powerful water filtration system. These innovations by Grayling compliment a selection of brand name products, chosen for the quality and value abatement professionals demand.

GRAYLING
INDUSTRIES

1-800-635-1551

1008 Branch Drive • Alpharetta, GA 30201
404-751-9095 • FAX 404-751-3710

SWRf/Asbestos 6828



Large Quick-Ship Inventory...

We keep the shelves full in our 36,000 square foot warehouse facility. That means products in stock, ready to ship. Your Grayling representative can confirm your order with our computerized inventory system, providing you with up to the minute product availability.

Grayling Express Account customers enjoy prepaid freight on minimum orders and same day shipment when orders are received before 2:00 P.M., guaranteed.





A Support Staff Committed To Excellence...

Quality Grayling products are backed by excellent service and straight talk. Grayling service starts with a knowledgeable staff to help you make the best, most cost-effective product selection. We then follow through to see that you get every order on schedule, single case or multi-pallet. You will always receive quick, honest responses from qualified Grayling representatives.

Rely on Grayling for continued product support long after the sale. Every product we sell is backed by the unconditional Grayling Purchase Guarantee; if any product doesn't meet your fullest expectations, you'll receive full refund or replacement for returned product.



New Products And Services From Grayling...

Many new, exciting products are in the research and development phase at Grayling. These products represent the latest in design technology and will give you the competitive edge on your future asbestos abatement project.

In addition to our expanding product line, Grayling is positioning itself to serve you better and faster than ever. Look for our new locations opening in 1989. Satellite warehouses in the Northeast, Central Great Lakes, West and in the Southwest. All designed to provide you with the convenience and selection of quality products you demand.

Index...


AVAIL® Glovebags
horizontal pipe ..... pg. 4
vertical pipe ..... pg. 6
t-sections & elbows ..... pg. 7
extended pipe lengths ..... pg. 8
custom applications ..... pg. 9
Limited Use Clothing pg.10
Personal Protective Equipment pg.11
First Aid pg.11
Signs, Barricade Tape & Labels pg.12
Tapes & Adhesives pg.12
Poly Sheeting pg.13
Disposal Bags pg.13
Tools & Accessories pg.14
Cleaning Supplies pg.14
Electrical pg.15
Respiratory Protection pg.16
Air Sampling pg.18
Asbestos Test Kit pg.18
Air Management pg.19
HEPA Vacuums pg.20
WaterWorks™ Water Decon System ... pg.21
Sprayers pg.22
Liquid Control Products pg.22
Scaffunnel™ Ceiling Debris System ... pg.23

ovebags
rizontal)

The AVAIL® Glovebag System

The AVAIL® Glovebag with FiberGuard makes effective glovebag technique routine. Each AVAIL® glovebag has unique features you need to safely speed asbestos removal from pipes. Choose from 12 different glovebag models in 6 mil or 10 mil specifically engineered to fit virtually any pipe configuration.

If you don't see an AVAIL® bag to suit your particular needs, contact your Grayling representative and let us custom design an enclosure for you.



AVAIL® for Horizontal Pipe Sections ...


New AVAIL® horizontal glovebag designs are improved to give better work performance and value. Order AVAIL® and speed removal on horizontal pipe runs up to 30" diameter in single or multi arm sets.


4054

Encloses pipe diameters up to 8" and provides an effective 24" horizontal work area. Our smallest AVAIL® model includes special HEPA and water entry ports and is ideal for small maintenance projects including pipe elbows, fittings, and valves. One arm set.

6 mil, 30 per case 011405416

10 mil, 30 per case 0114054110





5460

Encloses pipe diameters up to 8" and provides an effective 42" horizontal work area. Bag design incorporates AVAIL® collar for fast, secure installation. One arm set.

6 mil, 25 per case 012546016

10 mil, 20 per case 0125460110

6072

New arm positioning and "belly-mounted" tool pouch allows easy accessibility to work area. You no longer have to lift the debris weight during removal operations. This AVAIL® bag offers a full 42" horizontal work area on pipes up to 14" diameter. One arm set.

6 mil, 20 per case **012607216**

10 mil, 15 per case..... **0126072110**

6684


Permits removal along a 42" horizontal pipe length and accommodates pipe diameters up to 18". First bag in AVAIL® line that comes with either single arm sets or double worker arm sets. "Belly-mounted" tool pouch.

6684-1, 6 mil, 15 per case **012668416**

6684-1, 10 mil, 10 per case..... **0126684110**

6684-2, 6 mil, 15 per case **012668426**

6684-2, 10 mil, 10 per case..... **0126684210**




72120

Two arm sets for work on large pipes up to 30" diameter. Provides a full 42" horizontal pipe length work area.

6 mil, 10 per case..... **0127212026**

10 mil, 5 per case ... **01272120210**



AVAIL® for Vertical Pipe Sections ...


There is no such thing as one bag to fit all pipes. AVAIL® vertical models are specifically designed to eliminate bag twisting, turning and awkward, unsafe seals on vertical pipe sections.


V10

Comfortably encloses 36" of vertical pipe in diameters up to 10".

6 mil, 20 per case **0131016**

10 mil, 20 per case **01310110**





V24

For larger vertical pipe diameters up to 24" and allows a full 36" of vertical pipe work area. Two sets of arms to efficiently remove larger areas of asbestos.

6 mil, 15 per case **0132426**

10 mil, 10 per case **01324210**

AVAIL® for Elbows or T-Section Pipes...


A clear example of how the AVAIL® system eliminates the need to force fit a poorly designed glovebag.

TE10

Specifically designed to fit T or elbow sections up to 10" diameter. Permits a comfortable work area of up to 30" in both horizontal and vertical dimensions.

6 mil, 15 per case 0141026

10 mil, 10 per case 01410210





vebags
ended
hts)

AVAIL®
for Extended Pipe Lengths...


Special AVAIL® models safely enclose extended lengths of pipe. Now handle longer pipe lengths more efficiently by eliminating multiple bag set up time, and reducing job site fiber counts.


FTC-12

Safely enclose 12" diameter floor to ceiling pipe runs up to 12' in height with one bag. Contains five arm sets plus one set for managing the large debris collection area. Each set of arms has its own tool pouch, and HEPA/water entry ports.

6 mil, 5 per case 0131256

10 mil, 2 per case 01312510





AVAIL® for Custom Applications...

One of the major advantages of buying direct from the manufacturer is being able to communicate specific job site product needs. Many contractors are successfully working with Grayling to design enclosures for their specific applications.


5-in-1-14

After a single setup safely contain up to 20 feet of 14" diameter pipe. Five individual arm sets and debris areas allow fast, manageable disposal of asbestos pipe insulation.

6 mil, 5 per case 01517256

10 mil, 4 per case 015172510

Pat. Pend.











Limited Use Clothing...

Keep asbestos fibers at the job site with a wide selection of disposable garments. All Grayling limited use clothing feature full size cuts and quality stitching.

Polypropylene:

Worker productivity is improved in this comfortable breathable fabric. Polypropylene is resistant to tearing and water repellent. Meets federal flammability standards for wearing apparel.

A) **Medium Duty Coveralls** (1.25 oz.), 25 per case.
X-Large 051114
XX-Large 051115

B) **Medium Duty Coveralls with hood,** 25 per case.
X-Large 051144

C) **Medium Duty Coveralls with hood and boots,** 25 per case.
X-Large 051134
XX-Large 051135
XXX-Large 051136

D) **Boxers,** one size fits all 051164
100 per case.

E) **Heavy Duty Coveralls with hood and boots,** (2 oz.), 25 per case.
X-Large 051534
XX-Large 051535

F) **Tyvek® by DuPont Coveralls with hood and boot,** A durable, spun bonded polyolefin. 25 per case
X-Large 051234
XX-Large 051235

G) **Winter Wear - Poly Coated Polypropylene Coveralls with hood and boots.** Keeps worker warm in those cool environments, water resistant, 25 per case.
X-Large 051434
XX-Large 051435

Personal Protective Equipment...

Hard Hats Red 0551652
White 0551651
Constructed of tough polyethylene with six-point suspension. 20 per case.

Protective Goggles. 05522
Soft vinyl, perforated frame goggles protect against flying particles, splash and debris. Meets ANSIZ87 standards. 40 per case.

Safety Glasses. 05521
3mm polycarbonate lens. Meets ANSIZ87 standards. 12 per case.


Canvas Work Gloves. 05320
8 oz., knit wrists. X-Large, 12 pr. per case.

Plastic Dot Canvas Work Gloves. 05330
Plastic dots for extra grip, knit wrists. X-Large, 12 pr. per case.

Rubber Cotton Flock Lined Work Gloves... 05314
X-Large, 12 pr. per case.

PVC Work Boot
Durable black PVC construction, grip lug sole. 16" tall, 6 pair per case.
Size 8 054108
Size 10 054110
Size 12 054112

Latex Overboot
Protect expensive footwear from contaminants. 12 pr. per case.
Medium/Large 05423
Large/X-Large 05424




First Aid...


Large First Aid Kit. 170124
24 unit first aid kit meets ANSI Z308 standards. Handy steel case is wall mountable.

Small First Aid Kit. 170110
10 unit first aid kit meets ANSI Z308 standards. Handy steel case is wall mountable.

Squincher® Thirst Quencher
Replaces lost electrolytes and restores energy quickly. Available in five flavors. 64 oz., 6 per ctn., each concentrated bottle yields 5 gallons.
Lemonade 17021564
Orange 17021364
Fruit Punch 17021164
Strawberry 17021264
Lemon Lime 17021464

Coleman 5-gallon Water Cooler. 17035





Signs, Barricade Tape & Labels...

Clearly mark asbestos hazard with warning signage, labels, and tape.

A) **Asbestos Danger Signs**, (English) 081111420
Asbestos Danger Signs, (Spanish) 081121420
14" x 20" perforated on heavy duty poly, 100 per roll.

B) **Respirator Required Sign.** 081211420
14" x 20" perforated on heavy duty poly, 100 per roll.

C) **Asbestos Danger Label.** 082135
5" x 3" adhesive back, 500 per roll.

D) **Asbestos Free Label.** 082235
5" x 3" adhesive back, 500 per roll.

E) **D.O.T. Label.** 082335
5" x 3" adhesive back, 500 per roll.

F) **Barricade Warning Tape**, 3" x 1000 ft. roll.
Red 083231000
White 083131000

Tapes & Adhesives...

Grayling's TAC™ adhesive and a complete selection of tapes provide long lasting strength and seal for all asbestos abatement applications.

A) **TAC™ Spray Adhesive.** 043175
Fast tacking, high strength, adheres to smooth and porous surfaces. 17 oz., 12 per case.

B) **TAC™ Spray Remover.** 04318
General purpose solvent and cleaner. Dissolves quickly and leaves no residue for surface prep or cleaning. 18 oz., 12 per case.

C) **NASHUA® Tapes**, 60 yard roll, 24 rolls per case.
2" Duct Tape
333 High Grade 041260333
398 Utility Grade 041260
396 Economy Grade . 041260396
3" Duct Tape, 16 rolls per case.
398 Utility Grade 041360
2" Double Sided Tape, 25 yards per roll, 24 rolls per case 045225

D) **Handi-Foam® Expanding Sealant.** 0456112
Expanding sealant insulates to F factor of 5 in 1" thickness. Bead applicator 12 oz. can, 12 per case.

E) **Handi-Foam II Expanding Sealant.** 045622
Two component urethane foam chemically bonds. Ideal for larger insulation areas. Yields approximately 12 board feet of insulation, with applicator, 12 kits per case, 24 applicators.

GRAYLING
INDUSTRIES

The Professional's Source For Asbestos Abatement Supplies

1-800-635-1551

1008 Branch Drive • Alpharetta, GA 30201
404-751-9095 FAX 404-751-3710



Mary Pat Schaaf

grayling industries, inc.
1008 branch drive, alpharetta, ga 30201
404/751-9095 800/635-1551

GRAYLING INDUSTRIES

CREDIT APPLICATION

Date:_____

Firm Name:_____ Phone No: (____)_____

Street Address:_____

City:_____ State:_____ Zip:_____

_____Proprietor _____Partnership _____Corporation

Nature of Business:_____ Year Established:_____

Are you a subsidiary of a parent company?_____ If yes, name of parent company:_____

Credit Limit Requested:_____

BILLING ADDRESS

Contact:_____

Street Address:_____

City:_____ State:_____ Zip:_____

NAMES OF OFFICERS, PARTNERS, OR OWNERS

Name	Title
_____	_____
_____	_____
_____	_____
_____	_____

Have any of the officers ever been involved in a forced liquidation or filed a petition for bankruptcy?_____

If yes, give details:_____

_____

BANK INFORMATION

Bank Name:_____ Contact:_____

Address:_____

Phone No: (____)_____ Account No:_____

PLEASE SEE REVERSE SIDE

CREDIT REFERENCES

(Include only those from whom you presently buy on open account)

Name:_____ High Credit Amount:_____

Address:_____ City:_____ State:____ Zip:_____

Phone No: (_____)_____ Contact:_____

Name:_____ High Credit Amount:_____

Address:_____ City:_____ State:____ Zip:_____

Phone No: (_____)_____ Contact:_____

Name:_____ High Credit Amount:_____

Address:_____ City:_____ State:____ Zip:_____

Phone No: (_____)_____ Contact:_____

Name:_____ High Credit Amount:_____

Address:_____ City:_____ State:____ Zip:_____

Phone No: (_____)_____ Contact:_____

Has your company ever been involved in a forced liquidation or filed a petition for bankruptcy?_____

If yes, give details:_____

_____

PLEASE PROVIDE A RECENT CERTIFIED FINANCIAL STATEMENT.

I hereby agree to comply with all terms and conditions governing the extension of credit by Grayling Industries. Compliance with these terms and conditions is a requirement for the extension and continued extension of credit to any person or company.

I understand you will be relying upon the above information as a basis for extending credit and I hereby represent to you that all of the information furnished above is true and correct as of the date hereof. You are authorized to obtain from any references named above such further credit information as you may require concerning the information furnished in this application.

By:_____
(Firm Name)

_____ _____
(Signature) (Title)

Poly Sheeting...

Ve deliver straight talk on Poly heeting while others skirt the issue. oday's industry standard, "poly heating", has slipped to 25% - 30% light, iat means 6 mil could actually be as ght as 4.2 mil. Full gauge poly means ist that, actual mil thickness, roll eight and labeled correctly. Meets overnment standards for asbestos batement projects.


ndustry Standard
mil, 12' x 100' roll, 49 per pallet **0341211**
mil, 20' x 100' roll, 36 per pallet **0342011**
mil, 12' x 100' roll, 42 rolls per pallet **0361211**
mil, 20' x 100' roll, 25 rolls per pallet **0362011**
lack, 6 mil. 20' x 100' roll, 25 rolls per pallet **0362012**
lso available clear or black in 3' to 40' roll widths.

ull Gauge
mil, 20' x 100' rolls, 36 rolls per pallet **034209**
mil, 12' x 100' rolls, 42 rolls per pallet **036129**
mil, 20' x 100' rolls, 25 rolls per pallet **036209**

einforced Poly, maximum strength and tear esistance.
mil, 20' x 100' roll, 16 rolls per pallet **036204**

lame Retardant, tested to E-84 standards.
)' x 100' roll
mil, 36 rolls per pallet **034203**
mil, 25 rolls per pallet **036203**

einforced Flame Retardant 20' x 100' roll
mil, 16 rolls per pallet **036205**



Poly Sheeting & Disposal Bags


Disposal Bags...


olyethylene bags for safe asbestos transport, storage id disposal. Imprinted with OSHA DANGER WARN-NG and D.O.T. label.


lear **30 x 40**, 100 bags per roll **02213040**
lack **30 x 45**, 100 bags per roll..... **02113045**
lear **33 x 50**, 100 bags per case (separate) **02213350**
lack **33 x 50**, 100 bags per roll..... **02113350**
ellow **33 x 50**, 100 bags per roll **02313350**
lack **36 x 60**, 75 bags per roll..... **02113660**
lear **38 x 63**, 75 bags per roll **02213863**
lear **48 x 60**. 50 bags per roll **02214860**
lear **60 x 72**, 50 bags per roll **02216072**

lear **Unprinted 33 x 50**, 100 bags per roll **02203350**

an **Liner**, general purpose garbage can bag 35 gallon apacity, 100 per box..... **022035**







ools &
leaning
upplies

Tools & Accessories...

A) **Scrubber Pads**. 190710
Tough, disposable pads perfect for glovebag jobs, 10 per ctn.

B) **Flexi Wire Saw**
Serrated edge wire saw that is easily maneuvered in glovebags. Available in 24" or 36" lengths. Order by the dozen
24" 071124
36" 071136

C) **Poly Knife**. 0710
Efficiently cuts all types of poly sheeting. Order by the dozen.

D) **Utility Knife** with retractable blade, Order by the dozen 070299

E) **Replacement blades** for poly and utility knife 0710100
5 per pack; 20 packs per box

F) **Nylon Straps**. 071354
Reusable 54" nylon straps. Order by the dozen.

G) **2" Scraper**. 070112
Carbon steel blade and hardwood handle. Order by the dozen.

H) **4" Scraper**. 070114
Carbon steel blade and hardwood handle. Order by the dozen.

I) **Plastic Shovel**, 14", 3 per pack 07048


J) **Long handle scraper**, 5' tall 070126
3 per pack.


K) **Reusable Grommets** Clamps to any sheet material. Order by the dozen 0712516

L) **Swingline Staple Gun**. 0703800

M) **Swingline Hammer Tacker**. 070322

N) **Replacement Staples**, 3/8" 070338
1,000 per box.





Cleaning Supplies...

A) **Grayling All Purpose cleaner**. 190116
One gallon, 4 per case.

B) **Grayling Hair & Body Shampoo**. 190216
PH balanced liquid, 1 gallon, 4 per cs.

C) **Grayling Solvent**. 19105
General degreaser and mastic remover, 5 gal.

D) **Medium Hand Brush**, nylon. 19062

E) **Large Hand Brush**, nylon. 19063

F) **Scrubber Pads**. 190710
Tough disposable pads, perfect for glovebag jobs, 10 per carton.

G) **Wiper Rags**, lint free, 12" x 12" 500 per case. 19081212

H) **Push Broom**, 24" medium bristle 190324
Hand Broom, heavy duty, 12" medium bristle 190412

I) **Wet Rag Mop**, hardwood handle 190599

J) **24" Floor Squeegee**, hardwood handle 190924


K) **Mop Bucket** 190526
Heavy duty polyethylene construction, 6 gallon capacity.


L) **Mop Wringer** 190516
Wringer slips over bucket edge


Electrical...


Portable lighting and power to brighten up the job site.

Quart Stand Lights..... **180325**
Two 500 watt lights mounted on a portable stand.
String Lights..... **1801100**
Ten lights, 100 ft. length
12 gauge Extension Cord Heavy duty with ground.
50 foot..... **1805125**
100 foot..... **18051210**
Ground Fault Interrupter Box, 15 amp., 4 outlets
..... **1804415**
Energizer® Halogen Flashlight..... **18023**
Rugged, waterproof polycarbonate construction.










espiratory
rotection



Respiratory Protection...

Grayling carries a full line of quality respirators and breathing air equipment.

Breathing Air Systems

A) **Advanced® Breathing Air System**
Portable "Type C" breathing air system accommodates up to 12 men.
Includes compressor, aftercooler, auto drains, three stage filtration with element change indicators, air pressure regulator with gauge, carbon monoxide high air temperature and low air pressure continuous monitoring with visible and audible alarms, Grade "D" reserve air switching valve, distribution manifold and NEMA 1 electrical control panel 11511401
BAP 40:
40 CMF, 100 PSI, 10 HP, 208-230V, 60 amp,
56" x 34" x 48", 650 lbs.

B) **Remote Portable Manifold Connection Block**
..... 1151312
Distributes clean air for up to 12 workers.

C) **Advanced® Breathing Air Filter,** BAF100
..... 11512100
The Breathing Air Filtration and Air Quality Monitoring System can be used with any air compressor of suitable capacity and pressure, and will provide a cool, clean supply of Grade "D" breathing air. 100CFM @ 100 PSI, 36" x 36" x 60", 175 lbs. Can also be modified for Cascade System.


D) **Dynamation® Wall Mount Breathing Air Filter**
..... 115215418114
Mount to your compressor for customizing your own Breathing Air System, 100 CFM @ 150 PSI maximum.

Accessories:
Breathing Air Hose, 100 ft., 3/4" 115142100
Breathing Air Hose, 100 ft., 3/8" 115141100
Replacement Filter Elements Kits for
BA40 1151540
BA100 11515100
CO Calibration Kit 11527701
20 ppm CO test gas, tools, and carrying case.

Respirators

E) **3M® White Cap Powered Air Purifier.** 1113205
When coupled with the 7800 Easi-Air™ full face piece respirator, it is suitable for use in asbestos environments requiring protection factors up to 100 XPEL. Audio and visual alarm for limited airflow. Lightweight belt design 56 oz.
Breather Tube 1113213
Connects beltpack to respirator.

F) **3M® 7800 Easi-Air Full Facepiece Respirator,**
rubber 1117800
silicone 1117800S
NIOSH/MSHA certified for use as an air purifying dual cartridge respirator, a Type-C continuous flow supplied air respirator, or a combination mode of air purifying and Type-C continuous flow supplied air. Comfortable fit with speaking diaphragm 21 oz.
3M® 7800 Lens Cover. 1117899100
100 per pack.
3M® Air Regulating Valve Assembly. 1113061
For converting 7800 into a type-C continuous flow respirator.



3M® Half Face Respirator
NIOSH/MSHA certified half face respirators in silicone or rubber are available in three convenient sizes.
Rubber, Small 1117100
Small/Medium 1117200
Medium/Large 1117300
Silicone, Small 1117100S
Small/Medium 1117200S
Medium/Large 1117300S

Survivair® Pressure Demand Supplied Air Respirator. 112981103
NIOSH/MSHA approved with HEPA escape. Silicone construction fits comfortably, high visibility lens.

Survivair® Constant Flow/Supplied Air Respirator 112981203
NIOSH approved with HEPA escape. Silicone construction with speaking diaphragm and high visibility lens.

Survivair® Full Face Respirator. 1124200
NIOSH approved with speaking diaphragm. Durable, comfortable silicone construction assures a good fit.

Survivair® Lens Cover, 25 per pack 112140095

Survivair® Half Face Respirator
Speaking diaphragm allows easy communication. NIOSH approved durable silicone construction. Comes in small, medium or large sizes.
Small 1122100
Medium 1122200
Large 1122300

Survivair® XL30 SCBA (Self Contained Breathing Apparatus) 112984820
MSHA/NIOSH certified. 30 minute SCBA is designed to provide the wearer with a constant flow of oxygen in hazardous atmospheres. Unit may be used for entry into and escape from toxic or oxygen deficient areas. Face mask incorporates same construction as respirators. Audible alarm warns of low cylinder pressure.

3M® HEPA Filter Cartridges,
10 per box, stackable 1117255
120 per box, bulk 1117260

PAPR Hepa Filter, 4 per case 11132104

Organic Vapor Cartridge,
10 per box, stackable 1117251

3M® Cartridge Retainer, HEPA 1117288
Holds filter in place.

Organic Vapor Retainer..... 1117287
For use with all 3M® respirators


Survivair® HEPA Filter Cartridge
6 per box 1121090
Bulk pack (144) 112109044
For use with all Survivair® respirators.

Survivair® Shower Covers, ... 112981176

Mask Cleaner. 112140096
Disinfects. 100 wipes per box.

Fit Test Ampules, 10 per box 112140098

Anti Fog Solution, 1 oz. cont 112951015



Air Sampling...

A) **BGI AFC123 Personal Air Sampler.** 1301123

Lightweight belt clip pump is rechargeable and powers the unit for up to 10 hours. Operates at a flow rate of 1 to 2.3 LPM. Accurately samples asbestos particles using the revised OSHA method.

B) **BGI ASB-11 Asbestos Sampling Pump** **1302**


Monitors high volume of air in short periods of time. 10-24 LPM; critical orifice can be unscrewed and the valve closed to obtain mandated flow rate of 10 LPM. 45 degree cassette position and case mounted monopod mast. 15 lbs. 13" x 8" x 7 1/2"

C) **BGI Rotameter**

Calibrates air sampling pumps. Exceeds government requirements of ± 5% accuracy.
RM65, 0.2-4 LPM **130365**
RM67, 1-20 LPM **130367**

D) **Sampling Cassettes** **130425**

AA filter is approved using the NIOSH method for clarification and determination of asbestos. 25 mm cassette with 2" cowling. 50 per carton.



Asbestos Test Kit...

A) **Asbestest Kit.** **16110**

Self contained portable kit for field and laboratory testing. Easy to use color reaction method screens samples for asbestos presence.

Air Management ...

High Performance Negative Air Machine
.....099911640

85 lb. machine delivers 1640 cfm. Features LED audio and visual warning for filter load up. Flush mounted, easi-clean switch panel. Meets or exceeds all asbestos abatement industry standards, OSHA safety requirements, ANSI construction specifications and all HEPA filter certification standards. Filter is 99.97% efficient to 0.3 microns. 110/115 VAC, 12 amps, 1 HP motor, 14" discharge. 32" x 18" x 28".

Primary Filters

UltraFlow High Capacity HEPA Filter, 99.97% efficient to 0.3 microns, twice the HEPA media results in higher efficiency and lower resistance, aluminum frame, extended life, 18" x 24" x 11½"
.....099921

HEPA Filter, wood frame, 24" x 24" x 12"
.... 09992124


Pleated Secondary Filters
25% - 30% efficient at 0.3 microns.
24" x 24" x 2", 6 per case 09992324
18" x 24" x 2", 6 per case 09992318

Dacron Pre Filters
Arrestance level set by ASHRAE at 300 fpm 85%-90% efficient, at 500 fpm 65%-75% efficient.
20" x 25" x 2", 10 per case 0999222
20" x 24" x ½", 30 per case 09992205
24" x 24" x ½", 30 per case 0999220524

Poly Wire Reinforced Ducting, 25 ft. rolls.
8" 0928500
12" 09212500
14" 09214500

Poly Ducting, 500' rolls.
8" 0918500
12" 09112500
14" 09114500

Manometer Negative Pressure Recorder. ...09320
BGI model 20 monitors low differential pressure continuously for 24 hours. Comes complete with pressure transmitter, strip charge recorder, calibrated directly in inches of water column, alarm and all accessories needed for complete installation. Pressure range: 0-.04, also available in a number of other pressure ranges.





HEPA Vacuums...

Euroclean is one of the most efficient vacuums available in the industry. HEPA filtration that traps 99.97% asbestos dust particles down to 0.3 microns. Durable, easy handling and high capacity are features designed for the asbestos abatement professional.

A) **Euroclean UZ930 HEPA**, 4 gallon, dry **140930**
Lightweight (17.5 lbs.) and power (1 1/8 HP motor) makes this small vacuum a big performer. Durable construction and superior design to ensure long life and ease of use.

B) **UZ930 Carrying Harness**..... **140918900**
permits carrying as a back mounted vacuum.

C) **Euroclean UZ877 HEPA**, 11 gallon, wet-dry
..... **140877**
Dual motors (1.5 HP) deliver two-stage suction (high-speed for regular clean-up, low speed for light work such as glovebag jobs). Powerful vacuum and superb air flow makes quick work of hazardous material clean up. 11 gallon corrosion resistant poly tank provides the capacity to do big clean ups. Equipped with large wheel push cart for easy portability and storage container for tools and accessories. (85" water lift, 105 CFM).

D) **Euroclean UZ878 HEPA**, 15 gallon, wet-dry
..... **140878**
Same head specifications as UZ877 with added capacity and drain valve.

Replacement Paper Bag for UZ930 ..... **140153701**
10 per pack.

Replacement HEPA filter for UZ930 .... **140266601**

Replacement waterproof HEPA filter for UZ877, UZ878 ..... **140660601**

Prefilter UZ877, UZ878 ..... **140457702**
5 per pack.

Poly Bag Liners
For UZ877, 5 per pack **140346501**
For UZ878, 10 per pack **140346502**

WaterWorks™ ...

Grayling's makes decontamination easy with the WaterWorks System™. Our answer to water management is designed to work efficiently as a unit or, WaterWorks™ components can be combined to work effectively with other decon products.

PF35 Water Pumping and Filtration Unit 100035

Completely housed in a rugged, lightweight aluminum cabinet. 35 gpm capacity can easily handle multiple decon shower set-ups or bulk water water processing. Built in Ground Fault Interrupter Circuit protects from electrical shocks. Two stage, poly pleated extended life filter is washable and seamless. Auto priming, built-in liquid filled pressure gauges signal filter changes, clog resistant pump powered by full 1/2 hp motor. 110 VAC, 8.2 amps, 55 lbs.

Liquid Level Sensor. 1001

Adapts to any 110 VAC pump/filtration unit, sets into sump to provide automatic on/off control. Adjusts from 1/2" to 6" liquid depths. Extends both pump and filter life.

Extended Life Poly Pleated Filter for PF-35. More filter surface for extended life and higher efficiency.

5 micron 10005


30 micron 100030

Tankless Water Heater. 102001


Continuous flow, heats 3 gallons per minute at 130 degrees F, 220 VAC, 9-1/2" x 15" x 4-3/4", 7.5 lbs.

New Product Development

Soon to be released WaterWorks™ disposable showers, air locks and clean/dirty rooms are affordable alternatives to cleaning and transporting reusable unit.



SWRf/Asbestos 6851



Sprayers...

A) **16 oz. Trigger Sprayer.** **150416**
Perfect for glovebag use, 12 per case.

B) **Curtis® Dyna Fog Hurricane Fogger.** **1503**
Atomizes air or works as an aerosol spray to wet out ACM. Continuous flow automatically mixes proper ratio of surfactant concentrate and water, eliminating pre-mixing. 1 gallon capacity, 110/130 volts, 6.85 amps, durable construction.

C) **Garden Pump Sprayer.** ... **15023**
3 gallon poly tank, 30" hose, 18" extension.


D) **Wagner® 1250 Classic Airless Sprayer.** **15011250**
Perfect for applying large areas of surfactant or encapsulant. Powerful ½ h.p. motor, 110/120 volts, 15 amps, mounted on portable cart, 3000 p.s.i., 5 gpm capacity. 23" x 19" x 19", 73 lbs.

E) **Wagner® G/10N Airless Spray Gun.** **1501G10N**
All metal construction, dual trigger lock, built in swivel and quick change handle filters.

Titan® Reversible Self Cleaning Tip. **150134**

Titan® Base. **150144**

F) **Wagner® 50' High Pressure Airless Hose, 1.4" I.D** **150125025**



Liquid Control Products...

Grayling's CONTROL™ Series surfactants and encapsulants are the professional's choice for wetting, penetrating, and/or locking down asbestos fibers.

A) **CONTROL™ Series 6000 Penetrating Surfactant**
Formulated to penetrate and wet out a variety of difficult asbestos containing materials. Concentrated 5 gallon containers make 250 to 1,000 gallons of amended water.
5 gallons 06600025
55 gallons 0660255

B) **CONTROL™ Series 2000 Encapsulant for Asbestos.**
Specially formulated to penetrate and form a protective coating over a variety of difficult, asbestos containing materials. Ideal for job preparation and final lock down, phosphorescent additive for black light inspection. Encapsulant is ready to use.
5 gallons 06125
55 gallons 061255


Scaffunnel™ Ceiling Debris System...


Introducing Scaffunnel™, a complete hardware and formed poly chute system for catching, channeling, and bagging ceiling debris. It dramatically reduces labor required for clean-ups while eliminating excessive fiber counts. Scaffunnel™ hardware attaches in minutes onto virtually any scaffold, work stand , or scissor lift; then adjusts from the work platform to accommodate ceilings, tight corners, beams, and suspended pipes.


All Scaffunnel™ hardware is sturdy, corrosion-resistant, and quickly attaches to both round and square frames. The disposable, reinforced-polyethylene chute funnels debris directly into a mobile Transition/Waste Gate unit. The Waste Gate closes off the chute for quick, safe bag or drum collection. When the job is finished, the poly chute is discarded and it's hardware easily packs up and rolls to the next project.

Scaffunnel™ Hardware. **1201**
(attaches to your scaffolding, workstand or scissor lift) weight 170 lbs.


Disposable Poly Chute. **1202**
(specify platform dimensions when ordering, 5 x 7 is standard).











Unconditional Grayling Purchase Guarantee . . .

The Unconditional Grayling Purchase Guarantee is our commitment to you. If any Grayling product does not meet your fullest expectations you'll receive a replacement product or full refund. Grayling is able to offer the strongest guarantee in the industry because our products are the finest in design excellence and quality.

In addition, products manufactured by Grayling are covered by a 120 day limited warranty from material defects and workmanship. And products distributed by Grayling for other manufacturers are covered by their own specific warranties. Grayling will supply customer warranties with applicable products.

GRAYLING
INDUSTRIES

1-800-635-1551

1008 Branch Drive • Alpharetta, GA 30201 • 404-751-9095 • FAX 404-751-3710

SWRf/Asbestos 6854