

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: *[Signature]*
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"
Page 2 of 6
Date 26 March 76
Name Billy D. Ezemore

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
- A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
- A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
- A. Product output
 - B. Employee morale
 - ☒ C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
- ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
- A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
- A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- A. At the breaker box with a lock
 - ☒ B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- ☒ A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:

- ☒ A. Does the next job
- ☐ B. Does reports or similiar paperwork
- ☐ C. Enters the cast warehouse
- ☐ D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the plant?

- ☐ A. Anyone who has driven a fork lift truck before
- ☒ B. A Conoco licensed operator
- ☐ C. An experienced driver who has operated lift trucks for two years
- ☐ D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- ☐ A. 81
- ☐ B. 61
- ☐ C. 62
- ☒ D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- ☐ A. 61
- ☒ B. 62
- ☐ C. 81
- ☐ D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☐ A. 63
- ☐ B. 81
- ☐ C. 62
- ☒ D. 61

17. Who is authorized to perform repair work on respirators?

- ☐ A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- ☐ C. Shift mechanics
- ☐ D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?
- ☒ A. Yes
B. No
19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?
- ☒ A. Yes
B. No
20. When checking out a tank for entry, oxygen indicator should read -
- A. 15% - 20%
B. 20% or above
☒ C. Zero
21. You should never talk to a technician while he/she is operating a laboratory mill.
- ☒ A. True
B. False
22. Who is required to wear fresh air respirators when sampling dry blend blenders?
- A. Resin Technicians
B. Dry Blend Technicians
C. Compound Technicians
☒ D. Anyone sampling
23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?
- A. Resin Technician
☒ B. Resin Technician & Lead Technician
C. Lead Technician
D. Everyone in the laboratory
24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?
- ☒ A. The area where the transportation trailer was located
B. Front maintenance shop
C. Training or old hose finishing area.
D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else




D. Knight

Interoffice Communication

To : G. D. Draper
From : J. V. Uptain
Date : February 10, 1976
Subject : EMPLOYEE TESTING - J. O. BARR ACTION PROGRAM

Attached is a list of general safety questions prepared by Dennis Knight for use by all departments in establishing tests for operators per the J. O. Barr Action Program. These questions should be combined with department-derived questions in establishing the employee tests.


Jerald Uptain
Acting Safety Director

tp

c: All Department Heads
R.A. Darling
D. Knight

EMPLOYEE TESTING

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
 - A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - D. Everyone

8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V. C. Tank farm, and yard areas
 - D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- A. At the breaker box with a lock
 - B. At the start/ stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - E. All area's mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork lift truck before
 - B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - B. 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61

VAB.0001084775

- B. 62
- C. 81
- D. 63

17. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- A. 63
- B. 81
- C. 62
- D. 61

18. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

19. Are all Conoco plant personnel required to participate in the VCM health training ?

- A. Yes
- B. No

20. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?


- A. Yes
- B. No

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: 
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT

EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date 3-29-76
Name Termy Gunning

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
- A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
- A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
- A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
- ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
- A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
- A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similiar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- ☒ A. Anyone who has driven a fork lift truck before
 - B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - ☒ B. 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- ☒ A. 61
 - B. 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- ☒ A. 63
 - B. 81
 - C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- ☒ A. Instrument mechanics only
 - B. Appointed, qualified persons only
 - C. Shift mechanics
 - D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?
- ☒ A. Yes
B. No
19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?
- ☒ A. Yes
B. No
20. When checking out a tank for entry, oxygen indicator should read -
- A. 15% - 20%
B. 20% or above
☒ C. Zero
21. You should never talk to a technician while he/she is operating a laboratory mill.
- ☒ A. True
B. False
22. Who is required to wear fresh air respirators when sampling dry blend blenders?
- A. Resin Technicians
B. Dry Blend Technicians
C. Compound Technicians
☒ D. Anyone sampling
23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?
- ☒ A. Resin Technician
B. Resin Technician & Lead Technician
C. Lead Technician
D. Everyone in the laboratory
24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?
- ☒ A. The area where the transportation trailer was located
B. Front maintenance shop
C. Training or old hose finishing area.
D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Houskeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: [Signature]
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

94

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"
Page 2 of 6
Date 3-26-76
Name Mike Day

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
- A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- ☒ A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:

- ☒ A. Does the next job
B. Does reports or similiar paperwork
C. Enters the cast warehouse
VCM ☒ D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the plant?

- A. Anyone who has driven a fork lift truck before
☒ B. A Conoco licensed operator
C. An experienced driver who has operated lift trucks for two years
D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
☒ B. 61
C. 62
D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61
☒ B. 62
C. 81
D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
B. 81
C. 62
D. 61

17. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
☒ B. Appointed, qualified persons only
C. Shift mechanics
D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?
- ☒ A. Yes
B. No
19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?
- ☒ A. Yes
B. No
20. When checking out a tank for entry, oxygen indicator should read -
- A. 15% - 20%
☒ B. 20% or above
C. Zero
21. You should never talk to a technician while he/she is operating a laboratory mill.
- ☒ A. True
B. False
22. Who is required to wear fresh air respirators when sampling dry blend blenders?
- A. Resin Technicians
B. Dry Blend Technicians
C. Compound Technicians
☒ D. Anyone sampling
23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?
- A. Resin Technician
☒ B. Resin Technician & Lead Technician
C. Lead Technician
D. Everyone in the laboratory
24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?
- ☒ A. The area where the transportation trailer was located
B. Front maintenance shop
C. Training or old hose finishing area.
D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: *[Signature]*
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT

EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6

Date 3-25-76

Name Charles W. Flynn

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
- A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- ☒ A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:
- ☒ A. Does the next job
 - B. Does reports or similiar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork lift truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - ☒ B. 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61
 - ☒ B. 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- ☒ A. 63
 - B. 81
 - C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- A. Instrument mechanics only
 - ☒ B. Appointed, qualified persons only
 - C. Shift mechanics
 - D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?
- ☒ A. Yes
B. No
19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?
- ☒ A. Yes
B. No
20. When checking out a tank for entry, oxygen indicator should read -
- A. 15% - 20%
☒ B. 20% or above
C. Zero
21. You should never talk to a technician while he/she is operating a laboratory mill.
- ☒ A. True
B. False
22. Who is required to wear fresh air respirators when sampling dry blend blenders?
- A. Resin Technicians
B. Dry Blend Technicians
C. Compound Technicians
☒ D. Anyone sampling
23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?
- A. Resin Technician
☒ B. Resin Technician & Lead Technician
C. Lead Technician
D. Everyone in the laboratory
24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?
- ☒ A. The area where the transportation trailer was located
B. Front maintenance shop
C. Training or old hose finishing area.
D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Houskeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: *[Signature]*
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the followings tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

100

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date 3/26/76
Name Tommy Stiles

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - A. His supervisor
 - B. The security guard
 - ☒ C. His lead operator
 - D. The first person he sees after the injury

A or C for the Lab
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
- A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similiar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork lift truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - ☒ B. 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61
 - ☒ B. 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- ☒ A. 63
 - B. 81
 - C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- A. Instrument mechanics only
 - ☒ B. Appointed, qualified persons only
 - C. Shift mechanics
 - D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?
- ☒ A. Yes
B. No
19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?
- ☒ A. Yes
B. No
20. When checking out a tank for entry, oxygen indicator should read -
- A. 15% - 20%
☒ B. 20% or above
C. Zero
21. You should never talk to a technician while he/she is operating a laboratory mill.
- ☒ A. True
B. False
22. Who is required to wear fresh air respirators when sampling dry blend blenders?
- A. Resin Technicians
B. Dry Blend Technicians
☒ C. Compound Technicians
D. Anyone sampling
23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?
- A. Resin Technician
☒ B. Resin Technician & Lead Technician
C. Lead Technician
D. Everyone in the laboratory
24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?
- ☒ A. The area where the transportation trailer was located
B. Front maintenance shop
C. Training or old hose finishing area.
D. Shipping warehouse


25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Houskeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: 
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date 3/26/79
Name Bobby Ham

2
91

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - ☒ C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?

- A. How to produce more product than anyone else
- B. How to try harder
- ☒ C. The correct operating procedures for the job
- D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?

- A. Hourly employees
- B. Salaried employees
- C. Contractors
- ☒ D. Everyone


8. The work permit system is followed in the following areas of the plant:

- A. The vinyl reactor and vinyl dryer areas
- B. Compound, Dry Blend, and P-1 areas
- C. V. C. Tank Farm, and Yard areas
- ☒ D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?

- ☒ A. At the breaker box with a lock
- B. At the start/stop switch with a lock
- C. At the stop/start switch with a tag
- D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?

- ☒ A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - E. All areas mentioned
- 

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:

- A. Friend, if a co-worker
- B. Co-worker, if a friend
- ☒ C. Immediate Supervisor
- D. Security Guard
- E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:
- ☒ A. Does the next job
 - ☐ B. Does reports or similiar paperwork
 - ☐ C. Enters the cast warehouse
 - ☐ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- ☐ A. Anyone who has driven a fork lift truck before
 - ☒ B. A Conoco licensed operator
 - ☐ C. An experienced driver who has operated lift trucks for two years
 - ☐ D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- ☐ A. 81
 - ☒ B. 61
 - ☐ C. 62
 - ☐ D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- ☐ A. 61
 - ☒ B. 62
 - ☐ C. 81
 - ☐ D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- ☒ A. 63
 - ☐ B. 81
 - ☐ C. 62
 - ☐ D. 61
17. Who is authorized to perform repair work on respirators?
- ☐ A. Instrument mechanics only
 - ☒ B. Appointed, qualified persons only
 - ☐ C. Shift mechanics
 - ☐ D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?
- A. ☒ Yes
B. ☐ No
19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?
- A. ☒ Yes
B. ☐ No
20. When checking out a tank for entry, oxygen indicator should read -
- A. 15% - 20%
B. ☒ 20% or above
C. ☐ Zero
21. You should never talk to a technician while he/she is operating a laboratory mill.
- A. ☒ True
B. ☐ False
22. Who is required to wear fresh air respirators when sampling dry blend blenders?
- ~~A. Resin Technicians~~
~~B. Dry Blend Technicians~~
C. Compound Technicians
D. ☒ Anyone sampling
23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?
- A. Resin Technician
B. ☒ Resin Technician & Lead Technician
C. Lead Technician
D. Everyone in the laboratory
24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?
- A. ☒ The area where the transportation trailer was located
B. Front maintenance shop
C. Training or old hose finishing area.
D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: [Signature]
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date 3/26/76
Name J. D. Wells

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:

A or C ok for the lab

 - A. His supervisor
 - B. The security guard
 - ☒ C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
- A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similiar paperwork
 - C. Enters the cast warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork lift truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - ☒ B. 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61
 - ☒ B. 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- ☒ A. 63
 - B. 81
 - C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- A. Instrument mechanics only
 - ☒ B. Appointed, qualified persons only
 - C. Shift mechanics
 - D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. When checking out a tank for entry, oxygen indicator should read -

- ☒ A. 15% - 20%
- B. 20% or above
- C. Zero

21. You should never talk to a technician while he/she is operating a laboratory mill.

- ☒ A. True
- B. False

22. Who is required to wear fresh air respirators when sampling dry blend blenders?

- A. Resin Technicians
- B. Dry Blend Technicians
- C. Compound Technicians
- ☒ D. Anyone sampling

23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?

- A. Resin Technician
- ☒ B. Resin Technician & Lead Technician
- C. Lead Technician
- D. Everyone in the laboratory

24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?

- ☒ A. The area where the transportation trailer was located
- B. Front maintenance shop
- C. Training or old hose finishing area.
- D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- ☒ A. Dust problems
 - ☐ B. Better Housekeeping
 - ☐ C. OSHA requirement due to the exposure of VCM
 - ☐ D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - ☐ B. 10-20 PPM
 - ☐ C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- ☐ A. Tell the personnel on that job about the condition and let them report it.
 - ☐ B. Don't worry about it because it is someone else's department
 - ☐ C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- ☐ A. Your Supervisor
 - ☐ B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- ☐ A. Gloves
 - ☐ B. Goggles or face shield
 - ☐ C. Apron
 - ☒ D. All of the above
 - ☐ E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- ☐ A. Before eating
 - ☐ B. Before going home
 - ☐ C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: *[Signature]*
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date March 29, 1976
Name Reuben J. Bazel

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
- A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
- A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
- A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
- ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
- A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone

8. The work permit system is followed in the following areas of the plant:
 - A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?
 - ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?
 - A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - ☒ D. Designated breakroom area
 - E. All areas mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
 - A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:
- ☒ A. Does the next job
 - ☐ B. Does reports or similiar paperwork
 - ☐ C. Enters the east warehouse
 - ☐ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- ☐ A. Anyone who has driven a fork lift truck before
 - ☒ B. A Conoco licensed operator
 - ☐ C. An experienced driver who has operated lift trucks for two years
 - ☐ D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- ☐ A. 81
 - ☒ B. 61
 - ☐ C. 62
 - ☐ D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- ☐ A. 61
 - ☒ B. 62
 - ☐ C. 81
 - ☐ D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- ☒ A. 63
 - ☐ B. 81
 - ☐ C. 62
 - ☐ D. 61
17. Who is authorized to perform repair work on respirators?
- ☐ A. Instrument mechanics only
 - ☒ B. Appointed, qualified persons only
 - ☐ C. Shift mechanics
 - ☐ D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. When checking out a tank for entry, oxygen indicator should read -

- A. 15% - 20%
- B. 20% or above
- C. Zero

21. You should never talk to a technician while he/she is operating a laboratory mill.

- ☒ A. True
- B. False

22. Who is required to wear fresh air respirators when sampling dry blend blenders?

- A. Resin Technicians
- B. Dry Blend Technicians
- C. Compound Technicians
- ☒ D. Anyone sampling

23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?

- A. Resin Technician
- B. Resin Technician & Lead Technician
- ☒ C. Lead Technician
- D. Everyone in the laboratory

24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?

- ☒ A. The area where the transportation trailer was located
- B. Front maintenance shop
- C. Training or old hose finishing area.
- D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: [Signature]
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT

EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6

Date 3-29-76

Name D. R. F. Farnell

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone

8. The work permit system is followed in the following areas of the plant:
 - A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?
 - ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - ☒ D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?
 - A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
 - A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similiar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- ☒ A. Anyone who has driven a fork lift truck before
 - ☐ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- ☒ A. 81
 - ☐ B. 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- ☒ A. 61
 - ☐ B. 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- ☒ A. 63
 - ☐ B. 81
 - C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- ☒ A. Instrument mechanics only
 - ☐ B. Appointed, qualified persons only
 - C. Shift mechanics
 - D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. When checking out a tank for entry, oxygen indicator should read -

- ☒ A. 15% - 20%
- ☐ B. 20% or above
- C. Zero

21. You should never talk to a technician while he/she is operating a laboratory mill.

- ☒ A. True
- B. False

22. Who is required to wear fresh air respirators when sampling dry blend blenders?

- A. Resin Technicians
- B. Dry Blend Technicians
- C. Compound Technicians
- ☒ D. Anyone sampling

23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?

- ☒ A. Resin Technician
- ☐ B. Resin Technician & Lead Technician
- C. Lead Technician
- D. Everyone in the laboratory

24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?

- ☒ A. The area where the transportation trailer was located
- B. Front maintenance shop
- C. Training or old hose finishing area.
- D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - ☒ C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: *[Signature]*
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.


LABORATORY DEPARTMENT

EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date 3-29-76
Name TALLE

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
- A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
- A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
- ☒ A. Product output
 - ☒ B. Employee morale
 - ☒ C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
- A or C for the Laboratory*
- A. His supervisor
 - B. The security guard
 - ☒ C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
- A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
- A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- ☒ A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
- 

12. A person should always wash his hands after handling any chemicals before he:

- A. Does the next job
- B. Does reports or similiar paperwork
- ☒ C. Enters the east warehouse
- D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the plant?

- ☒ A. Anyone who has driven a fork lift truck before
- B. A Conoco licensed operator
- ☒ C. An experienced driver who has operated lift trucks for two years
- D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61
- ☒ B. 62
- C. 81
- D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- ☒ C. Shift mechanics
- D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?
- ☒ A. Yes
B. No
19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?
- ☒ A. Yes
B. No
20. When checking out a tank for entry, oxygen indicator should read -
- ☒ A. 15% - 20%
☒ B. 20% or above
C. Zero
21. You should never talk to a technician while he/she is operating a laboratory mill.
- ☒ A. True
B. False
22. Who is required to wear fresh air respirators when sampling dry blend blenders?
- A. Resin Technicians
B. Dry Blend Technicians
C. Compound Technicians
☒ D. Anyone sampling
23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?
- A. Resin Technician
☒ B. Resin Technician & Lead Technician
C. Lead Technician
D. Everyone in the laboratory
24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?
- ☒ A. The area where the transportation trailer was located
B. Front maintenance shop
C. Training or old hose finishing area.
D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: *[Signature]*
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT

EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6

Date 3-28-76

Name Jimmy Grace

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
- A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
- A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
- A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
- ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
- A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

A

6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - ☒ C. Contractors
 - D. Everyone

8. The work permit system is followed in the following areas of the plant:
 - A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - ☒ C. V. C. Tank Farm, and Yard areas
 - D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?
 - A. At the breaker box with a lock
 - ☒ B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?
 - A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
 - A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similiar paperwork
 - ☒ C. Enters the east warehouse
 - D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- ☒ A. Anyone who has driven a fork lift truck before
 - B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - B. ☒ 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61
 - B. ☒ 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- A. ☒ 63
 - B. 81
 - C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- A. Instrument mechanics only
 - ☒ B. Appointed, qualified persons only
 - C. Shift mechanics
 - D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. When checking out a tank for entry, oxygen indicator should read -

- ☒ A. 15% - 20%
- ☐ B. 20% or above
- C. Zero

21. You should never talk to a technician while he/she is operating a laboratory mill.

- ☒ A. True
- B. False

22. Who is required to wear fresh air respirators when sampling dry blend blenders?

- A. Resin Technicians
- B. Dry Blend Technicians
- ☒ C. Compound Technicians
- D. Anyone sampling

23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?

- A. Resin Technician
- ☒ B. Resin Technician & Lead Technician
- C. Lead Technician
- D. Everyone in the laboratory

24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?

- ☒ A. The area where the transportation trailer was located
- B. Front maintenance shop
- C. Training or old hose finishing area.
- D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- ☒ A. Dust problems
 - ☐ B. Better Housekeeping
 - ☐ C. OSHA requirement due to the exposure of VCM
 - ☐ D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - ☐ B. 10-20 PPM
 - ☐ C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- ☐ A. Tell the personnel on that job about the condition and let them report it.
 - ☐ B. Don't worry about it because it is someone else's department
 - ☐ C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- ☐ A. Your Supervisor
 - ☐ B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- ☐ A. Gloves
 - ☐ B. Goggles or face shield
 - ☐ C. Apron
 - ☒ D. All of the above
 - ☐ E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- ☐ A. Before eating
 - ☐ B. Before going home
 - ☐ C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: [Signature]
TITLE: Plant Manager

Helen Pruitt


Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"
Page 2 of 6
Date 3/29/76
Name Helen Pruitt

(94)

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - ☒ C. Contractors
 - D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
- A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - ☒ C. V. C. Tank Farm, and Yard areas
 - D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- ☒ A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
- 

12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similiar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork lift truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - ☒ B. 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61
 - ☒ B. 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- ☒ A. 63
 - B. 81
 - C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- A. Instrument mechanics only
 - ☒ B. Appointed, qualified persons only
 - C. Shift mechanics
 - D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?
- ☒ A. Yes
B. No
19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?
- ☒ A. Yes
B. No
20. When checking out a tank for entry, oxygen indicator should read -
- ☒ A. 15% - 20%
B. 20% or above
C. Zero
21. You should never talk to a technician while he/she is operating a laboratory mill.
- ☒ A. True
B. False
22. Who is required to wear fresh air respirators when sampling dry blend blenders?
- A. Resin Technicians
B. Dry Blend Technicians
C. Compound Technicians
☒ D. Anyone sampling
23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?
- A. Resin Technician
☒ B. Resin Technician & Lead Technician
C. Lead Technician
D. Everyone in the laboratory
24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?
- ☒ A. The area where the transportation trailer was located
B. Front maintenance shop
C. Training or old hose finishing area.
D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Houskeeping
 - C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- ☒ A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: [Signature]
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

80

LABORATORY DEPARTMENTEMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date 3-29-76
Name Charles J. [Signature]

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - A. His supervisor
 - B. The security guard
 - C. His lead operator
 - ☒ D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - ☒ C. Contractors
 - D. Everyone

8. The work permit system is followed in the following areas of the plant:
 - A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - ☒ C. V. C. Tank Farm, and Yard areas
 - D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?
 - ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?
 - ☒ A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - E. All areas mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
 - A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similiar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork lift truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- ☒ A. 81
 - B. 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- ☒ A. 61
 - B. 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- A. 63
 - B. 81
 - ☒ C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- A. Instrument mechanics only
 - ☒ B. Appointed, qualified persons only
 - C. Shift mechanics
 - D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
B. No

19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
B. No

20. When checking out a tank for entry, oxygen indicator should read -

- A. 15% - 20%
☒ B. 20% or above
C. Zero

21. You should never talk to a technician while he/she is operating a laboratory mill.

- ☒ A. True
B. False

22. Who is required to wear fresh air respirators when sampling dry blend blenders?

- A. Resin Technicians
B. Dry Blend Technicians
C. Compound Technicians
☒ D. Anyone sampling

23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?

- A. Resin Technician
B. Resin Technician & Lead Technician
☒ C. Lead Technician
D. Everyone in the laboratory

24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?

- ☒ A. The area where the transportation trailer was located
B. Front maintenance shop
C. Training or old hose finishing area.
D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - C. OSHA requirement due to the exposure of VCM
 - ☒ D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

GF

A

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: [Signature]
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

94

LABORATORY DEPARTMENTEMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date 3/28/76
Name GARY PRITCH

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - ☒ B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone

8. The work permit system is followed in the following areas of the plant:
 - A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?
 - ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?
 - ☒ A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - E. All areas mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
 - A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similiar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- ☒ A. Anyone who has driven a fork lift truck before
 - ☐ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- ☒ A. 81
 - ☐ B. 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- ☒ A. 61
 - ☐ B. 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- ☒ A. 63
 - B. 81
 - C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- ☒ A. Instrument mechanics only
 - ☐ B. Appointed, qualified persons only
 - C. Shift mechanics
 - D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. When checking out a tank for entry, oxygen indicator should read -

- ☒ A. 15% - 20%
- ☐ B. 20% or above
- C. Zero

21. You should never talk to a technician while he/she is operating a laboratory mill.

- ☒ A. True
- B. False

22. Who is required to wear fresh air respirators when sampling dry blend blenders?

- A. Resin Technicians
- B. Dry Blend Technicians
- C. Compound Technicians
- ☒ D. Anyone sampling

23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?

- A. Resin Technician
- B. Resin Technician & Lead Technician
- ☒ C. Lead Technician
- D. Everyone in the laboratory

24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?

- ☒ A. The area where the transportation trailer was located
- B. Front maintenance shop
- C. Training or old hose finishing area.
- D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - ☒ C. Report it to the safety department the next day
 - D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: *[Signature]*
TITLE: Plant Manager

Eugene H. DeLamorth


Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"


Page 2 of 6
Date 3-29-76
Name Engineer R. L. Smith

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - A. His supervisor
 - B. The security guard
 - C. His lead operator
 - ☒ D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
- A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - ☒ C. V. C. Tank Farm, and Yard areas
 - D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
- 

12. A person should always wash his hands after handling any chemicals before he:

- ☒ A. Does the next job
- B. Does reports or similiar paperwork
- C. Enters the cast warehouse
- D. Eats or smokes



13. Who is authorized to operate a Fork Lift truck in the plant?

- A. Anyone who has driven a fork lift truck before
- ☒ B. A Conoco licensed operator
- C. An experienced driver who has operated lift trucks for two years
- D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61
- ☒ B. 62
- C. 81
- D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
B. No

19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
B. No

20. When checking out a tank for entry, oxygen indicator should read -

- A. 15% - 20%
☒ B. 20% or above
C. Zero

21. You should never talk to a technician while he/she is operating a laboratory mill.

- ☒ A. True
B. False

22. Who is required to wear fresh air respirators when sampling dry blend blenders?

- A. Resin Technicians
B. Dry Blend Technicians
C. Compound Technicians
☒ D. Anyone sampling

23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?

- A. Resin Technician
B. Resin Technician & Lead Technician
☒ C. Lead Technician
D. Everyone in the laboratory

24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?

- ☒ A. The area where the transportation trailer was located
B. Front maintenance shop
C. Training or old hose finishing area.
D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - ☒ C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: [Signature]
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT

EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date 3-30-76
Name R. Williams

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
- A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
- A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
- A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
- ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
- A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
- A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similiar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork lift truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - ☒ B. 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61
 - ☒ B. 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- ☒ A. 63
 - B. 81
 - C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- A. Instrument mechanics only
 - ☒ B. Appointed, qualified persons only
 - C. Shift mechanics
 - D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?
- ☒ A. Yes
B. No
19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?
- ☒ A. Yes
B. No
20. When checking out a tank for entry, oxygen indicator should read -
- A. 15% - 20%
☒ B. 20% or above
C. Zero
21. You should never talk to a technician while he/she is operating a laboratory mill.
- ☒ A. True
B. False
22. Who is required to wear fresh air respirators when sampling dry blend blenders?
- A. Resin Technicians
B. Dry Blend Technicians
C. Compound Technicians
☒ D. Anyone sampling
23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?
- A. Resin Technician
☒ B. Resin Technician & Lead Technician
C. Lead Technician
D. Everyone in the laboratory
24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?
- ☒ A. The area where the transportation trailer was located
B. Front maintenance shop
C. Training or old hose finishing area.
D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: *[Signature]*
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date 3/30/76
Name Gordon Ostrowski

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
- A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
- A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
- A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
- A. His supervisor
 - B. The security guard
 - ☒ C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
- A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?

- A. How to produce more product than anyone else
- B. How to try harder
- ☒ C. The correct operating procedures for the job
- D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?

- A. Hourly employees
- B. Salaried employees
- C. Contractors
- ☒ D. Everyone

8. The work permit system is followed in the following areas of the plant:

- A. The vinyl reactor and vinyl dryer areas
- B. Compound, Dry Blend, and P-1 areas
- C. V. C. Tank Farm, and Yard areas
- ☒ D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?

- A. At the breaker box with a lock
- ☒ B. At the start/stop switch with a lock
- C. At the stop/start switch with a tag
- D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?

- A. As specified in Department Safety Rules
- B. All office area's
- C. Maintenance Shops
- ☒ D. Designated breakroom area
- E. All areas mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:

- A. Friend, if a co-worker
- B. Co-worker, if a friend
- ☒ C. Immediate Supervisor
- D. Security Guard
- E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:

- A. Does the next job
- B. Does reports or similiar paperwork
- C. Enters the cast warehouse
- ☒ D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the plant?

- ☒ A. Anyone who has driven a fork lift truck before
- ☐ B. A Conoco licensed operator
- C. An experienced driver who has operated lift trucks for two years
- D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?


- A. 61
- ☒ B. 62
- C. 81
- D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- ☒ A. Instrument mechanics only
- ☐ B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?
- A. ☒ Yes
B. ☐ No
19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?
- A. ☒ Yes
B. ☐ No
20. When checking out a tank for entry, oxygen indicator should read -
- A. 15% - 20%
☒ B. 20% or above
C. Zero
21. You should never talk to a technician while he/she is operating a laboratory mill.
- ☒ A. True
B. ☐ False
22. Who is required to wear fresh air respirators when sampling dry blend blenders?
- A. Resin Technicians
B. Dry Blend Technicians
C. Compound Technicians
☒ D. Anyone sampling
23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?
- A. Resin Technician
☒ B. Resin Technician & Lead Technician
C. Lead Technician
D. Everyone in the laboratory
24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?
- A. The area where the transportation trailer was located
☒ B. Front maintenance shop
C. Training or old hose finishing area.
D. Shipping warehouse
- 

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - ☒ B. Better Housekeeping
 - C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - ☒ C. Report it to the safety department the next day
 - D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: [Signature]
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the followings tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"
Page 2 of 6
Date 3-31-76
Name Jimmy ASHLEY

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone

8. The work permit system is followed in the following areas of the plant:
 - A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - ☒ C. V. C. Tank Farm, and Yard areas
 - D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?
 - ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?
 - A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
 - A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor


12. A person should always wash his hands after handling any chemicals before he:

- A. Does the next job
- B. Does reports or similiar paperwork
- ☒ C. Enters the cast warehouse
- D. Eats or smokes


13. Who is authorized to operate a Fork Lift truck in the plant?

- ☒ A. Anyone who has driven a fork lift truck before
- B. A Conoco licensed operator
- C. An experienced driver who has operated lift trucks for two years
- D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
 - B. 61
 - ☒ C. 62
 - D. 63
- 

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- ☒ A. 61
 - B. 62
 - C. 81
 - D. 63
- 

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- ☒ A. Instrument mechanics only
- B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. When checking out a tank for entry, oxygen indicator should read -

- ☒ A. 15% - 20%
- B. 20% or above
- C. Zero

21. You should never talk to a technician while he/she is operating a laboratory mill.

- ☒ A. True
- B. False

22. Who is required to wear fresh air respirators when sampling dry blend blenders?

- A. Resin Technicians
- B. Dry Blend Technicians
- ☒ C. Compound Technicians
- D. Anyone sampling

23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?

- ☒ A. Resin Technician
- B. Resin Technician & Lead Technician
- C. Lead Technician
- D. Everyone in the laboratory

24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?

- ☒ A. The area where the transportation trailer was located
- B. Front maintenance shop
- C. Training or old hose finishing area.
- D. Shipping warehouse


25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - ☒ C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - ☒ C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - ☒ C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: 
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"
Page 2 of 6
Date March 31, 1976
Name Bobby D. Jenkins

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
- A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- ☒ A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

A

12. A person should always wash his hands after handling any chemicals before he:

- A. Does the next job
- B. Does reports or similiar paperwork
- C. Enters the east warehouse
- ☒ D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the plant?

- A. Anyone who has driven a fork lift truck before
- ☒ B. A Conoco licensed operator
- C. An experienced driver who has operated lift trucks for two years
- D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61
- ☒ B. 62
- C. 81
- D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. When checking out a tank for entry, oxygen indicator should read -

- ☒ A. 15% - 20%
- ☐ B. 20% or above
- C. Zero

21. You should never talk to a technician while he/she is operating a laboratory mill.

- ☒ A. True
- B. False

22. Who is required to wear fresh air respirators when sampling dry blend blenders?

- A. Resin Technicians
- B. Dry Blend Technicians
- C. Compound Technicians
- ☒ D. Anyone sampling

23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?

- A. Resin Technician
- ☒ B. Resin Technician & Lead Technician
- C. Lead Technician
- D. Everyone in the laboratory

24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?

- ☒ A. The area where the transportation trailer was located
- B. Front maintenance shop
- C. Training or old hose finishing area.
- D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: [Signature]
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

74

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"
Page 2 of 6
Date 3-31-76
Name Anthony L. Linder

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - A. His supervisor
 - B. The security guard
 - ☒ C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
- A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - ☒ C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- ☒ A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:

- ☒ A. Does the next job
- ☐ B. Does reports or similiar paperwork
- ☐ C. Enters the east warehouse
- ☐ D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the plant?

- ☐ A. Anyone who has driven a fork lift truck before
- ☒ B. A Conoco licensed operator
- ☐ C. An experienced driver who has operated lift trucks for two years
- ☐ D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- B. 61
- ☒ C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. ☒ 61
- B. 62
- C. 81
- D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- A. ☒ 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- B. Appointed, qualified persons only
- ☒ C. Shift mechanics
- ☒ D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
B. No

19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
B. No

20. When checking out a tank for entry, oxygen indicator should read -

- A. 15% - 20%
B. 20% or above
☒ C. Zero

21. You should never talk to a technician while he/she is operating a laboratory mill.

- ☒ A. True
B. False

22. Who is required to wear fresh air respirators when sampling dry blend blenders?

- A. Resin Technicians
B. Dry Blend Technicians
C. Compound Technicians
☒ D. Anyone sampling

23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?

- ☒ A. Resin Technician
B. Resin Technician & Lead Technician
C. Lead Technician
D. Everyone in the laboratory

24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?

- A. The area where the transportation trailer was located
B. Front maintenance shop
☒ C. Training or old hose finishing area.
D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Houskeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- A. 0-10 PPM
 - B. 10-20 PPM
 - ☒ C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - ☒ C. Report it to the safety department the next day
 - D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - ☒ B. The janitor
 - C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: [Signature]
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date _____
Name Raymond Hedges

- 84
1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
 2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
 3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
 4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
 5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?

- A. How to produce more product than anyone else
- B. How to try harder
- ☒ C. The correct operating procedures for the job
- D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?

- A. Hourly employees
- B. Salaried employees
- C. Contractors
- ☒ D. Everyone

8. The work permit system is followed in the following areas of the plant:

- A. The vinyl reactor and vinyl dryer areas
- B. Compound, Dry Blend, and P-1 areas
- C. V. C. Tank Farm, and Yard areas
- ☒ D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?

- A. At the breaker box with a lock
- ☒ B. At the start/stop switch with a lock
- C. At the stop/start switch with a tag
- D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?

- ☒ A. As specified in Department Safety Rules
- B. All office area's
- C. Maintenance Shops
- D. Designated breakroom area
- E. All areas mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:

- A. Friend, if a co-worker
- B. Co-worker, if a friend
- ☒ C. Immediate Supervisor
- D. Security Guard
- E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:

- ☒ A. Does the next job
B. Does reports or similiar paperwork
C. Enters the east warehouse
D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the plant?

- A. Anyone who has driven a fork lift truck before
☒ B. A Conoco licensed operator
C. An experienced driver who has operated lift trucks for two years
D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
☒ B. 61
C. 62
D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61
B. 62
C. 81
☒ D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- A. 63
B. 81
☒ C. 62
D. 61

17. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
☒ B. Appointed, qualified persons only
C. Shift mechanics
D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?
- ☒ A. Yes
B. No
19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?
- ☒ A. Yes
B. No
20. When checking out a tank for entry, oxygen indicator should read -
- A. 15% - 20%
☒ B. 20% or above
C. Zero
21. You should never talk to a technician while he/she is operating a laboratory mill.
- ☒ A. True
B. False
22. Who is required to wear fresh air respirators when sampling dry blend blenders?
- A. Resin Technicians
B. Dry Blend Technicians
☒ C. Compound Technicians
D. Anyone sampling
23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?
- A. Resin Technician
B. Resin Technician & Lead Technician
☒ C. Lead Technician
D. Everyone in the laboratory
24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?
- ☒ A. The area where the transportation trailer was located
B. Front maintenance shop
C. Training or old hose finishing area.
D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: [Signature]
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date 7/1/76
Name C. Outlaw

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?

- A. Visitors
- B. Contractors
- C. Employees
- ☒ D. All of the above

2. Who must abide by department safety rules and regulations while in a given department area in the plant?

- A. Department employees only
- B. Visitors other than contractors
- C. Contractors
- ☒ D. Everyone

3. Good housekeeping results in improvement in:

- A. Product output
- B. Employee morale
- ☒ C. Safety conditions and reduced injuries
- D. Product quality
- E. All of the above

4. A person who has an injury must report the injury to:

- A. His supervisor
- B. The security guard
- ☒ C. His lead operator
- D. The first person he sees after the injury

5. What do you use to wash a respirator?

- A. Wash the respirator with cold water
- B. Wash the respirator with hot, soapy water
- ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
- D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?

- A. How to produce more product than anyone else
- B. How to try harder
- ☒ C. The correct operating procedures for the job
- D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?

- A. Hourly employees
- B. Salaried employees
- C. Contractors
- ☒ D. Everyone

8. The work permit system is followed in the following areas of the plant:

- A. The vinyl reactor and vinyl dryer areas
- B. Compound, Dry Blend, and P-1 areas
- C. V. C. Tank Farm, and Yard areas
- ☒ D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?

- A. At the breaker box with a lock
- B. At the start/stop switch with a lock
- C. At the stop/start switch with a tag
- ☒ D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?

- A. As specified in Department Safety Rules
- B. All office area's
- C. Maintenance Shops
- ☒ D. Designated breakroom area
- E. All areas mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:

- A. Friend, if a co-worker
- B. Co-worker, if a friend
- ☒ C. Immediate Supervisor
- D. Security Guard
- E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similiar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork lift truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - B. ☒ 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61
 - B. ☒ 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- A. ☒ 63
 - B. 81
 - C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- A. Instrument mechanics only
 - B. Appointed, qualified persons only
 - C. Shift mechanics
 - ☒ D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?
- ☒ A. Yes
B. No
19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?
- A. ☒ Yes
B. No
20. When checking out a tank for entry, oxygen indicator should read -
- A. 15% - 20%
☒ B. 20% or above
C. Zero
21. You should never talk to a technician while he/she is operating a laboratory mill.
- ☒ A. True
B. False
22. Who is required to wear fresh air respirators when sampling dry blend blenders?
- A. Resin Technicians
B. Dry Blend Technicians
C. Compound Technicians
☒ D. Anyone sampling
23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?
- A. Resin Technician
B. Resin Technician & Lead Technician
☒ C. Lead Technician
D. Everyone in the laboratory
24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?
- ☒ A. The area where the transportation trailer was located
B. Front maintenance shop
C. Training or old hose finishing area.
D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: [Signature]
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date 4-1-76
Name Terry Crosby

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - ☒ B. The security guard
 - ☒ C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?

- A. How to produce more product than anyone else
- B. How to try harder
- ☒ C. The correct operating procedures for the job
- D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?

- A. Hourly employees
- B. Salaried employees
- C. Contractors
- ☒ D. Everyone

8. The work permit system is followed in the following areas of the plant:

- A. The vinyl reactor and vinyl dryer areas
- B. Compound, Dry Blend, and P-1 areas
- C. V. C. Tank Farm, and Yard areas
- ☒ D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?

- ☒ A. At the breaker box with a lock
- B. At the start/stop switch with a lock
- C. At the stop/start switch with a tag
- D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?

- ☒ A. As specified in Department Safety Rules
- B. All office area's
- C. Maintenance Shops
- D. Designated breakroom area
- E. All areas mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:

- A. Friend, if a co-worker
- B. Co-worker, if a friend
- ☒ C. Immediate Supervisor
- D. Security Guard
- E. Training Supervisor

A

12. A person should always wash his hands after handling any chemicals before he:

- ☒ A. Does the next job
- ☐ B. Does reports or similiar paperwork
- ☐ C. Enters the east warehouse
- ☐ D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the plant?

- ☒ A. Anyone who has driven a fork lift truck before
- ☐ B. A Conoco licensed operator
- ☐ C. An experienced driver who has operated lift trucks for two years
- ☐ D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61
- ☒ B. 62
- C. 81
- D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- ☒ A. Instrument mechanics only
- ☐ B. Appointed, qualified persons only
- ☐ C. Shift mechanics
- ☐ D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. When checking out a tank for entry, oxygen indicator should read -

- ☒ A. 15% - 20%
- ☐ B. 20% or above
- C. Zero

21. You should never talk to a technician while he/she is operating a laboratory mill.

- ☒ A. True
- B. False

22. Who is required to wear fresh air respirators when sampling dry blend blenders?

- A. Resin Technicians
- B. Dry Blend Technicians
- C. Compound Technicians
- ☒ D. Anyone sampling

23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?

- ☒ A. Resin Technician
- ☐ B. Resin Technician & Lead Technician
- C. Lead Technician
- D. Everyone in the laboratory

24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?

- ☒ A. The area where the transportation trailer was located
- B. Front maintenance shop
- C. Training or old hose finishing area.
- D. Shipping warehouse


25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Housekeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - ☒ C. Report it to the safety department the next day
 - D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: 
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

100

LABORATORY DEPARTMENT

EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date 4/1/76
Name J. H. Hartman

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone

8. The work permit system is followed in the following areas of the plant:
 - A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?
 - ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?
 - A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
 - A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similiar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork lift truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - ☒ B. 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61
 - ☒ B. 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- ☒ A. 63
 - B. 81
 - C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- A. Instrument mechanics only
 - ☒ B. Appointed, qualified persons only
 - C. Shift mechanics
 - D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- ☐ B. No

19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- ☐ B. No

20. When checking out a tank for entry, oxygen indicator should read -

- ☐ A. 15% - 20%
- ☒ B. 20% or above
- ☐ C. Zero

21. You should never talk to a technician while he/she is operating a laboratory mill.

- ☒ A. True
- ☐ B. False

22. Who is required to wear fresh air respirators when sampling dry blend blenders?

- ☐ A. Resin Technicians
- ☐ B. Dry Blend Technicians
- ☐ C. Compound Technicians
- ☒ D. Anyone sampling

23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?

- ☐ A. Resin Technician
- ☒ B. Resin Technician & Lead Technician
- ☐ C. Lead Technician
- ☐ D. Everyone in the laboratory

24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?

- ☒ A. The area where the transportation trailer was located
- ☐ B. Front maintenance shop
- ☐ C. Training or old hose finishing area.
- ☐ D. Shipping warehouse


25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - B. Better Houskeeping
 - ☒ C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

CONOCO CHEMICALS ABERDEEN PLANT

SAFETY AND HEALTH MANUAL

SUBJECT:

EMPLOYEE SAFETY TESTING

NO: Lab
EFFECTIVE DATE: 3-12-76
SUPERSEDES: Original
PAGE: 1 of 6
APPROVED BY: 
TITLE: Plant Manager

Each employee is issued a plant booklet entitled "Employee Conduct and Safety Rules" when he is employed and each time this booklet is revised. In order to be sure that our employees know and understand the material in this booklet and the safety requirements in their own specific departments, the following tests are to be administered to all employees. This testing will help pinpoint needed areas for further safety training.

97

LABORATORY DEPARTMENT
EMPLOYEE SAFETY TESTING

Attachment "A"

Page 2 of 6
Date ~~3-31-76~~ 3-31-76
Name Dane Cox

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our Plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed

6. What should an employee know in order to perform a job safely?
- A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log Sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, Dry Blend, and P-1 areas
 - C. V. C. Tank Farm, and Yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similiar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork lift truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - ☒ B. 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61
 - ☒ B. 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- ☒ A. 63
 - B. 81
 - C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- A. Instrument mechanics only
 - ☒ B. Appointed, qualified persons only
 - C. Shift mechanics
 - D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, it is absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. When checking out a tank for entry, oxygen indicator should read -

- A. 15% - 20%
- ☒ B. 20% or above
- C. Zero

21. You should never talk to a technician while he/she is operating a laboratory mill.

- ☒ A. True
- B. False

22. Who is required to wear fresh air respirators when sampling dry blend blenders?

- A. Resin Technicians
- B. Dry Blend Technicians
- C. Compound Technicians
- ☒ D. Anyone sampling

23. In the event of a fire alarm in the plant, who is required to go to the scene from the laboratory?

- A. Resin Technician
- ☒ B. Resin Technician & Lead Technician
- C. Lead Technician
- D. Everyone in the laboratory

24. In the event of an emergency VCM release and the need to evacuate the laboratory, the Laboratory Department assembly location area is?

- ☒ A. The area where the transportation trailer was located
- B. Front maintenance shop
- C. Training or old hose finishing area.
- D. Shipping warehouse

25. All trash, compound and resin containers are required to be covered with a lid because?
- A. Dust problems
 - ☒ B. Better Housekeeping
 - C. OSHA requirement due to the exposure of VCM
 - D. Plant safety rule
26. The scale on the Honeywell unit is calibrated to read from?
- ☒ A. 0-10 PPM
 - B. 10-20 PPM
 - C. 10-15 PPM
27. During the course of your shift you discover that an unsafe condition has developed that could cause injury to someone or damage equipment, the action you should take is?
- A. Tell the personnel on that job about the condition and let them report it.
 - B. Don't worry about it because it is someone else's department
 - C. Report it to the safety department the next day
 - ☒ D. Report it to your supervisor immediately
28. Who is responsible for housekeeping in the laboratory?
- A. Your Supervisor
 - B. The janitor
 - ☒ C. The person doing the work
29. In the handling of strong acid or caustic solutions the following safety equipment must be used?
- A. Gloves
 - B. Goggles or face shield
 - C. Apron
 - ☒ D. All of the above
 - E. None of the above
30. In preparing any solution or compound which contains lead, mercury, or cadmium you should wash any that spilled on you?
- A. Before eating
 - B. Before going home
 - C. Before going to bathroom
 - ☒ D. Before you do anything else

*Walter Morrison*Safety - 3
Yard - 2

EMPLOYEE TESTING
YARD DEPARTMENT

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - ☒ C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area log sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone

VAB.0001084921

8. The work permit system is followed in the following

- A. The vinyl reactor and vinyl dryer areas
- B. Compound, dry blend, and P-1 areas
- C. V. C. Tank farm, and yard areas
- ☒ D. All areas

9. Where and how is electrically driven equipment locked or entry?

- ☒ A. At the breaker box with a lock
- B. At the start/ stop switch with a lock
- C. At the stop/start switch with a tag
- D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?

- A. As specified in Department Safety Rules
- B. All office area's
- C. Maintenance Shops
- D. Designated breakroom area
- ☒ E. All area's mentioned

11. Any person who recognizes an unsafe condition or unsafe immediately report it to his:

- A. Friend, if a co-worker
- B. Co-worker, if a friend
- ☒ C. Immediate Supervisor
- D. Security Guard
- E. Training Supervisor

12. A person should always wash his hands after handling before he:

- A. Does the next job
- B. Does reports or similar paperwork
- C. Enters the east warehouse
- ☒ D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the

- A. Anyone who has driven a fork lift truck before
- ☒ B. A Conoco licensed operator
- C. An experienced driver who has operated lift truck
- D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding alarm?

- ☒ A. 81
- B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding release alarm?

- ☒ A. 61

VAB.0001084922

- ☒ B. 62
C. 81
D. 63

17. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
B. 81
C. 62
D. 61

18. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
B. Appointed, qualified persons only
☒ C. Shift mechanics
D. Shift supervisors

19. Are all Conoco plant personnel required to participate in the VCM health training ?

- ☒ A. Yes
B. No

20. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
B. No

21. There should always be two people working together when switching is done with trackmobile.

- ☒ A. True
B. False

22. Fresh air masks must be worn performing which of the following:

- A. Unloading phthalic
B. Unloading caustic
☒ C. Unloading VCM

23. Non-Conoco truck drivers must follow all of plant safety rules.

- ☒ A. True
B. False

24. When train crew leaves rail track right-of-way, they must wear hard hats and safety glasses.

- ☒ A. True
B. False

25. List safety equipment necessary to unload following:

- A. Phthalic *anhydride* suit & Rubber gloves & face shield
- B. Caustic *sulfate* suit & Rubber gloves & face shield & rubber shoes
- C. Alcohol *Free* shirt & Rubber gloves
- D. VCM - *air mask & gloves*

26. The valve blocks must be used on all silos during winter months.

- ☒ A. True
- B. False

27. It is responsibility of yard operator to double check and be sure storage tank will hold all of product being unloaded.

- ☒ A. True
- B. False

28. There should never be operating personnel on top of the P.A. container when it is being unloaded.

- ☒ A. True
- B. False

29. A yard operator should remove solid P.A. from vent line and then tell supervisor what happened.

- ☒ A. True
- B. False

30. The temperature of molten phthalic anhydride is:

- A. Same as boiling water
- B. Approx. 150° F
- ☒ C. Between 250° and 350° F

31. If a plant evacuation is ordered, our exit point is:

- A. Rail gate
- B. Boiler house gate
- ☒ C. Front gate

32. When the fire alarm is given, the yard operator is to report where?

- ☒ A. Tank farm
- ☐ B. Guard house
- ☐ C. Yard office

33. When vapor release is given, the yard operator is to report to:

- ☒ A. Yard office
- ☒ B. Tank farm
- ☐ C. Guard house

3-10-76

Jimmy Bruu

Safety - 2
yard - 0

EMPLOYEE TESTING
YARD DEPARTMENT

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone

VAB.0001084926

8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V. C. Tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/ stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All area's mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- ☒ A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork lift truck before
 - B. ☒ Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - B. ☒ 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61

- B. 62
- C. 81
- D. 63

17. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- A. 62
- B. 81
- C. 62
- D. 61

18. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

19. Are all Conoco plant personnel required to participate in the VCM health training ?

- A. Yes
- B. No

20. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- A. Yes
- B. No

21. There should always be two people working together when switching is done with trackmobile.

- A. True
- B. False

22. Fresh air masks must be worn performing which of the following:

- A. Unloading phthalic
- B. Unloading caustic
- C. Unloading VCM

23. Non-Conoco truck drivers must follow all of plant safety rules.

- A. True
- B. False

24. When train crew leaves rail track right-of-way, they must wear hard hats and safety glasses.

- A. True
- B. False

25. List safety equipment necessary to unload following:

- A. Phthalic - *long sleeves, gloves + face shield*
- B. Caustic - *slicker suit, face shield + rubber gloves*
- C. Alcohol - *gloves*
- D. VCM - *fresh air mask, rubber gloves + disposable coveralls*

26. The valve blocks must be used on all silos during winter months.

- ☒ A. True
- B. False

27. It is responsibility of yard operator to double check and be sure storage tank will hold all of product being unloaded.

- ☒ A. True
- B. False

28. There should never be operating personnel on top of the P.A. container when it is being unloaded.

- ☒ A. True
- B. False

29. A yard operator should remove solid P.A. from vent line and then tell supervisor what happened.

- A. True
- ☒ B. False

30. The temperature of molten phthalic anhydride is:

- A. Same as boiling water
- B. Approx. 150° F
- ☒ C. Between 250° and 350° F

31. If a plant evacuation is ordered, our exit point is:

- A. Rail gate
- B. Boiler house gate
- ☒ C. Front gate

32. When the fire alarm is given, the yard operator is to report where?

- ☒ A. Tank farm
- B. Guard house
- C. Yard office

33. When vapor release is given, the yard operator is to report to:

- A. Yard office
- ☒ B. Tank farm
- C. Guard house

5-10-76
Tom Bales

Mixed - 0

EMPLOYEE TESTING
YARD DEPARTMENT

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone

8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V. C. Tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/ stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All area's mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork lift truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - ☒ B. 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61

- ☒ B. 62
- C. 81
- D. 63

17. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

18. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

19. Are all Conoco plant personnel required to participate in the VCM health training ?

- ☒ A. Yes
- B. No

20. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

21. There should always be two people working together when switching is done with trackmobile.

- ☒ A. True
- B. False

22. Fresh air masks must be worn performing which of the following:

- A. Unloading phthalic
- B. Unloading caustic
- ☒ C. Unloading VCM

23. Non-Conoco truck drivers must follow all of plant safety rules.

- ☒ A. True
- B. False

24. When train crew leaves rail track right-of-way, they must wear hard hats and safety glasses.

- ☒ A. True
- B. False

25. List safety equipment necessary to unload following:

- A. Phthalic - RUBBER SUIT, RUBBER BOOTS, GLOVES, SAFETY GLASSES
+ FACE SHIELD. HARD HAT.
- B. Caustic - RUBBER SUIT, RUBBER BOOTS, RUBBER GLOVES, SAFETY GLASSES
+ FACE SHIELD. + HARD HAT.
- C. Alcohol SAFETY GLASSES + HARD HAT + RUBBER GLOVES
- D. VCM FRESH AIR MASK - GLOVES - HARD HAT - COVERALLS

26. The valve blocks must be used on all silos during winter months.

- ☒ A. True
- B. False

27. It is responsibility of yard operator to double check and be sure storage tank will hold all of product being unloaded.

- ☒ A. True
- B. False

28. There should never be operating personnel on top of the P.A. container when it is being unloaded.

- ☒ A. True
- B. False

29. A yard operator should remove solid P.A. from vent line and then tell supervisor what happened.

- A. True
- ☒ B. False

30. The temperature of molten phthalic anhydride is:

- A. Same as boiling water
- B. Approx. 150° F
- ☒ C. Between 250° and 350° F

31. If a plant evacuation is ordered, our exit point is:

- A. Rail gate
- B. Boiler house gate
- ☒ C. Front gate

32. When the fire alarm is given, the yard operator is to report where?

- ☒ A. Tank farm
- B. Guard house
- C. Yard office

33. When vapor release is given, the yard operator is to report to:

- A. Yard office
- ☒ B. Tank farm
- C. Guard house

ROY ROY
Safety - missed 1
Yard - missed 3

EMPLOYEE TESTING
YARD DEPARTMENT

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone

VAB.0001084936

8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V. C. Tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/ stop switch with a lock
 - C. At the stop/start switch with a tag
 - ☒ D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All area's mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork lift truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - ☒ B. 61
 - ☒ C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61

- ☒ 62
C. 81
D. 63

17. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ 63
B. 81
C. 62
D. 61

18. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
B. Appointed, qualified persons only
C. Shift mechanics
☒ D. Shift supervisors

19. Are all Conoco plant personnel required to participate in the VCM health training ?

- ☒ A. Yes
B. No

20. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
B. No

21. There should always be two people working together when switching is done with trackmobile.

- ☒ A. True
B. False

22. Fresh air masks must be worn performing which of the following:

- A. Unloading phthalic
B. Unloading caustic
☒ C. Unloading VCM

23. Non-Conoco truck drivers must follow all of plant safety rules.

- ☒ A. True
☒ B. False

24. When train crew leaves rail track right-of-way, they must wear hard hats and safety glasses.

- ☒ A. True
B. False

25. List safety equipment necessary to unload following:

A. Phthalic

B. Caustic

C. Alcohol

D. VCM

~~RAIN SUIT~~ SUIT HARD HAT
SAFETY SHOES
RUBBER GLOVES

26. The valve blocks must be used on all silos during winter months.

☒ A. True

B. False

27. It is responsibility of yard operator to double check and be sure storage tank will hold all of product being unloaded.

☒ A. True

☐ B. False

28. There should never be operating personnel on top of the P.A. container when it is being unloaded.

☒ A. True

B. False

29. A yard operator should remove solid P.A. from vent line and then tell supervisor what happened.

☒ A. True

B. False

30. The temperature of molten phthalic anhydride is:

A. Same as boiling water

B. Approx. 150° F

☒ C. Between 250° and 350° F

31. If a plant evacuation is ordered, our exit point is:

A. Rail gate


B. Boiler house gate

☒ C. Front gate

32. When the fire alarm is given, the yard operator is to report where?

- ☒ A. Tank farm
- B. Guard house
- C. Yard office

33. When vapor release is given, the yard operator is to report to:

- 
- A. Yard office
 - B. Tank farm
 - ☒ C. Guard house

3-10-76

EMPLOYEE TESTING
YARD DEPARTMENT

Elton O'Malley
Safety - 1
yard - 1

1. What people must abide by the Ceneco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - ☒ C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone

VAB.0001084941

8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V. C. Tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/ stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All area's mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork lift truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so
14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - ☒ B. 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- ☒ A. 61

- B. 62
- C. 81
- D. 63

17. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

18. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

19. Are all Conoco plant personnel required to participate in the VCM health training ?

- ☒ A. Yes
- B. No

20. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

21. There should always be two people working together when switching is done with trackmobile.

- ☒ A. True
- B. False

22. Fresh air masks must be worn performing which of the following:

- A. Unloading phthalic
- B. Unloading caustic
- ☒ C. Unloading VCM

23. Non-Conoco truck drivers must follow all of plant safety rules.

- ☒ A. True
- B. False

24. When train crew leaves rail track right-of-way, they must wear hard hats and safety glasses.

- ☒ A. True
- B. False

25. List safety equipment necessary to unload following:

- A. Phthalic *LONG SLEEVES AND FACE SHIELD*
- B. Caustic *SLEEKER SUIT AND FACE SHIELD*
- C. Alcohol *GLOVES*
- D. VCM *FRESH AIR MASK*

26. The valve blocks must be used on all silos during winter months.

- ☒ A. True
- B. False

27. It is responsibility of yard operator to double check and be sure storage tank will hold all of product being unloaded.

- A. True
- ☒ B. False

28. There should never be operating personnel on top of the P.A. container when it is being unloaded.

- ☒ A. True
- B. False

29. A yard operator should remove solid P.A. from vent line and then tell supervisor what happened.

- A. True
- ☒ B. False

30. The temperature of molten phthalic anhydride is:

- A. Same as boiling water
- B. Approx. 150° F
- ☒ C. Between 250° and 350° F

31. If a plant evacuation is ordered, our exit point is:

- A. Rail gate
- B. Boiler house gate
- ☒ C. Front gate

32. When the fire alarm is given, the yard operator is to report where?

- ☒ A. Tank farm
- B. Guard house
- C. Yard office

33. When vapor release is given, the yard operator is to report to:

- A. Yard office
- ☒ B. Tank farm
- C. Guard house

Bernard H. Smith

SAFETY - 5
DEPT - 1

EMPLOYEE TESTING
SERVICE WAREHOUSE

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - ☒ A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone

VAB.0001084946

A

8. The work permit system is followed in the following areas of the plant:

- A. The vinyl reactor and vinyl dryer areas
- B. Compound, dry blend, and P-1 areas
- C. V. C. Tank farm, and yard areas
- ☒ D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?

- ☒ A. At the breaker box with a lock
- B. At the start/ stop switch with a lock
- C. At the stop/start switch with a tag
- D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?

- ☒ A. As specified in Department Safety Rules
- B. All office area's
- C. Maintenance Shops
- D. Designated breakroom area
- E. All area's mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:

- A. Friend, if a co-worker
- B. Co-worker, if a friend
- ☒ C. Immediate Supervisor
- D. Security Guard
- E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:

- ☒ A. Does the next job
- B. Does reports or similar paperwork
- C. Enters the east warehouse
- D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the plant?

- A. Anyone who has driven a fork lift truck before
- ☒ B. A Conoco licensed operator
- C. An experienced driver who has operated lift trucks for two years
- D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61

VAB.0001084947

- ☒ B. 62
- C. 81
- D. 63

17. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

18. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- B. Appointed, qualified persons only
- C. Shift mechanics
- ☒ D. Shift supervisors

19. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

20. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

21. When fire alarm sounds, we assemble where?

- A. Main break area
- B. Receiving office
- ☒ C. Maintenance shop

22. Where is our evacuation point when the order is given for plant evacuation?

- A. Rail gate area
- B. Shipping warehouse
- ☒ C. Main front gate

23. It is the responsibility of the fork truck driver to check for trailer wheel chocks before entering the trailer.

- ☒ A. True
- B. False

24. When you are loading a drive-in storage rack, you always work from ground upward.

- ☒ A. True
- B. False

25. When unloading a drive-in storage rack, you always work from ground upward.

- A. True
- B. False

26. A fork truck driver always has right-of-way.

- A. True
- B. False

27. When does fork truck driver sound his horn?

- A. When approaching personnel walkway
- B. When turning corners
- C. When approaching swinging doors at lab
- D. All of above

28. It is responsibility of the individual to have safety glasses, hard hat, safety shoes and gloves in all areas except where so stated in the Employee Conduct and Safety Rules.

- A. True
- B. False

29. It is responsibility of service dept. to keep all raw material warehouse locked except when material is being removed.

- A. True
- B. False

30. When using the personnel cage to lift another person, it must be bolted to forks of fork truck.

- A. When over 10 feet high
- B. When person and cage weighs 400 lbs.
- C. Anytime it is used

L.T. Mathews

SHEET - 6
DEPT - 2

EMPLOYEE TESTING
SERVICE WAREHOUSE

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - ☒ D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His supervisor
 - B. The security guard
 - C. His lead operator
 - ☒ D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - C. The correct operating procedures for the job
 - ☒ D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - ☒ C. Contractors
 - ☒ D. Everyone

VAB.0001084950

8. The work permit system is followed in the following areas of the plant:

- A. The vinyl reactor and vinyl dryer areas
- B. Compound, dry blend, and P-1 areas
- C. V. C. Tank farm, and yard areas
- ☒ D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?

- ☒ A. At the breaker box with a lock
- B. At the start/ stop switch with a lock
- C. At the stop/start switch with a tag
- D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?

- A. As specified in Department Safety Rules
- B. All office area's
- C. Maintenance Shops
- ☒ D. Designated breakroom area
- E. All area's mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:

- A. Friend, if a co-worker
- B. Co-worker, if a friend
- C. Immediate Supervisor
- ☒ D. Security Guard
- E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:

- A. Does the next job
- B. Does reports or similar paperwork
- C. Enters the east warehouse
- ☒ D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the plant?

- ☒ A. Anyone who has driven a fork lift truck before
- B. A Conoco licensed operator
- C. An experienced driver who has operated lift trucks for two years
- D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- ☒ A. 81
- B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61

- ☒ B. 62
- C. 81
- D. 63

17. What is the correct plant phone number to give the all-clear signal after a VCM emergency, or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

18. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- B. Appointed, qualified persons only
- C. Shift mechanics
- ☒ D. Shift supervisors

19. Are all Conoco plant personnel required to participate in the VCM health training ?

- ☒ A. Yes
- B. No

20. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

21. When fire alarm sounds, we assemble where?

- A. Main break area
- B. Receiving office
- ☒ C. Maintenance shop

22. Where is our evacuation point when the order is given for plant evacuation?

- A. Rail gate area
- B. Shipping warehouse
- ☒ C. Main front gate

23. It is the responsibility of the fork truck driver to check for trailer wheel chocks before entering the trailer.

- A. True
- ☒ B. False

24. When you are loading a drive-in storage rack, you always work from ground upward.

- ☒ A. True
- B. False

25. When unloading a drive-in storage rack, you always work from ground upward.

- ☒ A. True
- ☐ B. False

26. A fork truck driver always has right-of-way.

- ☒ A. True
- ☐ B. False

27. When does fork truck driver sound his horn?

- A. When approaching personnel walkway
- B. When turning corners
- C. When approaching swinging doors at lab
- ☒ D. All of above

28. It is responsibility of the individual to have safety glasses, hard hat, safety shoes and gloves in all areas except where so stated in the Employee Conduct and Safety Rules.

- ☒ A. True
- ☐ B. False

29. It is responsibility of service dept. to keep all raw material warehouse locked except when material is being removed.

- ☒ A. True
- ☐ B. False

30. When using the personnel cage to lift another person, it must be bolted to forks of fork truck.

- A. When over 10 feet high
- B. When person and cage weighs 400 lbs.
- ☒ C. Anytime it is used

Kandy J. Patterson

SAFETY - 1
DEPT - 0

EMPLOYEE TESTING
SERVICE WAREHOUSE

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - A. His supervisor
 - B. The security guard
 - C. His lead operator
 - ☒ D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone

VAB.0001084954

8. The work permit system is followed in the following areas of the plant:

- A. The vinyl reactor and vinyl dryer areas
- B. Compound, dry blend, and P-1 areas
- C. V. C. Tank farm, and yard areas
- ☒ D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?

- ☒ A. At the breaker box with a lock
- B. At the start/ stop switch with a lock
- C. At the stop/start switch with a tag
- D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?

- A. As specified in Department Safety Rules
- B. All office area's
- C. Maintenance Shops
- D. Designated breakroom area
- ☒ E. All area's mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:

- A. Friend, if a co-worker
- B. Co-worker, if a friend
- ☒ C. Immediate Supervisor
- D. Security Guard
- E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:

- A. Does the next job
- B. Does reports or similar paperwork
- C. Enters the east warehouse
- ☒ D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the plant?

- A. Anyone who has driven a fork lift truck before
- ☒ B. A Conoco licensed operator
- C. An experienced driver who has operated lift trucks for two years
- D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61

- ☒ B. 62
- C. 81
- D. 63

17. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

18. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

19. Are all Conoco plant personnel required to participate in the VCM health training ?

- ☒ A. Yes
- B. No

20. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- A. Yes
- ☒ B. No

21. When fire alarm sounds, we assemble where?

- A. Main break area
- B. Receiving office
- ☒ C. Maintenance shop

22. Where is our evacuation point when the order is given for plant evacuation?

- A. Rail gate area
- B. Shipping warehouse
- ☒ C. Main front gate

23. It is the responsibility of the fork truck driver to check for trailer wheel chocks before entering the trailer.

- ☒ A. True
- B. False

24. When you are loading a drive-in storage rack, you always work from ground upward.

- ☒ A. True
- B. False

25. When unloading a drive-in storage rack, you always work from ground upward.

- A. True
- ☒ B. False

26. A fork truck driver always has right-of-way.

- A. True
- ☒ B. False

27. When does fork truck driver sound his horn?

- A. When approaching personnel walkway
- B. When turning corners
- C. When approaching swinging doors at lab
- ☒ D. All of above

28. It is responsibility of the individual to have safety glasses, hard hat, safety shoes and gloves in all areas except where so stated in the Employee Conduct and Safety Rules.

- ☒ A. True
- B. False

29. It is responsibility of service dept. to keep all raw material warehouse locked except when material is being removed.

- ☒ A. True
- B. False

30. When using the personnel cage to lift another person, it must be bolted to forks of fork truck.

- A. When over 10 feet high
- B. When person and cage weighs 400 lbs.
- ☒ C. Anytime it is used

E. Cwings
mixed 0 - Safety
mixed 0 - Dept.

EMPLOYEE TESTING
SERVICE WAREHOUSE

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - A. His supervisor
 - B. The security guard
 - C. His lead operator
 - ☒ D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems
7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
 - A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone

VAB.0001084958

8. The work permit system is followed in the following areas of the plant:

- A. The vinyl reactor and vinyl dryer areas
- B. Compound, dry blend, and P-1 areas
- C. V. C. Tank farm, and yard areas
- ☒ D. All areas

9. Where and how is electrically driven equipment locked out for repair or entry?

- ☒ A. At the breaker box with a lock
- B. At the start/ stop switch with a lock
- C. At the stop/start switch with a tag
- D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?

- A. As specified in Department Safety Rules
- B. All office area's
- C. Maintenance Shops
- D. Designated breakroom area
- ☒ E. All area's mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:

- A. Friend, if a co-worker
- B. Co-worker, if a friend
- ☒ C. Immediate Supervisor
- D. Security Guard
- E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:

- A. Does the next job
- B. Does reports or similar paperwork
- C. Enters the east warehouse
- ☒ D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the plant?

- A. Anyone who has driven a fork lift truck before
- ☒ B. A Conoco licensed operator
- C. An experienced driver who has operated lift trucks for two years
- D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61

- B. 62
C. 81
D. 63

17. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- A. 63
B. 81
C. 62
D. 61

18. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
B. Appointed, qualified persons only
C. Shift mechanics
D. Shift supervisors

19. Are all Conoco plant personnel required to participate in the VCM health training ?

- A. Yes
B. No

20. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- A. Yes
B. No

21. When fire alarm sounds, we assemble where?

- A. Main break area
B. Receiving office
C. Maintenance shop

22. Where is our evacuation point when the order is given for plant evacuation?

- A. Rail gate area
B. Shipping warehouse
C. Main front gate

23. It is the responsibility of the fork truck driver to check for trailer wheel chocks before entering the trailer.

- A. True
B. False

24. When you are loading a drive-in storage rack, you always work from ground upward.

- A. True
B. False

25. When unloading a drive-in storage rack, you always work from ground upward.

- ☐ A. True
- ☒ B. False

26. A fork truck driver always has right-of-way.

- ☐ A. True
- ☒ B. False

27. When does fork truck driver sound his horn?

- ☐ A. When approaching personnel walkway
- ☐ B. When turning corners
- ☐ C. When approaching swinging doors at lab
- ☒ D. All of above

28. It is responsibility of the individual to have safety glasses, hard hat, safety shoes and gloves in all areas except where so stated in the Employee Conduct and Safety Rules.

- ☒ A. True
- ☐ B. False

29. It is responsibility of service dept. to keep all raw material warehouse locked except when material is being removed.

- ☒ A. True
- ☐ B. False

30. When using the personnel cage to lift another person, it must be bolted to forks of fork truck.

- ☐ A. When over 10 feet high
- ☐ B. When person and cage weighs 400 lbs.
- ☒ C. Anytime it is used

VINYL DRYER DEPARTMENT

R.C. Tower

EMPLOYEE SAFETY TRAINING

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - ☒ C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His Supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?

- A. Hourly employees
- B. Salaried employees
- C. Contractors
- ☒ D. Everyone

8. The work permit system is followed in the following areas of the plant:

- A. The vinyl reactor and vinyl dryer areas
- B. Compound, dry blend, and P-1 areas
- C. V.C. tank farm, and yard areas
- ☒ D. All areas

9. Where and how is electrically driven equipment locked-out for repair or entry?

- ☒ A. At the breaker box with a lock
- B. At the start/stop switch with a lock
- C. At the stop/start switch with a tag
- D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?

- A. As specified in Department Safety Rules
- B. All office area's
- C. Maintenance Shops
- ☒ D. Designated breakroom area
- E. All areas mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:

- A. Friend, if a co-worker
- B. Co-worker, if a friend
- ☒ C. Immediate Supervisor
- D. Security Guard
- E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:

- A. Does the next job
- B. Does reports or similar paperwork
- C. Enters the east warehouse
- ☒ D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the plant?

- A. Anyone who has driven a fork truck before
- ☒ B. A Conoco licensed operator
- C. An experienced driver who has operated lift trucks for two years
- D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61
- ☒ B. 62
- C. 81
- D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. Which of the following equipment require a continuous flow fresh air mask for entry?

- A. Dryer Inlet -
- B. Dryer Outlet
- ☒ C. Day Collector

21. A manhole watch is required to enter the V-10 activator pit.

- ~~A. Yes~~
- ☒ B. No

22. A safety line and harness must be worn when entering:

- A. V-10 activator pit
- ☒ B. Dryer burner and inlet duct
- C. Day Collector

23. Gloves must be worn when:

- A. Opening bag boxes
- B. Cleaning dryers
- C. Bagging Resin
- ☒ D. All of the above

24. ~~Ear~~ protection must be worn on Bird deck when in this areas for more than 30 minutes.

- ☒ A. Yes
- B. No

25. The east end of V-11 Dryer room is the primary evacuation area for the Vinyl Department.

- ☒ A. Yes
- B. No

26. There are how many Scott Air Paks in the V-11 Dryer area?

- ☒ A. 4
- B. 1
- C. 3

27. The following people are responsible for housekeeping in the Dryer Areas:

- A. Utilities
- B. Dryer "A" Operator
- C. Dryer Lead Operator
- ☒ D. All of the above

28. All Dryer Personnel are authorized to drive the fork truck assigned to the Dryer Department.

- A. Yes
- ☒ B. No

29. Dryer Personnel are permitted to use air hose without safe-to-blow nozzles for personal cleaning.

- A. Yes
- ☒ B. No

VINYL DRYER DEPARTMENT

F. D. Sims

EMPLOYEE SAFETY TRAINING

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - ☒ A. Product output
 - ☒ B. Employee morale
 - ☒ C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His Supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V.C. tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked-out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- ~~A. As specified in Department Safety Rules~~
 - ~~B. All office area's~~
 - ~~C. Maintenance Shops~~
 - ☒ D. Designated breakroom area
 - E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61
- ☒ B. 62
- C. 81
- D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. Which of the following equipment require a continuous flow fresh air mask for entry?

- A. Dryer Inlet -
- B. Dryer Outlet
- ☒ C. Day Collector

21. A manhole watch is required to enter the V-10 activator pit.

- ☒ A. Yes
- B. No

22. A safety line and harness must be worn when entering:

- A. V-10 activator pit
- ☒ B. Dryer burner and inlet duct
- C. Day Collector

23. Gloves must be worn when:

- A. Opening bag boxes
- B. Cleaning dryers
- C. Bagging Resin
- ☒ D. All of the above

24. Ear protection must be worn on Bird deck when in this areas for more than 30 minutes.

- ☒ A. Yes
- B. No

25. The east end of V-11 Dryer room is the primary evacuation area for the Vinyl Department.

- ☒ A. Yes
- B. No

26. There are how many Scott Air Paks in the V-11 Dryer area?

- ☒ A. 4
- B. 1
- C. 3

27. The following people are responsible for housekeeping in the Dryer Areas:

- A. Utilities
- B. Dryer "A" Operator
- C. Dryer Lead Operator
- ☒ D. All of the above

28. All Dryer Personnel are authorized to drive the fork truck assigned to the Dryer Department.

- A. Yes
- ☒ B. No

29. Dryer Personnel are permitted to use air hose without safe-to-blow nozzles for personal cleaning.

- A. Yes
- ☒ B. No

JB 89

VINYL DRYER DEPARTMENT

F. Franks

EMPLOYEE SAFETY TRAINING

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - ☒ A. Product output
 - B. Employee morale
 - ☒ C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His Supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V.C. tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked-out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- ☒ A. Anyone who has driven a fork truck before
 - B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61
- ☒ B. 62
- C. 81
- D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- A. ☒ Yes
- B. No

19. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. Which of the following equipment require a continuous flow fresh air mask for entry?

- A. Dryer Inlet -
- B. Dryer Outlet
- ☒ C. Day Collector

21. A manhole watch is required to enter the V-10 activator pit.

- ~~A. Yes~~
- ☒ B. No

22. A safety line and harness must be worn when entering:

- A. V-10 activator pit
- ☒ B. Dryer burner and inlet duct
- C. Day Collector

23. Gloves must be worn when:

- A. Opening bag boxes
- B. Cleaning dryers
- C. Bagging Resin
- ☒ D. All of the above

24. Ear protection must be worn on Bird deck when in this areas for more than 30 minutes.

- ☒ A. Yes
- ☐ B. No

25. The east end of V-11 Dryer room is the primary evacuation area for the Vinyl Department.

- ☒ A. Yes
- ☐ B. No

26. There are how many Scott Air Paks in the V-11 Dryer area?

- A. 4
- B. 1
- ☒ C. 3

27. The following people are responsible for housekeeping in the Dryer Areas:

- A. Utilities
- B. Dryer "A" Operator
- C. Dryer Lead Operator
- ☒ D. All of the above

28. All Dryer Personnel are authorized to drive the fork truck assigned to the Dryer Department.

- A. Yes
- ☒ B. No

29. Dryer Personnel are permitted to use air hose without safe-to-blow nozzles for personal cleaning.

- A. Yes
- ☒ B. No

 89

VINYL DRYER DEPARTMENT

J. Childers

EMPLOYEE SAFETY TRAINING

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - ☒ A. Product output
 - B. Employee morale
 - ☒ C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His Supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?

- A. Hourly employees
- B. Salaried employees
- C. Contractors
- ☒ D. Everyone

8. The work permit system is followed in the following areas of the plant:

- A. The vinyl reactor and vinyl dryer areas
- B. Compound, dry blend, and P-1 areas
- C. V.C. tank farm, and yard areas
- ☒ D. All areas

9. Where and how is electrically driven equipment locked-out for repair or entry?

- ☒ A. At the breaker box with a lock
- ☒ B. At the start/stop switch with a lock
- C. At the stop/start switch with a tag
- D. At the stop/start switch with a special pin only

10. Employee smoking is permitted only in what areas?

- A. As specified in Department Safety Rules
- ☒ B. All office area's
- C. Maintenance Shops
- ☒ D. Designated breakroom area
- E. All areas mentioned

11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:

- A. Friend, if a co-worker
- B. Co-worker, if a friend
- ☒ C. Immediate Supervisor
- D. Security Guard
- E. Training Supervisor

12. A person should always wash his hands after handling any chemicals before he:

- A. Does the next job
- B. Does reports or similar paperwork
- C. Enters the east warehouse
- ☒ D. Eats or smokes

13. Who is authorized to operate a Fork Lift truck in the plant?

- A. Anyone who has driven a fork truck before
- ☒ B. A Conoco licensed operator
- C. An experienced driver who has operated lift trucks for two years
- D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- ☐ A. 81
- ☒ B. 61
- ☐ C. 62
- ☐ D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- ☐ A. 61
- ☒ B. 62
- ☐ C. 81
- ☐ D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- ☐ B. 81
- ☐ C. 62
- ☐ D. 61

17. Who is authorized to perform repair work on respirators?

- ☐ A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- ☐ C. Shift mechanics
- ☐ D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- ☐ B. No

19. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- ☐ B. No

20. Which of the following equipment require a continuous flow fresh air mask for entry?

- ☐ A. Dryer Inlet -
- ☐ B. Dryer Outlet
- ☒ C. Day Collector

21. A manhole watch is required to enter the V-10 activator pit.

- ☒ A. Yes
- ☐ B. No

22. A safety line and harness must be worn when entering:

- ☐ A. V-10 activator pit
- ☒ B. Dryer burner and inlet duct
- ☐ C. Day Collector

23. Gloves must be worn when:

- ☐ A. Opening bag boxes
- ☐ B. Cleaning dryers
- ☐ C. Bagging Resin
- ☒ D. All of the above

24. Ear protection must be worn on Bird deck when in this areas for more than 30 minutes.

- ☒ A. Yes
- ☐ B. No

25. The east end of V-11 Dryer room is the primary evacuation area for the Vinyl Department.

- ☒ A. Yes
- ☐ B. No

26. There are how many Scott Air Paks in the V-11 Dryer area?

- ☒ A. 4
- ☐ B. 1
- ☐ C. 3

27. The following people are responsible for housekeeping in the Dryer Areas:

- ☐ A. Utilities
- ☐ B. Dryer "A" Operator
- ☐ C. Dryer Lead Operator
- ☒ D. All of the above

28. All Dryer Personnel are authorized to drive the fork truck assigned to the Dryer Department.

- ☒ A. Yes
- ☐ B. No

29. Dryer Personnel are permitted to use air hose without safe-to-blow nozzles for personal cleaning.

- ☐ A. Yes
- ☒ B. No

 86

VINYL DRYER DEPARTMENT

W. JACKSON

EMPLOYEE SAFETY TRAINING

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - ☒ C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His Supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V.C. tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked-out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - ☒ D. Designated breakroom area
 - E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61
- ☒ B. 62
- C. 81
- D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. Which of the following equipment require a continuous flow fresh air mask for entry?

- A. Dryer Inlet -
- B. Dryer Outlet
- ☒ C. Day Collector

21. A manhole watch is required to enter the V-10 activator pit.

- A. Yes
- ☒ B. No

22. A safety line and harness must be worn when entering:

- A. V-10 activator pit
- ☒ B. Dryer burner and inlet duct
- C. Day Collector

23. Gloves must be worn when:

- A. Opening bag boxes
- B. Cleaning dryers
- C. Bagging Resin
- ☒ D. All of the above

24. Ear protection must be worn on Bird deck when in this areas for more than 30 minutes.

- Handwritten: ttttt*
- A. ☒ Yes
 - B. ☐ No

25. The east end of V-11 Dryer room is the primary evacuation area for the Vinyl Department.

- A. ☒ Yes
- B. ☐ No

26. There are how many Scott Air Paks in the V-11 Dryer area?

- Handwritten: /*
- A. 4
 - B. 1
 - ☒ C. 3

27. The following people are responsible for housekeeping in the Dryer Areas:

- A. Utilities
- B. Dryer "A" Operator
- C. Dryer Lead Operator
- ☒ D. All of the above

28. All Dryer Personnel are authorized to drive the fork truck assigned to the Dryer Department.

- A. Yes
- B. ☒ No

29. Dryer Personnel are permitted to use air hose without safe-to-blow nozzles for personal cleaning.

- A. Yes
- B. ☒ No



VINYL DRYER DEPARTMENT
EMPLOYEE SAFETY TRAINING

S. KEATON

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - ☒ C. Contractors
 - D. Everyone
3. Good housekeeping results in improvement in:
 - ☒ A. Product output
 - B. Employee morale
 - ☒ C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His Supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V.C. tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked-out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- ☒ A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - ☒ D. Designated breakroom area
 - E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61
- ☒ B. 62
- C. 81
- D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. Which of the following equipment require a continuous flow fresh air mask for entry?

- A. Dryer Inlet -
- B. Dryer Outlet
- ☒ C. Day Collector

21. A manhole watch is required to enter the V-10 activator pit.

- A. Yes
- ☒ B. No

22. A safety line and harness must be worn when entering:

- A. V-10 activator pit
- ☒ B. Dryer burner and inlet duct
- C. Day Collector

23. Gloves must be worn when:

- A. Opening bag boxes
- B. Cleaning dryers
- C. Bagging Resin
- ☒ D. All of the above

24. Ear protection must be worn on Bird deck when in this areas for more than 30 minutes.

- ☒ A. Yes
- B. No

25. The east end of V-11 Dryer room is the primary evacuation area for the Vinyl Department.

- ☒ A. Yes
- B. No

26. There are how many Scott Air Paks in the V-11 Dryer area?

- ☒ A. 4
- B. 1
- C. ☒ 3

27. The following people are responsible for housekeeping in the Dryer Areas:

- A. Utilities
- B. Dryer "A" Operator
- C. Dryer Lead Operator
- ☒ D. All of the above

28. All Dryer Personnel are authorized to drive the fork truck assigned to the Dryer Department.

- A. Yes
- B. ☒ No

29. Dryer Personnel are permitted to use air hose without safe-to-blow nozzles for personal cleaning.

- A. Yes
- B. ☒ No

100

D. L. Spamer

VINYL DRYER DEPARTMENT

EMPLOYEE SAFETY TRAINING

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His Supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - ~~C. Contractors~~
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V.C. tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked-out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- ☒ A. Anyone who has driven a fork truck before
 - B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so

A

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61
- ☒ B. 62
- C. 81
- D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. Which of the following equipment require a continuous flow fresh air mask for entry?

- A. Dryer Inlet -
- B. Dryer Outlet
- ☒ C. Day Collector

21. A manhole watch is required to enter the V-10 activator pit.

- ☒ A. Yes
- B. No

22. A safety line and harness must be worn when entering:

- A. V-10 activator pit
- ☒ B. Dryer burner and inlet duct
- C. Day Collector

23. Gloves must be worn when:

- A. Opening bag boxes
- B. Cleaning dryers
- C. Bagging Resin
- ☒ D. All of the above

24. Ear protection must be worn on Bird deck when in this areas for more than 30 minutes.

- ☒ A. Yes
- B. No

25. The east end of V-11 Dryer room is the primary evacuation area for the Vinyl Department.

- ☒ A. Yes
- B. No

26. There are how many Scott Air Paks in the V-11 Dryer area?

- ☒ A. 4
- B. 1
- C. 3

27. The following people are responsible for housekeeping in the Dryer Areas:

- A. Utilities
- B. Dryer "A" Operator
- C. Dryer Lead Operator
- ☒ D. All of the above

28. All Dryer Personnel are authorized to drive the fork truck assigned to the Dryer Department.

- ☒ A. Yes
- B. No

29. Dryer Personnel are permitted to use air hose without safe-to-blow nozzles for personal cleaning.

- ☒ A. Yes
- B. No

VINYL DRYER DEPARTMENT
EMPLOYEE SAFETY TRAINING

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors ✓
 - B. Contractors
 - C. Employees
 - D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - D. Everyone ✓
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above ✓
4. A person who has an injury must report the injury to:
 - A. His Supervisor ✓
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V.C. tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked-out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- A. 61
- ☒ B. 62
- C. 81
- D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. Which of the following equipment require a continuous flow fresh air mask for entry?

- A. Dryer Inlet -
- B. Dryer Outlet
- ☒ C. Day Collector

21. A manhole watch is required to enter the V-10 activator pit.

- ☒ A. Yes
- B. No

22. A safety line and harness must be worn when entering:

- A. V-10 activator pit
- ☒ B. Dryer burner and inlet duct
- C. Day Collector

23. Gloves must be worn when:

- A. Opening bag boxes
- B. Cleaning dryers
- C. Bagging Resin
- ☒ D. All of the above

24. Ear protection must be worn on Bird deck when in this areas for more than 30 minutes.

- ☒ A. Yes
- B. No

25. The east end of V-11 Dryer room is the primary evacuation area for the Vinyl Department.

- ☒ A. Yes
- B. No

26. There are how many Scott Air Paks in the V-11 Dryer area?

- ☒ A. 4
- B. 1
- C. 3

27. The following people are responsible for housekeeping in the Dryer Areas:

- A. Utilities
- B. Dryer "A" Operator
- C. Dryer Lead Operator
- ☒ D. All of the above

28. All Dryer Personnel are authorized to drive the fork truck assigned to the Dryer Department.

- A. Yes
- ☒ B. No

29. Dryer Personnel are permitted to use air hose without safe-to-blow nozzles for personal cleaning.

- A. Yes
- ☒ B. No

C. Polk

97

VINYL DRYER DEPARTMENT
EMPLOYEE SAFETY TRAINING

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His Supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V.C. tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked-out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- ☒ A. Anyone who has driven a fork truck before
 - B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- ☒ A. 81
- ☐ B. 61
- ☐ C. 62
- ☐ D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- ☐ A. 61
- ☒ B. 62
- ☐ C. 81
- ☐ D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- ☐ B. 81
- ☐ C. 62
- ☐ D. 61

17. Who is authorized to perform repair work on respirators?

- ☐ A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- ☐ C. Shift mechanics
- ☐ D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- ☐ B. No

19. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- ☐ B. No

20. Which of the following equipment require a continuous flow fresh air mask for entry?

- ☐ A. Dryer Inlet -
- ☐ B. Dryer Outlet
- ☒ C. Day Collector

21. A manhole watch is required to enter the V-10 activator pit.

- ☒ A. Yes
- ☐ B. No

A-

22. A safety line and harness must be worn when entering:

- A. V-10 activator pit
- ☒ B. Dryer burner and inlet duct
- C. Day Collector

23. Gloves must be worn when:

- A. Opening bag boxes
- ☒ B. Cleaning dryers
- C. Bagging Resin
- ☒ D. All of the above

24. Ear protection must be worn on Bird deck when in this areas for more than 30 minutes.

- ☒ A. Yes
- B. No

25. The east end of V-11 Dryer room is the primary evacuation area for the Vinyl Department.

- ☒ A. Yes
- B. No

26. There are how many Scott Air Paks in the V-11 Dryer area?

- ☒ A. 4
- B. 1
- C. 3

27. The following people are responsible for housekeeping in the Dryer Areas:

- A. Utilities
- B. Dryer "A" Operator
- ☒ C. Dryer Lead Operator
- ☒ D. All of the above

28. All Dryer Personnel are authorized to drive the fork truck assigned to the Dryer Department.

- A. Yes
- ☒ B. No

29. Dryer Personnel are permitted to use air hose without safe-to-blow nozzles for personal cleaning.

- A. Yes
- ☒ B. No

VINYL DRYER DEPARTMENT

EMPLOYEE SAFETY TRAINING

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - ☒ C. Contractors
 - D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - ☒ B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His Supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V.C. tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked-out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- ☒ A. Anyone who has driven a fork truck before
 - B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- ☒ A. 81
- ☐ B. 61
- ☐ C. 62
- ☐ D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- ☒ A. 61
- ☐ B. 62
- ☐ C. 81
- ☐ D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- ☐ B. 81
- ☐ C. 62
- ☐ D. 61

17. Who is authorized to perform repair work on respirators?

- ☐ A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- ☐ C. Shift mechanics
- ☐ D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- ☐ B. No

19. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- ☐ B. No

20. Which of the following equipment require a continuous flow fresh air mask for entry?

- ☐ A. Dryer Inlet -
- ☐ B. Dryer Outlet
- ☒ C. Day Collector

21. A manhole watch is required to enter the V-10 activator pit.

- ☒ A. Yes
- ☐ B. No

22. A safety line and harness must be worn when entering:

- ☒ A. V-10 activator pit
- ☐ B. Dryer burner and inlet duct
- ☐ C. Day Collector

23. Gloves must be worn when:

- ☐ A. Opening bag boxes
- ☐ B. Cleaning dryers
- ☒ C. Bagging Resin
- ☐ D. All of the above

24. Ear protection must be worn on Bird deck when in this areas for more than 30 minutes.

- ☒ A. Yes
- ☐ B. No

25. The east end of V-11 Dryer room is the primary evacuation area for the Vinyl Department.

- ☒ A. Yes
- ☐ B. No

26. There are how many Scott Air Paks in the V-11 Dryer area?

- ☒ A. 4
- ☐ B. 1
- ☐ C. 3

27. The following people are responsible for housekeeping in the Dryer Areas:

- ☐ A. Utilities
- ☐ B. Dryer "A" Operator
- ☒ C. Dryer Lead Operator
- ☐ D. All of the above

28. All Dryer Personnel are authorized to drive the fork truck assigned to the Dryer Department.

- ☒ A. Yes
- ☐ B. No

29. Dryer Personnel are permitted to use air hose without safe-to-blow nozzles for personal cleaning.

- ☒ A. Yes
- ☐ B. No

VINYL DRYER DEPARTMENT

EMPLOYEE SAFETY TRAINING

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His Supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

A

7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- ☒ A. The vinyl reactor and vinyl dryer areas
Compound, dry blend, and P-1 areas
 - C. V.C. tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked-out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - ☒ C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- ☒ A. Anyone who has driven a fork truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - B. ☒ 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61
 - B. ☒ 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- A. ☒ 63
 - B. 81
 - C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- A. Instrument mechanics only
 - B. ☒ Appointed, qualified persons only
 - C. Shift mechanics
 - D. Shift supervisors
18. Are all Conoco plant personnel required to participate in the VCM health training?
- A. ☒ Yes
 - B. No
19. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?
- A. ☒ Yes
 - B. No
20. Which of the following equipment require a continuous flow fresh air mask for entry?
- A. Dryer Inlet -
 - B. Dryer Outlet
 - C. ☒ Day Collector
21. A manhole watch is required to enter the V-10 activator pit.
- A. ☒ Yes
 - B. No

22. A safety line and harness must be worn when entering:

- ☐ A. V-10 activator pit
- ☒ B. Dryer burner and inlet duct
- ☐ C. Day Collector

23. Gloves must be worn when:

- ☐ A. Opening bag boxes
- ☐ B. Cleaning dryers
- ☐ C. Bagging Resin
- ☒ D. All of the above

24. Ear protection must be worn on Bird deck when in this areas for more than 30 minutes.

- ☒ A. Yes
- ☐ B. No

25. The east end of V-11 Dryer room is the primary evacuation area for the Vinyl Department.

- ☒ A. Yes
- ☐ B. No

26. There are how many Scott Air Paks in the V-11 Dryer area?

- ☒ A. 4
- ☐ B. 1
- ☐ C. 3

27. The following people are responsible for housekeeping in the Dryer Areas:

- ☐ A. Utilities
- ☐ B. Dryer "A" Operator
- ☐ C. Dryer Lead Operator
- ☒ D. All of the above

28. All Dryer Personnel are authorized to drive the fork truck assigned to the Dryer Department.

- ☒ A. Yes
- ☐ B. No

29. Dryer Personnel are permitted to use air hose without safe-to-blow nozzles for personal cleaning.

- ☒ A. Yes
- ☐ B. No

VINYL DRYER DEPARTMENT

EMPLOYEE SAFETY TRAINING

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above ✓
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone ✓
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above ✓
4. A person who has an injury must report the injury to:
 - ☒ A. His Supervisor ✓
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V.C. tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked-out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - ☒ D. Designated breakroom area
 - ☒ E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- A. Anyone who has driven a fork truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?
- A. 81
 - B. ☒ 61
 - C. 62
 - D. 63
15. What is the correct plant phone number for sounding the VCM vapor release alarm?
- A. 61
 - B. ☒ 62
 - C. 81
 - D. 63
16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?
- A. ☒ 63
 - B. 81
 - C. 62
 - D. 61
17. Who is authorized to perform repair work on respirators?
- A. Instrument mechanics only
 - B. ☒ Appointed, qualified persons only
 - C. Shift mechanics
 - D. Shift supervisors
18. Are all Conoco plant personnel required to participate in the VCM health training?
- A. Yes
 - B. ☒ No
19. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?
- A. ☒ Yes
 - B. No
20. Which of the following equipment require a continuous flow fresh air mask for entry?
- A. Dryer Inlet -
 - B. Dryer Outlet
 - C. ☒ Day Collector
21. A manhole watch is required to enter the V-10 activator pit.
- A. ☒ Yes
 - B. No

22. A safety line and harness must be worn when entering:

- ☒ A. V-10 activator pit
- B. Dryer burner and inlet duct
- C. Day Collector

23. Gloves must be worn when:

- A. Opening bag boxes
- B. Cleaning dryers
- C. Bagging Resin
- ☒ D. All of the above

24. Ear protection must be worn on Bird deck when in this areas for more than 30 minutes.

- ☒ A. Yes
- B. No

25. The east end of V-11 Dryer room is the primary evacuation area for the Vinyl Department.

- ☒ A. Yes
- B. No

26. There are how many Scott Air Paks in the V-11 Dryer area?

- A. ☒ 4
- B. 1
- C. 3

27. The following people are responsible for housekeeping in the Dryer Areas:

- A. Utilities
- B. Dryer "A" Operator
- C. Dryer Lead Operator
- ☒ D. All of the above

28. All Dryer Personnel are authorized to drive the fork truck assigned to the Dryer Department.

- A. Yes
- ☒ B. No

29. Dryer Personnel are permitted to use air hose without safe-to-blow nozzles for personal cleaning.

- A. Yes
- ☒ B. No

100 ~~100~~

Ray Miller

VINYL DRYER DEPARTMENT

EMPLOYEE SAFETY TRAINING

1. What people must abide by the Conoco General Plant Safety Rules and Procedures in our plant?
 - A. Visitors
 - B. Contractors
 - C. Employees
 - ☒ D. All of the above
2. Who must abide by department safety rules and regulations while in a given department area in the plant?
 - A. Department employees only
 - B. Visitors other than contractors
 - C. Contractors
 - ☒ D. Everyone
3. Good housekeeping results in improvement in:
 - A. Product output
 - B. Employee morale
 - C. Safety conditions and reduced injuries
 - D. Product quality
 - ☒ E. All of the above
4. A person who has an injury must report the injury to:
 - ☒ A. His Supervisor
 - B. The security guard
 - C. His lead operator
 - D. The first person he sees after the injury
5. What do you use to wash a respirator?
 - A. Wash the respirator with cold water
 - B. Wash the respirator with hot, soapy water
 - ☒ C. Wash the respirator with warm water, mixed with a mild detergent, according to the manufacturer's instructions
 - D. Respirators do not need to be washed
6. What should an employee know in order to perform a job safely?
 - A. How to produce more product than anyone else
 - B. How to try harder
 - ☒ C. The correct operating procedures for the job
 - D. How to keep on the move by checking on problems

7. Who must sign the VCM Regulated Area Log sheet when entering a regulated area?
- A. Hourly employees
 - B. Salaried employees
 - C. Contractors
 - ☒ D. Everyone
8. The work permit system is followed in the following areas of the plant:
- A. The vinyl reactor and vinyl dryer areas
 - B. Compound, dry blend, and P-1 areas
 - C. V.C. tank farm, and yard areas
 - ☒ D. All areas
9. Where and how is electrically driven equipment locked-out for repair or entry?
- ☒ A. At the breaker box with a lock
 - B. At the start/stop switch with a lock
 - C. At the stop/start switch with a tag
 - D. At the stop/start switch with a special pin only
10. Employee smoking is permitted only in what areas?
- ☒ A. As specified in Department Safety Rules
 - B. All office area's
 - C. Maintenance Shops
 - D. Designated breakroom area
 - ☒ E. All areas mentioned
11. Any person who recognizes an unsafe condition or unsafe act should immediately report it to his:
- A. Friend, if a co-worker
 - B. Co-worker, if a friend
 - ☒ C. Immediate Supervisor
 - D. Security Guard
 - E. Training Supervisor
12. A person should always wash his hands after handling any chemicals before he:
- A. Does the next job
 - B. Does reports or similar paperwork
 - C. Enters the east warehouse
 - ☒ D. Eats or smokes
13. Who is authorized to operate a Fork Lift truck in the plant?
- ☒ A. Anyone who has driven a fork truck before
 - ☒ B. A Conoco licensed operator
 - C. An experienced driver who has operated lift trucks for two years
 - D. Anyone whose supervisor asks him to do so

14. What is the correct plant phone number for sounding the plant fire alarm?

- A. 81
- ☒ B. 61
- C. 62
- D. 63

15. What is the correct plant phone number for sounding the VCM vapor release alarm?

- ☒ A. 61
- ☒ B. 62
- C. 81
- D. 63

16. What is the correct plant phone number to give the all-clear signal after a VCM emergency or fire?

- ☒ A. 63
- B. 81
- C. 62
- D. 61

17. Who is authorized to perform repair work on respirators?

- A. Instrument mechanics only
- ☒ B. Appointed, qualified persons only
- C. Shift mechanics
- D. Shift supervisors

18. Are all Conoco plant personnel required to participate in the VCM health training?

- ☒ A. Yes
- B. No

19. Before entering a vessel of any kind, is it absolutely necessary that all lines to the vessel be blanked off?

- ☒ A. Yes
- B. No

20. Which of the following equipment require a continuous flow fresh air mask for entry?

- A. Dryer Inlet -
- B. Dryer Outlet
- ☒ C. Day Collector

21. A manhole watch is required to enter the V-10 activator pit.

- ☒ A. Yes
- B. No