

SCHOOL OF PUBLIC HEALTH AND TROPICAL MEDICINE

(COMMONWEALTH DEPARTMENT OF HEALTH) (UNIVERSITY OF SYDNEY)

TELEPHONES: MW 1307
MW 1718
MW 3387

ALL COMMUNICATIONS SHOULD BE ADDRESSED TO:
THE DIRECTOR, SCHOOL OF PUBLIC HEALTH AND TROPICAL MEDICINE,
THE UNIVERSITY, SYDNEY, N.S.W.

IN YOUR REPLY
PLEASE QUOTE

THE UNIVERSITY,
SYDNEY, N.S.W.

15th January, 1962

Professor R.A. Kehoe,
The Kettering Laboratory,
Department of Preventive Medicine
and Industrial Health,
College of Medicine,
University of Cincinnati,
CINCINNATI...OHIO
U.S.A.

Dear Professor Kehoe,

Dr. Alan Bell of Sydney, who I believe visited your laboratory during last summer, has referred to the alleged occurrence in the U.S.A. of lead poisoning in two people after using for four days, chinaware on which an inferior quality glaze had been applied. Presumably, in the glaze, there was some free lead which washed out easily.

Dr. Bell mentioned this event at the last meeting of the Occupational Health Committee of the National Health and Medical Research Council of Australia, and as Secretary of the Committee, I was requested to write to you in an endeavour to obtain further information.

Accordingly, if you are aware of this incident, and could supply more complete details, my Committee would be most appreciative.

I still have very happy recollections of my visit to your department, and of meeting you and your colleagues, in July, 1947. Unfortunately, I have not since had an opportunity of visiting the U.S.A., but still have some hopes for the future.

With compliments and kind regards,

Yours sincerely,

Gordon Chubb