

The Journal of Industrial Hygiene

Published by the
HARVARD SCHOOL OF PUBLIC HEALTH

Editor for the United States
DAVID L. EDSELL, M.D.

Editor for Great Britain
E. L. COLLIS, M.D.

Editorial and Business Offices
55 Van Dyke Street
Boston, Mass.

Managing Editors
CECIL K. DRINKER, M.D.
PHILIP DRINKER
MARION C. SHORLEY

March 27, 1933.

Dr. Robert A. Kehoe,
Laboratory of Applied Physiology
College of Medicine,
University of Cincinnati,
Cincinnati, Ohio.


Dear Dr. Kehoe:

I apologize for having delayed in acknowledging receipt of your four papers on lead, which you submitted for the Journal. We have been over them carefully, and will publish them, if you agree, in the September and November issues. This delay is necessary as we now publish only six issues a year, and all our copy for the July issue is in. Even though your papers do not appear in the same issue, you may have reprints bound by the printer as a single unit, if you so desire.

In view of your remarks on the Aub and Fairball work (second paper, page 14) and their subsequent publications, I think you should give in detail your analytical procedure showing where you consider that their methods require "significant modifications", and precisely why. Also, I suggest you make clear in your analytical procedure what precautions you took to make sure you were not determining some other metal instead of lead. This statement we will insert where you direct, one statement sufficing of course, for the series of papers. We will be glad to see your future papers on this general subject.

Acceptance of the four you have sent us is conditional on our ability to get them in under the allotted funds we have available, and should the printing cost exceed our allowance, we will let you know at once. We have a rigorous contract with the printers, and if we exceed the limits set we have to ask authors to pay the difference or else curtail their cuts and tables. The chances are that these will go through without extra expense, but we could not possibly take them in a single number.

Sincerely yours,



Philip Drinker,
Managing Editor.

PD.HL

KE 0015289