



AMCHEM PRODUCTS, Inc.

AMBLER, PENNA. 19002

PLEASE REPLY TO
P. O. BOX 9895
PHILADELPHIA, PA. 19131

June 30, 1975

Union Carbide Corp.
Metals Division
P. O. Box 579
4625 Royal Avenue
Niagara Falls, New York 14302

PLAINTIFF'S EXHIBIT

UC-4464

Gentlemen:

We would appreciate having comments on the potential health hazard of "Calidria" asbestos when incorporated as a thickener in adhesives and coatings. We believe the presence of minor quantities of Calidria in a compounded product would not present a hazard to the user of that product, but we would appreciate having your reasoning and opinion on this question.

Yours very truly,
AMCHEM PRODUCTS INC.
Foster Division

W. P. Ellis,
Director of Research

WPE:nfl

~~275-628-1235~~
Foster Div. - Phila.

RECEIVED

JUL 03 1975

UCC-CALIDRIA

A 19405

CC 14912



INTERNAL CORRESPONDENCE

MINING AND METALS DIVISION

4625 ROYAL AVE., P. O. BOX 579, NIAGARA FALLS, NEW YORK 143

To (Name)	Messrs. R. E. Byrne, Jr.	Date	July 18, 1975
Division	G. L. Dickson	Originating Dept.	— TECHNOLOGY DEPARTMENT
Location	J. L. Myers		"Calidria" Asbestos
	W. C. Thurber	Answering letter date	
Copy to	File	Subject	Amchem Products, Inc.

Attached is a draft of a response to an asbestos-health inquiry from Amchem Products, Inc. I talked to Mr. Ellis by phone along the lines described in the draft and he seemed quite satisfied. He pushed very hard, however, to get it in writing. Your comments and suggestions are requested.

H. B. Rhodes

H. B. Rhodes ✓

HBR:pcr
Encl.

BC: JLM
WCT

Is it necessary to clear this with our Law Department? If so, it would be appreciated if WCT would send it in to RFXF.

Thanks.

H. B. Rhodes

H. B. Rhodes
A 19484

HBR:pcr