

TABLE I
VCM LEAKS OVER 50 PPM

<u>SAMPLE NO.</u>	<u>CONCENTRATION VCM (PPM)</u>	<u>PAGE NO.</u>
18	50	ABER-1
19	55	ABER-4
20	60	ABER-4
21	80	ABER-3
22	400	ABER-3
23	400	ABER-4
24	600	ABER-11
25	600	ABER-11
26	400	ABER-VTF-2
27	125	ABER-VTF-2
28	200	ABER-VTF-2
29	70	ABER-VTF-2
30	60	ABER-VTF-2
31	50	ABER-VTF-2
32	60	ABER-VTF-2
33	125	ABER-VTF-2
34	50	ABER-VTF-2
35	175	ABER-VTF-3
36	150	ABER-VTF-3
37	200	ABER-VTF-3
38	100	ABER-VTF-3
39	150	ABER-VTF-3
40	400	ABER-VTF-3
41	180	ABER-VTF-3
42	170	ABER-VTF-1
43	80	ABER-VTF-1
44	60	ABER-VTF-1
45	75	ABER-VTF-1
46	50	ABER-23
47	2000	ABER-23
48	50	ABER-22
49	50	ABER-22
50	500	ABER-21
51	500	ABER-21
52	500	ABER-21
53	200	ABER-21
54	200	ABER-LRS-8
55	50	ABER-LRS-8
56	500	ABER-LRS-8
57	500	ABER-LRS-7
58	60	ABER-VTF-1
59	90	ABER-VTF-1