PLAINTIFF'S EXHIBIT WH-884
PENGAD-Bayonne,N.J.

From : A-Unit Mfg. Engrg.
WIN :
Date : May 13, 1976
Subject: Substitutions for Asbestos

TO: A. M. Johnson, G-310
R. C. Shollenberger, A-203
M. P. Whittington, O-105
L. Garbarino, B-3
W. A. Davis, O-200
P. Weil, G-306
G. Wells, B-105
E. McCoy III, U-101

Effective today, May 13, 1976 asbestos cloth type AAAA Dustless ID-313372, PDS-41521CT, will be phased out of stock and replaced with 18.5 oz. fiberglass cloth ID-539716, PDS-41514EQ.

Action Required

A.M.Johnson — Phase out existing stock of asbestos cloth and cancel any orders now pending.

L.Garbarino — Please increase your stocks of fiberglass cloth to allow for the increased activity. The previous 12 months activity for asbestos cloth was 3200 yds. of 40" wide cloth.

R.L.Shollenberger — Please remove PDS-41521CT from your active rolls.

W. Davis — Continue using asbestos cloth until stocks are depleted - fiberglass cloth will then be available from HS-5 storeroom.

R. C. Wynn, Mfg. Engr.
A-Unit, Erection & Test

IN RE: ABRAMS, et al.
MISS. 1993