Industrial BIO-TEST *Laboratories, Inc.*
1810 FRONTAGE ROAD
NORTHBROOK, ILLINOIS 60062

REPORT TO

MONSANTO COMPANY

TWO - YEAR CHRONIC ORAL TOXICITY STUDY WITH AROCLOR 1254 IN ALBINO RATS

HISTOPATHOLOGICAL EVALUATION OF ADDITIONAL LIVER SECTIONS

MARCH 24, 1975

IBT NO. 641 - 06672

DSW 037037

STLCOPCB4020861

Industrial **BIO-TEST** *Laboratories, Inc.*
1810 FRONTAGE ROAD
NORTHBROOK, ILLINOIS 60062

July 1, 1975

George J. Levinskas, Ph.D.
Monsanto Company
800 N. Lindbergh Blvd.
St. Louis, Missouri 63166

Dear Dr. Levinskas:

Re: IBT No. 641-06672 - Histopathological Evaluation of Additional Liver Sections From Rats of a Two - Year Chronic Oral Toxicity Study of Aroclor 1254.

We are submitting herewith our revised laboratory report dated March 24, 1975, prepared in connection with the above study.

Very truly yours,

J. C. Calandra

J. C. Calandra
President

JCC/fd

DSW 037038

STLCOPCB4020862

REPORT TO

MONSANTO COMPANY

TWO - YEAR CHRONIC ORAL TOXICITY STUDY WITH AROCLOR 1254 IN ALBINO RATS

HISTOPATHOLOGICAL EVALUATION OF ADDITIONAL LIVER SECTIONS

MARCH 24, 1975

IBT NO. 641 - 06672

I. Introduction

At the request of Dr. Levinskas of the Monsanto Company, additional sections of liver from a two - year chronic oral toxicity study of Aroclor 1254 in rats (IBT No. 622-07298) were processed into H & E stained sections and evaluated by light microscopy. The following report presents the results of this study.

STLCOPCB4020863

II. Summary

In most instances, the spectrum of treatment-related histopathological findings in the liver from this re-evaluation did not differ significantly from that previously reported in our original report dated November 12, 1971. There were six hepatomas detected among six of the animals at the highest treatment level (100 ppm) of the 24-Month Sacrifice. No hepatocellular carcinomas were observed. One liver tumor (a hepatoma) previously reported in a T-II animal (No. 445) was re-classified as nodular hyperplasia. The other treatment-related lesions reported are regarded as degenerative or hyperplastic in nature and they are morphologic manifestations of an adaptive response of the liver ascribed to biotransformation of the test material. The latter lesions were confined primarily to test animals of the 12 and 24 month sacrifices and they were dose-related in incidence and severity.

In conclusion, Aroclor 1254 does not appear to be carcinogenic in rats fed for two years at levels up to and including 100 ppm.

Respectfully submitted,

INDUSTRIAL BIO-TEST LABORATORIES, INC.

Report Prepared and Reviewed by: D. E. Gordon

D. E. Gordon, D. V. M., Ph. D.
Section Head, Pathology

Report Approved by: M. L. Keplinger

M. L. Keplinger, Ph. D.
Manager, Toxicology

aew

STLCOPCB4020864

IBT No. 622-07298
Monsanto

I have examined additional sections of liver from rats of IBT No. 622-07298 and have re-evaluated them for evidence of carcinogenesis. I have tabulated my findings for Aroclor 1254 on the following pages:

There is evidence of a chemical effect on the liver which is most pronounced at time of the 12-Month and 24-Month sacrifice. This consists of a hepatocellular alteration beginning as focal hypertrophy which progresses to nodular hyperplasia, and in a few animals to hepatoma or cholangiohepatoma. The hypertrophic cells contain large amounts of light staining cytoplasm which is probably rich in glycogen and endoplasmic reticulum. In some cases ring shaped structures, probably representing whorls of proliferative endoplasmic reticulum, were seen in the cytoplasm of these cells.

The hyperplastic nodules occupied larger areas and often compressed surrounding cells of the normal liver parenchyma. They also contained the same hypertrophic cells.

Those lesions classified as hepatomas or cholangiohepatomas were larger nodules which showed evidence of confluence or some variation in cell size, shape, staining or a ductular or adenomatous pattern of growth. In the absence of metastasis, invasiveness, severe basophilia, mitoses, or other evidence of anaplasia; these are benign tumors rather than malignant carcinomas. There was no evidence of metastasis or invasiveness of these tumors in this study.

STLCOPCB4020865

With exception of the vacuolar changes in the cytoplasm of hepatocytes, the more severe hepatocellular alterations were confined to animals of the 24-Month Sacrifice.

Ward R. Richter

Ward R. Richter, D.V.M., M.S.
Dipl., Am. College Vet. Path.

STLCOPCB4020866

Primary Liver Lesions - Aroclor 1254

3 Month Sacrifice - Rats

Lesion	Group			
	TI	TII	TIII	Control
Vacuolar Change	3/10	3/10	1/10	2/10
Focal Hypertrophy	0/10	0/10	1/10	0/10
Nodular Hyperplasia	0/10	0/10	0/10	0/10
Hepatoma	0/10	0/10	0/10	0/10
Ductular Hyperplasia	0/10	0/10	0/10	0/10
Cholangio-Hepatoma	0/10	0/10	0/10	0/10
Hepatocellular Necrosis	1/10	1/10	0/10	0/10

STLCOPCB4020867

Primary Liver Lesions - Aroclor 1254

6 Month Sacrifice - Rats

Lesion	Group			
	TI	TII	TIII	Control
Vacuolar Change	0/10	0/10	1/10	1/10
Focal Hypertrophy	0/10	0/10	4/10	0/10
Nodular Hyperplasia	0/10	0/10	0/10	0/10
Hepatoma	0/10	0/10	0/10	0/10
Ductular Hyperplasia	0/10	0/10	0/10	0/10
Cholangio-Hepatoma	0/10	0/10	0/10	0/10
Hepatocellular Necrosis	2/10	0/10	1/10	1/10

STLCOPCB4020868

Primary Liver Lesions - Aroclor 1254

12 Month Sacrifice - Rats

Lesion	Group			
	II	III	IIII	Control
Vacuolar Change	1/10	4/10	1/10	1/10
Focal Hypertrophy	0/10	4/10	2/10	0/10
Nodular Hyperplasia	0/10	0/10	0/10	0/10
Hepatoma	0/10	0/10	0/10	0/10
Ductular Hyperplasia	1/10	1/10	0/10	1/10
Cholangio-Hepatoma	0/10	0/10	0/10	0/10
Hepatocellular Necrosis	0/10	0/10	1/10	0/10

STLCOPCB4020869

Primary Liver Lesions - Aroclor 1254

Terminal Sacrifice - Rats

Lesion	Group			
	TI	TII	THI	Control
Vacuolar Change	8/31	10/26	13/27	1/23
Focal Hypertrophy	3/31	5/26	13/27	0/23
Nodular Hyperplasia	0/31	3/26	13/27	1/23
Hepatoma	0/31	0/26	4/27	0/23
Ductular Hyperplasia	6/31	3/26	4/27	5/23
Cholangio-Hepatoma	0/31	0/26	2/27	0/23
Hepatocellular Necrosis	3/31	1/26	2/27	1/23

STLCOPCB4020870

Tabulation of Individual Liver Lesions in Rats

Sacrifice Interval	Dose Level	Animal No. and Sex	Liver Lesions										
			Cytoplasmic vacuolation of hepatocytes	Focal necrosis of hepatocytes	Focal lymphoid infiltrations	Focal hypertrophy of hepatocytes	Nodular hyperplasia of hepatocytes	Focal bile duct hyperplasia	Hepatoma	Cholangio-hepatoma	Squamous Cell Carcinoma, metastatic	Mammary tumor, metastatic	Hepatitis/Cirrhosis
3 Month	B-I 1ppm	356M	++										
		357"	+										
		358"											
		359"		+									
		360"	+										
		396F											
		397"											
		398"											
		399"											
		400"											
	B-II 10ppm	436M	+										
		437"											
		438"	+										
		439"											
		440"	+										
		476F		+									
		477"											
		478"											
		479"											
		480"											
	B-III 100ppm	516M											
		517"											
		518"	+	+	+								
		519"											
		520"											
		555F											
		557"											
		558"											
		559"											
		560"											

DSW 037047

STLCOPCB4020871

Tabulation of Individual Liver Lesions in Rats

Sacrifice Interval	Dose Level	Animal No. and Sex	Liver Lesions									
			Cytoplasmic vacuolation of hepatocytes	Focal necrosis of hepatocytes	Focal lymphoid infiltrations	Focal hypertrophy of hepatocytes	Nodular hyperplasia of hepatocytes	Focal bile duct hyperplasia	Hepatoma	Cholangio-hepatoma	Squamous Cell Carcinoma, metastatic	Mammary tumor, metastatic
6 Month	B-I 1ppm	921M		+								
		922"										
		923"		+								
		924"										
		925"										
		936F										
		937"										
		938"										
		939"										
		940"										
	B-II 10ppm	950M										
		951"										
		952"										
		953"										
		954"										
		966F										
		967"										
		968"										
		969"										
		970"										
	B-III 100ppm	981M		+	+							
		982"			+							
		983"										
		984"										
		985"										
		996F				+						
		997"				+						
		998"										
		999"		+		+						
		1000"				+						

STLCOPCB4020872

Sacrifice Interval	Dose Level	Animal No. and Sex	Liver Lesions										
			Cytoplasmic vacuolation of hepatocytes	Focal necrosis of hepatocytes	Focal lymphoid infiltrations	Focal hypertrophy of hepatocytes	Nodular hyperplasia of hepatocytes	Focal bile duct hyperplasia	Hepatoma	Cholangio-hepatoma	Squamous Cell Carcinoma, metastatic	Mammary tumor, metastatic	Hepatitis/Cirrhosis
12 Month	B-I 1ppm	41M	+										
		42"											
		43"											
		44"											
		45"											
		46F											
		47"											
		48"						+					
		49"											
		50"											
	B-II 10ppm	51M											
		52"	++										
		53"	++										
		54"			+								
		55"	+										
		56F			+								
		57"	+			+							
		58"				+							
		59"				+							
		60"				+		+					
	B-III 100ppm	61M				+							
		62"											
		63"											
		64"											
		65"	++			+							
		66F											
		67"			+								
		68"											
		69"											
		70"		+									

DSW 037049

STLCOPCB4020873

AROCLOR - 1254
Tabulation of Individual Liver Lesions in Rats

Sacrifice Interval	Dose Level	Animal No. and Sex	Liver Lesions: Cytoplasmic vacuolation of hepatocytes	Focal necrosis of hepatocytes	Focal lymphoid infiltrations	Focal hypertrophy of hepatocytes	Nodular hyperplasia of hepatocytes	Focal bile duct hyperplasia	Hepatoma	Cholangio-hepatoma	Squamous Cell Carcinoma, metastatic	Mammary tumor, metastatic	Hepatitis/Cirrhosis
24 Month	B-I 1ppm	326M											
		330"											
		335"											
		338"											
		351"	++	+									
		323"		+									
		325"											
		343"	+										
		346"			+	+							
		342F											
		362"											
		368"						+					
		374"											
		375"						+					
		376"				+							
		475"	+++										
		366"						+					
		367"											
		372"						+					
		377"	++	++		+		+					
		378"	+										
		379"	+										
		380"											
		381"											
		384"											
		387"											
		388"											
		389"											
		391"	+					+					
		394"	+++										
		Ext"			++								

DSW 037050

STLCOPCB4020874

Tabulation of Individual Liver Lesions in Rats

Sacrifice Interval	Dose Level	Anima No. and Sex	Liver Lesions										
			Cytoplasmic vacuolation of hepatocytes	Focal necrosis of hepatocytes	Focal lymphoid infiltrations	Focal hypertrophy of hepatocytes	Nodular hyperplasia of hepatocytes	Focal bile duct hyperplasia	Hepatoma	Cholangio-hepatoma	Squamous Cell Carcinoma, metastatic	Mammary tumor, metastatic	Hepatitis/Cirrhosis
24 Month	B-II 10ppm	415M											
		417"				++		+					
		418"											
		419"											
		423"											
		426"	++										
		427"	+										
		491"									P		
		402"	+										
		403"	++										
		405"											
		410"											
		434"	+										
		450F											
		451"	+				P						
		452"	+	+			P						
		456"				+							
		459"				++		++					
		463"	++										
		469"				+							
		470"											
		471"											
		478"						+					
		443"											
		445"					P						
		448"											

DSW 037051

STLCOPCB4020875

AROCLOR - 1254

Tabulation of Individual Liver Lesions in Rats

Sacrifice Interval	Dose Level	Animal No. and Sex	Liver Lesions										
			Cytoplasmic vacuolation of hepatocytes	Focal necrosis of hepatocytes	Focal lymphoid infiltrations	Focal hypertrophy of hepatocytes	Nodular hyperplasia of hepatocytes	Focal bile duct hyperplasia	Hepatoma	Cholangio-hepatoma	Squamous Cell Carcinoma, metastatic	Mammary tumor, metastatic	
24 Month	B-III	484M	++										+
	100ppm	491"				+	P		P				
		497"				++	P						
		499"				+	P						
		507"					P						
		509"											
		510"	+										
		512"											
		483"	++					+					
		489"	+			+							
		522F	++			++							
		524"	++			+	P						
		527"	+++			+	P					P	
		541"				+			P				
		547"	++				P						
		Ext1"	++			++++	P						
		Ext2"					P	+		P			
		Ext3"	++			+++							
		Ext4"					P		P				
		Ext5"		+			P						
		536"	++			+++	P						
		537"											
		539"	++			++		+					
		441"											
		Ex1"							P				
		Ex2"	++							P			
		Ex3"				+	P	+					

Grading System

+ = minimal in severity
++ = mild in severity
+++ = moderate in severity
++++ = marked in severity
P = Present, no grade
- = Absent

DSW 037052

STLCOPCB4020876