



Compound Service Worker

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	99	83
10-20	12	10
20-30	5	4
30-40	0	0
40-50	1	0
> 50	3	3
	<u>120</u>	<u>100</u>




Poly Building (A&B) Operators

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	170	87
10-20	14	7
20-30	4	2
30-40	2	1
40-50	0	0
> 50	5	3
	<u>195</u>	<u>100</u>




Poly Building Service Worker

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	74	73
10-20	4	4
20-30	3	3
30-40	7	7
40-50	3	3
> 50	10	10
	<u>101</u>	<u>100</u>




Electrician

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	15	88
10-20	2	12
20-30	0	0
30-40	0	0
40-50	0	0
> 50	0	0
	<u>17</u>	<u>100</u>




Laboratory

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	67	100
10-20	0	0
20-30	0	0
30-40	0	0
40-50	0	0
> 50	<u>0</u>	<u>0</u>
	67	100



Dryer Operator


<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	54	90
10-20	0	0
20-30	0	0
30-40	0	0
40-50	0	0
> 50	<u>6</u>	<u>10</u>
	60	100



* All readings above 50 p.p.m. were over blend tanks

Bagger

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	17	100
10-20	0	0
20-30	0	0
30-40	0	0
40-50	0	0
> 50	<u>0</u>	<u>0</u>
	17	100



Warehouse Area

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	63	100
10-20	0	0
20-30	0	0
30-40	0	0
40-50	0	0
> 50	<u>0</u>	<u>0</u>
	63	100



Maintenance Mechanic

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	59	91
10-20	5	7
20-30	0	0
30-40	0	0
40-50	0	0
> 50	1	2
	65	100

Boiler Operator

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	2	100
10-20	0	0
20-30	0	0
30-40	0	0
40-50	0	0
> 50	0	0
	2	100

Welder

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	12	86
10-20	0	0
20-30	0	0
30-40	0	0
40-50	0	0
> 50	2	14
	14	100

Oiler

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	12	92
10-20	1	8
20-30	0	0
30-40	0	0
40-50	0	0
> 50	0	0
	13	100

Maintenance Shop

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	9	100
10-20	0	0
20-30	0	0
30-40	0	0
40-50	0	0
> 50	<u>0</u>	<u>0</u>
	9	100

Tank Farm

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	6	60
10-20	2	20
20-30	1	10
30-40	0	0
40-50	0	0
> 50	<u>1</u>	<u>10</u>
	10	100

Blender Operator

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	16	89
10-20	2	11
20-30	0	0
30-40	0	0
40-50	0	0
> 50	<u>0</u>	<u>0</u>
	18	100

Mill Room Operator

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	20	100
10-20	0	0
20-30	0	0
30-40	0	0
40-50	0	0
> 50	<u>0</u>	<u>0</u>
	20	100

Guard

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	12	100
10-20	0	0
20-30	0	0
30-40	0	0
40-50	0	0
> 50	<u>0</u>	<u>0</u>
	12	100

Engineer & Supervisors

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	8	100
10-20	0	0
20-30	0	0
30-40	0	0
40-50	0	0
> 50	<u>0</u>	<u>0</u>
	8	100

Janitor

<u>Range</u>	<u>No. of Readings</u>	<u>%</u>
0-10	7	100
10-20	0	0
20-30	0	0
30-40	0	0
40-50	0	0
> 50	<u>0</u>	<u>0</u>
	7	100

Maintenance Shop

<u>Range</u>	<u>%</u>
0-10	100
10-20	0
20 & Above	0

Tank Farm

<u>Range</u>	<u>%</u>
0-10	60
10-20	20
20 & Above	20

Blender Operator

<u>Range</u>	<u>%</u>
0-10	89
10-20	11
20 & Above	0

Mill Room Operator

<u>Range</u>	<u>%</u>
0-10	100
10-20	0
20 & Above	0

Laboratory

<u>Range</u>	<u>%</u>
0-10	100
10-20	0
20 & Above	0

Dryer Operator

<u>Range</u>	<u>%</u>
0-10	90
10-20	0
20 & Above	10

Boiler Operator

<u>Range</u>	<u>%</u>
0-10	100
10-20	0
20 & Above	0

Welder

<u>Range</u>	<u>%</u>
0-10	86
10-20	0
20 & Above	14

Oiler

<u>Range</u>	<u>%</u>
0-10	92
10-20	8
20 & Above	0

Guard

<u>Range</u>	<u>%</u>
0-10	100
10-20	0
20 & Above	0

Engineer & Supervisors

<u>Range</u>	<u>%</u>
0-10	100
10-20	0
20 & Above	0

Janitor

<u>Range</u>	<u>%</u>
0-10	100
10-20	0
20 & Above	0

Bagger

<u>Range</u>	<u>%</u>
0-10	100
10-20	0
20 & Above	0

Warehouse Area

<u>Range</u>	<u>%</u>
0-10	100
10-20	0
20 & Above	0

Compound Service Worker

<u>Range</u>	<u>%</u>
0-10	83
10-20	10
20 & Above	7

Poly Building (A&B) Operators

<u>Range</u>	<u>%</u>
0-10	87
10-20	7
20 & Above	6

Poly Building Service Worker

<u>Range</u>	<u>%</u>
0-10	73
10-20	4
20 & Above	23

Electrician

<u>Range</u>	<u>%</u>
0-10	88
10-20	12
20 & Above	0

Maintenance Mechanic

<u>Range</u>	<u>%</u>
0-10	91
10-20	7
20 & Above	2

OCC 0419